

University of Notre Dame

An Annotated Bibliography of the Zoology of Tennessee and the Tennessee Valley Region

Author(s): Charles S. Shoup

Source: *The American Midland Naturalist*, Vol. 21, No. 3 (May, 1939), pp. 583-635

Published by: [University of Notre Dame](#)

Stable URL: <http://www.jstor.org/stable/2420517>

Accessed: 21-10-2015 14:22 UTC

Your use of the JSTOR archive indicates your acceptance of the Terms & Conditions of Use, available at <http://www.jstor.org/page/info/about/policies/terms.jsp>

JSTOR is a not-for-profit service that helps scholars, researchers, and students discover, use, and build upon a wide range of content in a trusted digital archive. We use information technology and tools to increase productivity and facilitate new forms of scholarship. For more information about JSTOR, please contact support@jstor.org.



University of Notre Dame is collaborating with JSTOR to digitize, preserve and extend access to *The American Midland Naturalist*.

<http://www.jstor.org>

An Annotated Bibliography of the Zoology of Tennessee and the Tennessee Valley Region

Charles S. Shoup

This bibliography comprises the published papers dealing with the general zoology and the distribution of animals in Tennessee, together with certain papers on the region drained by the Tennessee River and its tributaries in western North Carolina, northern Georgia, and northern Alabama. A few titles are included from Kentucky in which forms are described or listed from areas of that state near the headwaters of the Cumberland River.

The compiler believes this list includes nearly all the useful papers on the fauna of the region, and, with the possible exception of scattered papers from obscure journals, that the listing is nearly complete through the year 1938. In this compilation, references are included from *The Migrant*, organ of the Tennessee Ornithological Society, because these shorter notes and papers often give local lists for areas in which many beginning naturalists are at work.* References from other journals of limited distribution are herein included. General works, and handbooks which deal only incidentally with this region have been omitted from this bibliography. A few of these have already been included in a preliminary bibliography published in the *Journal of the Tennessee Academy of Science*, Vol. 11, January, 1936.

This list should be useful to all investigators interested in the zoology of the southeastern states, and should serve as a basis for biological survey work in Tennessee. Examination of the index of localities will show that although collections have been reported from widely-scattered localities over the area, our knowledge of the distribution of many species is very meagre. Of the one thousand titles reported in this bibliography, more than one-half are concerned with the distribution of mollusks, insects and birds of the region.

The compiler wishes to thank Vanderbilt University for assuming a portion of the publication costs of this list, and acknowledges his indebtedness to Dr. Alvin R. Cahn, Chief of the Biological Readjustment Division, Tennessee Valley Authority, for kindly furnishing about one hundred titles and for his great interest in this effort.

Part 1: General Zoology, Ecology and Distribution

ADAMS, C. C. 1900—Variation in *Io*. Proc. Amer. Assn. Adv. Sci. **49**:208-225.

———1915—The Variation and Ecological Distribution of the Snails of the genus *Io*. Memoirs Natl. Acad. Sci. **12**(2):1-86. 61 pls.*

* References containing useful local lists of species and other information valuable in public education and conservation are marked in this bibliography with an asterisk.

- BAILEY, JAMES, JR. 1938—Scientific Conservation in Tennessee. *Jour. Tenn. Acad. Sci.* **13**(1):34-37. Jan. * Contains references to game farms and hatcheries within the state.
- BAILEY, VERNON. 1933—Cave Life of Kentucky, mainly in the Mammoth Cave region. *Amer. Midl. Nat.* **14**(5):386-635.* With chapters on birds by F. M. Bailey, and on Invertebrates by L. Giovannoli.
- BARROWS, ROBERT, JR., ET AL. 1935—A Biological Survey of Streams in the Great Smoky Mountains National Park. Dept. Comm., Bur. Fisheries. Report. (Mimeographed). Wash.
- BEDWELL, D. R. 1927—Succession of Animal Communities in Brown's Creek. (Nashville, Tenn.) Bound thesis. 1-95. Peabody Coll. Library, Nashville. Aug.
- BLAIR, J. REESE. 1937—A Study in Limnology: Chemical Conditions of Marrowbone Creek, Tennessee. Bound thesis. 1-42. 9pls. Vanderbilt Univ. Library, Nashville. June.
- BREDER, C. M., JR. AND RUTH B. 1923—A List of Fishes, Amphibians and Reptiles collected in Ashe County, N. Carolina. *Zoologica N. Y.* **4**:3-23.
- BRIMLEY, C. S. AND F. SHERMAN. 1908—Note on the Life-Zones in N. Carolina. *Jour. E. Mitchell Sci. Soc.* **24**:14-22.
- 1917—Some known changes in the Land Vertebrate Fauna of N. Carolina. *Jour. E. Mitchell Sci. Soc.* **22**:176-183.
- CALL, R. E. 1897—Some Notes on the Fauna and Flora of Mammoth Cave, Kentucky. *Amer. Nat.* **31**:377-392. 2 pls.*
- COPE, E. D. 1870—Observations on the Fauna of the Southern Alleghenies. *Amer. Nat.* **4**:392-402.
- EIGENMANN, C. H. 1909—Cave Vertebrates of America, a Study in Degenerate Evolution. Carnegie Inst. Washington. Pub. **104**:1-341. June.*
- FUNKHOUSER, W. D. 1925—Wild Life in Kentucky: The Reptiles, Birds and Mammals of the Commonwealth, with a Description of their Appearance, Habits, and Economic Importance. Ky. Geol. Survey, Frankfort. 1-385.*
- GANIER, A. F. 1928—Wild Life of Tennessee. *Jour. Tenn. Acad. Sci.* **3**:10-22.*
- GARMAN, H. 1894—A Preliminary List of the Vertebrate Animals of Kentucky. *Bull. Essex Inst. Salem* **26**:1-63.
- GREENE, E. E. 1928—Animal Succession in a Forest Series. Bound thesis. 1-52. Peabody Coll. Library, Nashville.
- GUY, K. C. 1931—Animal Communities in Vaughan's Spring and Spring Branch. (Tenn.) Bound thesis. 1-36. Peabody Coll. Library, Nashville.
- HUNT, JOHN S. 1930—Bottom as a Factor in Animal Distribution in small streams. *Jour. Tenn. Acad. Sci.* **5**:11-18. Transect studies in a small Tennessee stream, describing habitats for several invertebrates.
- IVES, J. D. 1927—Cave Fauna with especial reference to Ecological Factors. *Jour. E. Mitchell Sci. Soc.* **43**:84-90. The faunas of 5 caves in N. C., Tenn., and Ky. are discussed.
- JACKSON, D. A. 1930—A Study of Animal Communities in Connell's Pond. Bound thesis. 1-75. Peabody Coll. Library, Nashville. Locality: 12 mi. from Nashville, Tenn., near Goodlettsville.
- LYON, SCOTT C. 1926—Possibilities for the establishment of a Biological Station at Reelfoot Lake. (Tenn.) *Jour. Tenn. Acad. Sci.* **1**(1):11-15. Jan.
- MAJOR, J. L. 1933—Animals in an Oak-Chestnut and a Beech-Maple Forest. Bound thesis. 1-95. Peabody Coll. Library, Nashville. Locality: 13 mi. west of Nashville, Tenn., along Cumberland River.
- MCCLURE, G. W. 1929—An Ecological Study of the Distribution of Animals on Mt. LeConte and along LeConte Creek. Bound thesis. Univ. of Tenn. Library, Knoxville.*

- MELENEY, H. E. 1937.—The Problem of Malaria Mortality in the U. S. Amer. Jour. Trop. Med. **17**:15-24. Refers to Tenn. conditions and statistics.
- MERRILL, G. P. 1920—Contributions to a History of American State Geological and Natural History Surveys. Bull. U. S. Natl. Mus. **109**:1-549. For Tenn., 464-470.
- MEYER, A. M. 1937—An Ecological Study of Cedar Glade Invertebrates near Nashville, Tennessee. Ecol. Monogr. **7**:403-443. 8 figs.*
- NELSON, W. A. 1924—Reelfoot—An Earthquake Lake in Tennessee. Natl. Geog. Mag. **45**(1):99-114.* Inc. a wild life account by A. F. Ganier.
- ORTMANN, A. E. 1913—The Alleghenian Divide, and its influence upon the Fresh-water Fauna. Proc. Amer. Philos. Soc. Philad. **52**(210):287-390. May-August.* For a discussion of Tenn.-Cumberland fauna, upper Tenn. R., see p. 310.
- PACKARD, A. S. 1875—The Invertebrate Cave Fauna of Kentucky and adjoining States. Amer. Nat. **9**:274-278.
- 1888—The Cave Fauna of N. America, with remarks on the Anatomy of the Brain and Origin of the Blind Species. Memoirs Natl. Acad. Sci. **4**(1):3-156. 26 pls.*
- 1894—On the Origin of the Subterranean Fauna of N. America. Amer. Nat. **28**:727-751. Mentions Nickajack Cave, Tennessee.
- POWERS, E. B. 1938—Fresh Water Medusae in Tennessee. Science. N. S. **88**(2291):498-499. Nov. 25. *Craspedacusta ryderi*, Andrew Jackson Lake. Thousands; last in lake about 45 days.
- PRESSEY, H. A. 1902—Hydrography of the Southern Appalachian Mountain Region. U. S. Water Supply and Irrig. Papers **62**(1), **63**(2). Of value for ecological studies.
- SHERMAN, F. 1914—Studies of the Animal Life of N. Carolina, with suggestions for a biological survey. Jour. E. Mitchell Sci. Soc. **30**:69-89.
- STUPKA, A. 1938—Report on progress made in a Survey of the Natural History of the Great Smoky Mountains National Park. Jour. Tenn. Acad. Sci. **13**(1):60-62. Jan.
- WARD, H. B. 1937—New Societies and Shifting Interests. Science. N. S. **86**(2243):579-580. Mentions early scientific meeting, Nashville, Tenn. 1877.
- WYATT, G. 1927—Animal Societies in springs and spring branches. Bound thesis. 1-59. Peabody Coll. Library, Nashville. June. Locality: Knapp Farm, Nashville, Tenn.

Part 2. Protozoa

- BEVEL, N. 1938—Some Notes on the Protozoa of Reelfoot Lake. (Tenn.) Jour. Tenn. Acad. Sci. **13**(2):137-159. 3 pls. April.* 210 species are listed from 46 collections from 24 localities in the region.
- FRYE, W. W. AND H. E. MELENEY. 1932—Investigations of *Endamoeba histolytica* and other intestinal protozoa in Tennessee. IV. A Study of flies, rats, mice, and some domestic animals as possible carriers of the intestinal protozoa of man in a rural community. Amer. Jour. Hyg. **16**(3):729-749. 2 pls.
- ————1934—Studies of *Endamoeba histolytica* and other intestinal protozoa in Tennessee. VIII. Observations on the intestinal protozoa of young pigs and attempts to produce infection with a human strain of *E. histolytica*. Amer. Jour. Hyg. **20**(2):404-414.
- ————1938—The Pathogenicity of a strain of small race *Endamoeba histolytica*. Amer. Jour. Hyg. **27**(3):580-589. May. From Tennessee.
- LACKEY, JAMES B. 1934—Two New Species of Euglenidae and the position of the Order. Jour. Tenn. Acad. Sci. **9**(1):59-61. Jan. *Colacium sanguinea*, n. sp., and *Peranema ovalis*, n.sp., from Reelfoot Lake.
- MELENEY, H. E. 1930—Community Surveys for *Endamoeba histolytica* and other intestinal protozoa in Tennessee. Jour. Parasit. **16**:146-153. April 5.

- , E. L. BISHOP, AND W. S. LEATHERS. 1932—Investigations of *Endamoeba histolytica* and other intestinal protozoa in Tennessee. III. A State-Wide Survey of the intestinal protozoa of man. *Amer. Jour. Hyg.* **16**(2):523-539. 7 maps.
- AND W. W. FRYE. 1933—Studies of *Endamoeba histolytica* and other intestinal protozoa in Tennessee. V. A comparison of five strains of *E. histolytica* with reference to their pathogenicity for kittens. *Amer. Jour. Hyg.* **17**(3):637. May.
- 1933—The Relative Incidence of Intestinal Parasites in hospital patients in Nashville and in rural Tennessee. *Jour. Lab. & Clin. Med.* **19**(2):113.
- AND W. W. FRYE. 1934—Studies of *Endamoeba histolytica* and other intestinal protozoa in Tennessee. VII. The histopathology of intestinal amoebiasis in the kitten and in man. *Amer. Jour. Hyg.* **20**(1):84-105.
- 1935—Studies of *Endamoeba histolytica* and other intestinal protozoa in Tennessee. IX. Further observations on the pathogenicity of certain strains of *E. histolytica* for kittens. *Amer. Jour. Hyg.* **21**(2):422-437. March.
- MILAM, D. F. AND H. E. MELENEY. 1931—Investigations of *Endamoeba histolytica* and other intestinal protozoa in Tennessee. II. An epidemiological study of amoebiasis in a rural community. *Amer. Jour. Hyg.* **14**:325-336.
- WALKER, L. R. 1933—Incidence of animal parasites in a typical group of College Students. (Nashville, Tenn.) Bound thesis. 1-57. Vanderbilt Univ. Library, Nashville. June.

Part 3. Platyhelminthes, Nemathelminthes, Annelida.

- BOLEN, H. R. 1938—Planarians of the Reelfoot Lake region in Tennessee. *Jour. Tenn. Acad. Sci.* **13**(2):164-165. April. *Euplanaria tigrina*, *Curtisia foremanii*, and *Phagocata gracilis*.
- BONDURANT, E. D. 1903—The Hookworm Disease in Alabama. *N. Y. Med. Jour.* **78**:8-11.
- BYRD, ELON E. 1938—Studies on Blood Flukes of the Family Spirorchidae: I. Preliminary Report. *Jour. Tenn. Acad. Sci.* **13**(2):133-136. April.
- 1939—Studies on the Blood Flukes of the Family Spirorchidae: II. Revision of the Family and Description of New Species. *Jour. Tenn. Acad. Sci.* **14**(1):116-161. 4 pls. Jan. Report of the Reelfoot Lake Biol. Sta. **3**. Contribution no. 24.* 36 species are described, 9 of which are new.
- CANNING, GRAEME A. 1933—A Sanitary Survey of the Knox County (Tennessee) Industrial School with respect to intestinal parasites. *Jour. Tenn. Acad. Sci.* **8**(3):249-259.
- COLLINS, D. S., JR. 1937—The Aquatic Earthworms (Microdrili) of Reelfoot Lake. *Jour. Tenn. Acad. Sci.* **12**(2):188-205. 1 pl. April.
- HARWOOD, PAUL D. 1934—Notes on Tennessee Helminths: I. *Kalicephalus tennesseensis*, n. sp. *Jour. Tenn. Acad. Sci.* **9**(3):192-194. July. From the narrows of the Harpeth River, Tennessee.
- 1935—Notes on Tennessee Helminths: II. Two new species of *Strongyluris* (Nematoda) and notes on the genus. *Jour. Tenn. Acad. Sci.* **10**(2):131-141. April. *S. rubra* from a lizard at Radnor Lake, Nashville, Tenn.
- 1936—Notes on Tennessee Helminths: III. Two Trematodes from a Kingfisher. *Jour. Tenn. Acad. Sci.* **11**(4):251-256. 1 pl. Oct. From a bird taken at Reelfoot Lake.
- HAVENS, L. E. AND R. CASTLES. 1930—The Evaluation of the Hookworm Problem in Alabama by counties. *Jour. Prev. Med.* **4**:109-113.
- HORSFALL, M. W. 1935—Observations on the life history of *Macravestibulum obtusicaudum* Mackin 1930 (Trematoda: Pronocephalidae). *Proc. Helminthological Soc. Washington.* **2**(2):78-79. July. Found at Reelfoot Lake.
- KELLER, A. E., W. S. LEATHERS, AND E. L. BISHOP. 1932—A State Wide Survey

- of the human intestinal Helminths in Tennessee. Jour. Prev. Med. **6**(3):161. May.
- , ———, AND H. C. RICKS. 1934—An investigation of the incidence and intensity of Infestation of Hookworm in Mississippi. Amer. Jour. Hyg. **19**(3): 629-656. May.
- , ———, 1934—The Incidence and Distribution of *Ascaris lumbricoides*, *Trichuris trichiura*, and *Hymenolepis nana* in Mississippi. Amer. Jour. Hyg. **20**(3): 641-654. Nov.
- , ———, AND M. H. JENSEN. 1936—An Investigation of Hookworm Infestation in thirty-six counties of Kentucky. Amer. Jour. Hyg. **23**(1):33-45. Jan.
- , ———, 1936—The Incidence and Distribution of *Ascaris lumbricoides*, *Trichuris trichiura*, *Hymenolepis nana*, and *Hymenolepis diminuta* in thirty-six counties in Kentucky. Amer. Jour. Hyg. **23**(2):216-230.
- LEATHERS, W. S. AND A. E. KELLER. 1935—An Analysis of the Hookworm Problem in Mississippi. New Orleans Med. & Surg. Jour. **87**(7): 425-435. Jan.
- NUTTYCOMBE, J. W. AND A. J. WATERS. 1938—The American species of the genus *Stenostomum*. Proc. Amer. Philos. Soc. Philad. **79**(2):213-302. June 30. Reports *S. tenuicaudatum* for Tennessee.
- OTTO, G. F., W. W. CORT, AND A. E. KELLER. 1931—Environmental Studies of families in Tennessee infested with *Ascaris*, *Trichuris*, and Hookworm. Amer. Jour. Hyg. **15**(1):156-193. July.
- , 1936—Human Infestation with the Dwarf Tapeworm (*Hymenolepis nana*) in the Southern U. S. Amer. Jour. Hyg. **23**:25-32. With tables and statistics for Tenn. and Ky.
- RICKARD, E. R. AND J. A. KERR. 1926—The Incidence and Intensity of Hookworm Infestation in the various soil provinces of Tennessee. Jour. Prev. Med. **1**:185-203.
- ROCKEFELLER SANITARY COMMISSION, REPORTS. 1910-1915—Rockefeller Sanitary Commission for the Eradication of Hookworm. Washington. For Tenn. 1910, pl. 1. 1911, p. 59. 1912, p. 86. 1913, p. 72. 1914, p. 81.
- SMILLIE, W. G., AND D. L. AUGUSTINE. 1925—Intensity of Hookworm Infestation in Alabama. Jour. Amer. Med. Assn. **85**:1958-1962.
- STIREWALT, M. A. 1937—*Microstomum bisipralis*, n. sp. Zool. Anz. **119**:314-320. Reported to be found at Norris Lake, Tenn.

Part 4. Mollusca.

- ANTHONY, J. G. 1854—Descriptions of new Fluvialile Shells of the genus *Melania* of Lamarck from the Western States of N. America. Annals N. Y. Lyc. Nat. Hist. **6**:83-116, March, and 117-129, April. *M. athleta*; *M. viridula*; *M. nigrocinctus*; *M. arachnoidea*; *M. baculum*; *M. incrassata*; *M. curvilabris*; *M. pagodiformis*; *M. eximia*; *M. torulosa*; *M. fastigiata*; *M. pallidula*; *M. angulata*; *M. tabulata*; *M. glans*; *M. planospira*, and *M. coronilla*, from Tenn.
- , 1865—Descriptions of new species of N. American Unionidae. Amer. Jour. Conch. **1**:155-164. Pls. 12-16. *Alasmodon impressa*; *Unio striatissimus*; *U. deviatius*, and *U. sacculus*, from Tenn.
- ARCHER, A. F. 1934—The *Polygyra tridentata* Complex. Nautilus **48**(1):20-26. July. (2):49-53. Oct.
- , 1938—A new species of *Polygyra* from the Great Smoky Mountains, N. Carolina. Nautilus **51**(4):135-137. April. *P. (Mesodon) jonesiana*, n. sp., from Newfound Gap, N. C. Alt. 4800 ft.
- , 1938—A new species of *Stenotrema* from East Tennessee. Nautilus **52**(2): 54-55. Oct. *S. waldense*, n. sp., from Doakes Creek, Campbell Co., Tenn.
- , 1939—A new section and a new sub-species of *Stenotrema*. Nautilus **52**(2): 98-99. Jan. *S. fraternum montanum*, n. subsp. from a range inc. Blount Co., Tenn. and Smoky Mt. area.
- BAKER, F. C. 1903—Shell Collecting on the Mississippi. Nautilus **16**:102-105.

- 1903—Shells of Land and Water: A Familiar Introduction to the study of Mollusks. Mumford. Chicago. 1-175. Inc. forms common to Tenn.
- 1911—The Lymnoeidae of North and Middle America, recent and fossil. Chicago Acad. Sci. Special Publ. 3:1-539. Illus.
- BAKER, H. B. 1928—Minute American Zonitidae. Proc. Acad. Nat. Sci. Philad. 80:1-44. Pub. May 16, 1928. *Paravitrea capsella* from *Helix capsella* Gould of 1851. Tennessee.
- 1929—New Southern Appalachian Land Snails. Nautilus 42(3):86-93. 1 pl. *Helicodiscus* (subg. *Hebetodiscus*) *singleyanus inermis*; *Paravitrea* (*Paravitreops*) *walheri* v. *dentata*; *P. variabilis*; *Gastrodonta aldrichiana*; *Pilsbryna aurea*, from Tenn.
- 1929—Pseudohyaline American Land Snails. Proc. Acad. Nat. Sci. Philad. 81:251-266. 3 pls. Inc. *Pilsbryna aurea*, Unicoi Co., Tenn.; *Helicodiscus singleyanus inermis*, Marion Co.; *Zonitoides* (*Pseudohyalus*) *patuloides* (Pilsbry) from the Great Smoky Mts.
- 1930—The North American Retinellae. Proc. Acad. Nat. Sci. Philad. 82:193-219. 6 pls. Inc. *Retinella rhoadsi austrina*; *R. cryptophala solida*; *R. praecox*, and *R. sculptilis subdola*, from Tenn.
- 1930—The Land Snail Genus *Haplotrema*. Proc. Acad. Nat. Sci. Philad. 82:405-425. Pub. Jan. 29, 1931. *H. (Geomene) concavum concavum* (Say) from Carter and Unicoi Cos., Tenn. p. 411.
- 1931—Nearctic vitreine Land Snails. Proc. Acad. Nat. Sci. Philad. 83:85-117. 8 pls. In the genus *Pilsbryna*, the anatomy of *P. castanea*, and *P. aurea*, from Tennessee, are described.
- BANKS, G. S. 1932—Some Land Shells from Grandfather Mountain, N. Carolina. Nautilus 45:138-139.
- BARBER, M. D. 1918—*Helix nemoralis* in Knoxville, Tennessee. Nautilus 31:107. Jan.
- BINNEY, W. G. 1858—The Complete Writings of Thomas Say on the Conchology of the United States. Ed. by W. G. B. New York. See Smithsonian Bibliography 5.
- 1863—Bibliography of North American Conchology previous to the Year 1860. Part I. American Authors. Smithsonian Misc. Coll. 5(142):1-650.* Contains a complete listing of papers with species and localities to the date mentioned. Many references to local Tennessee species.
- 1865—Land and Fresh-Water Shells of North America. Part I. 316 pp. 1869; Part II. 161 pp. 1865; Part III. 120 pp. 1865.
- 1873—Catalog of the Terrestrial Air-Breathing Mollusks of N. America, with notes on their geographical range. Bull. Mus. Comp. Zool. Harvard Coll. 3:191-220.*
- 1885—A Manual of American Land Shells. Bull. U. S. Natl. Mus. 28:1-528.* For. Tenn. 34-36.
- 1931—William Greene Binney. Biog. Note. Nautilus 45(2):37-41. Oct.
- BOEPPLE, J. F. AND R. E. COKER. 1912—Mussel Resources of the Holston and Clinch Rivers of Eastern Tennessee. U. S. Bur. Fisheries. Report of the Fish Comm. Doc. no. 765. 1-13. Sept. 23.*
- CALL, R. E. 1885—Geographical Catalog of the Unionidae of the Mississippi Valley. Bull. Des Moines Acad. Sci. 1:1-57.
- CLAPP, G. H. 1899—Shells collected at Oakdale, Morgan County, Tennessee. Nautilus 13(6):70-71. Oct. *Polygyra stenotrema*; *P. exoleta*; *P. wetherbyi*; *P. tridentata*; *P. appressa sculptior*; *P. appressa perigrapta*; *Omphalina laevigata*, and *Gastrodonta interna*.
- 1904—New forms of *Polygyra* from Alabama. Nautilus 18(8):85-86. Dec. *P. barbata*, Wetumpka, Ala. *P. stenotrema seminuda*, Blount Springs, Ala.

- 1915—*Vitrea cryptomphala*, n. sp., with notes on the *indentata* group. *Nautilus* **29**(3):25-28. Knoxville and Fayetteville, Tenn.
- 1916—*Polygyra brevipila cherokeensis*, n. subsp. *Nautilus* **30**(1):3-4. May. Type locality: Pleasant Gap. Cherokee Co., Ala. Alt. 1200 ft.
- 1919—New Land Shells from Alabama and Tennessee. *Nautilus* **33**:8-10. July. *Polita cumberlandiana*, n. sp., from Jackson Co., Ala. and Franklin Co., Tenn. *Vitrea (Paravitrea) pilsbryana*, n. sp., Franklin Co., Tenn.
- 1920—*Vitrea (Paravitrea) multidentata* and *lamellidens*. The *Nautilus* **33**(4): 115-118. April. Localities: Thunderhead, Gt. Smoky Mts.; Oakdale, Morgan Co., Tenn.; Anderson, Franklin Co., Tenn.; Sherwood, Franklin Co., Tenn.; Watauga Co., N. C.; Mitchell Co., N. C. and Stevenson, Ala.
- 1920—A new species of *Pyramidula* from Alabama and notes on *P. cumberlandiana* with new varieties. *Nautilus* **34**(1):23-26. July. *P. picta*, n. sp., from Anderson, Franklin Co., Tenn. with desc. of new var. from Ala. and Tenn.
- CLENCH, W. J. 1925—Notes on the genus *Physa* with descriptions of three new sub-species. *Occ. Papers, Mus. Zool. Univ. of Mich.* **161**:1-10. 1 pl. May 27. *P. pomilia hendersoni*, n. subsp. Range inc. Tennessee.
- 1926—Some notes and a List of Shells of Rio, Kentucky. *Nautilus* **40**:7-12 and 65-67.
- 1926—Three new species of *Physa*. *Occ. Papers, Mus. Zool. Univ. of Mich.* **168**:1-6. Feb. 18. *P. goodrichi*, upper Tennessee drainage. So. Fork, Powell River.
- 1928—*Io fluvialis turrita* Anthony. *Nautilus* **42**(1):36. Young specimen from Little River.
- AND G. S. BANKS. 1932—Land Shells collected in southwestern N. Carolina. *Nautilus* **46**(1):14-18. July. (2):58-59. Oct. Lists from Nantahala Gorge, Swain Co.; Valley River Mts., Cherokee Co.; and Andrews, Cherokee Co.
- AND A. E. ARCHER. 1933—Two new land Shells from the Southern Appalachians. *Nautilus* **46**(3):86-91. Jan.* *Polygyra sana*, and *P. stenotrema*, subsp. *turbinella*. A list of 25 species from Mt. Le Conte, Tenn. is included.
- 1937—Notes on three rare American *Polygyra*. *Nautilus* **51**(1):17-18. July. *P. chilhoweensis* Lewis, from 4 mi. south of Byrdstown, Pickett Co. and from Alpine, Overton Co., Tenn.
- COCKERELL, T. D. A. 1900—A new *Philomycus*. *Nautilus* **14**:59. *P. secretus*; N. Carolina.
- 1918—*Helix nemoralis* at Knoxville, Tennessee. *Nautilus* **31**:103. April.
- COKER, R. E. 1919—Fresh-Water Mussels and Mussel Industries of the United States. *Bull. U. S. Bur. Fisheries* **36**:13-89. 1917-1918. Doc. 865, issued October 25, 1919. For Tenn. see p. 22.
- CONRAD, T. A. 1834—Description of some new species of Fresh-Water Shells from Alabama, Tennessee, etc. *Amer. Jour. Sci. & Art.* **25**(2):341. Jan. *Unio coelatus*, *U. subtentus*, Tennessee, Elk, and Flint Rivers.
- 1834—New Fresh-Water Shells of the U. S. with colored illustrations, and a Monograph of the genus *Anculotus* of Say: also a Synopsis of American Naiades. *Philad. Lists Unio oviformis; Melania salebrosa; Anculotus praerorsus; A. subglobosus*; and *A. plicatus* from the Tennessee and Holston Rivers.
- 1836-1838—Monography of the Family Unionidae, or Naiades of Lamarck, of North America. *Philad.* Publ.* as parts 1-13. Tennessee species listed in parts 2-12. See Binney Bibliography. 30-36.
- 1866—Description of a new species of *Unio*. *Amer. Jour. Conch.* **2**:107. 1 pl. *U. depygis* from the Harpeth River, Tennessee.
- DALL, W. H. 1908—Notes on *Planorbis* and its Subdivisions. *Proc. Malacos. Soc. London* **8**:141.
- DAVIS, G., A. A. O'KELLY, AND D. BACHTEL. 1934—The Snails of Snail-Shell Cave,

- Tennessee. Jour. Tenn. Acad. Sci. 9(1): 47-50. 17 species from Rutherford County, Tenn. Not identified by modern nomenclature:
- DEKAY, JAMES E. 1843—Zoology of New York. Part V. Mollusca. 4to. 1-271. 40 pls. Albany. A State report, listing forms from outside the state and inc. 47 species from Tennessee. See Binney Bibliography. 100-123.
- FERRIS, JAMES H. 1900—Collecting in the Great Smoky Mountains. (Gastropods). Nautilus 14(5):49-59. Sept. Numerous species are listed together with comment on travel conditions of the time.
- FÉRUSAC. 1821—Tableaux Systems de la Famille des Limaçons. 95:33. *Helix linguifera* Férussac, "les environs de Nogeville, état de Tennesse."
- FRIERSON, L. S. 1900—A new Alabama *Unio*. Nautilus 13:109-110. *U. hagleri*.
 ——— 1916—Observations on the *Unio cor* of Conrad. Nautilus 29(9):102-104. Jan. *U. cor*. Conrad, native of Elk and Flint Rivers, Tennessee.
 ——— 1927—A Classified and Annotated Check-List of the North American Naiades. Baylor Univ. Press. Waco, Texas. 5-111.*
- GOODRICH, CALVIN. 1921—River barriers to aquatic animals. Nautilus 35(1):1-4. July. Refers to Tennessee River conditions.
 ——— 1921—Something about *Angitrema*. Nautilus 35(2):58-59. Oct. Collections from Centerville, Hickman Co.; Columbia, Maury Co.; Bellevue, Davidson Co.; and Kingston Springs, Cheatham Co., Tennessee.
 ——— 1921—Anculosae north of the Alabama drainage. Nautilus 35(1):9. July.
 ——— 1923—Variations in *Goniobasis edgariana* Lea. Nautilus 36(4):115-119. April. Collections from Calfkiller, Putnam Co.; Sparta, White Co.; McMinnville, Warren Co.; Riverhill, White Co.; Falls City, Warren Co.; Butts Creek, DeKalb Co.; and Stone's River, Rutherford Co., Tennessee.
 ——— 1924—Some old Pleurocerids and a new one. Nautilus 38:43-48. *Goniobasis clenchi*, n. sp., *G. dooleyensis* Lea, from Newton, Dale Co., Ala.
 ——— 1925—The genus *Cyrotoma*. Misc. Publ. Mus. Zool. Univ. of Mich. 21:1-32. 2 pls. Also in Geol. Survey of Ala. Museum paper no. 7. 1924.
 ——— 1928—Strebobasis: A Section of Pleurocera. Occ. Papers, Mus. Zool. Univ. of Mich. 192:1-18. 2 pls.* Refers particularly to Tennessee species and their distribution. *P. walkeri*; Sequatchie River.
 ——— 1928—The group of *Goniobasis catenaria*. Nautilus 42(1):28-32. July. Discusses related groups from East Tennessee.
 ——— 1930—*Goniobases* of the vicinity of Muscle Shoals. Occ. Papers, Mus. Zool. Univ. of Mich. 209:1-25. Feb. 3.* Also in Geol. Survey of Ala. Museum paper no. 10. 1930.
 ——— 1931—*Pleurobema aldrichianum*, a new Naiad. Occ. Papers, Mus. Zool. Univ. of Mich. 229. August 29. From Polk Co., Tennessee.
 ——— 1931—The Pleurocerid genus *Eurycaelon*. Occ. Papers, Mus. Zool. Univ. of Mich. 223:1-9. 1 pl. March 13.* Of the Tennessee River system.
 ——— 1931—Some Conchological Beginnings. Nautilus 45(2):41-47. Oct.* Early history and travel of collectors; Lea, Conrad, Anthony, et al. in Tennessee.
 ——— 1934—Studies of the Gastropod Family Pleuroceridae. I. Occ. Papers, Mus. Zool. Univ. of Mich. 286. June 7.* For Tenn., see p. 8.
 ——— 1934-1937—Studies of the Gastropod Family Pleuroceridae. Occ. Papers, Mus. Zool. Univ. of Mich. II. 295. June 30, 1934; V. 318. July 10, 1935; VI. 347. March 8, 1937.* This series contains important Tennessee and Tennessee River records, with information on distribution and variation.
 ——— 1938—Studies of the Gastropod Family Pleuroceridae. VII. Occ. Papers, Mus. Zool. Univ. of Mich. 376:1-12. May 27.* *P. parvum*, Little River, Blount Co.; *Lithasia verrucosa*, Tenn. River, Knoxville and Muscle Shoals. *Anculosa praerosa*

- and *A. subglobosa*, with varieties from several localities in Tennessee. A discussion of distribution and variation in form.
- GRATACAP, L. P. 1901—Catalogue of the Binney and Bland Collection of the Terrestrial Air-Breathing Mollusks of the U. S. and Territories in the American Museum of Natural History, with enumeration of types and figured specimens, and supplementary notes. Bull. Amer. Mus. Nat. Hist. N. Y. 14(Art 23):335-404. 6 pls. 6 maps.* Many Tennessee species are listed, too numerous to include in this bibliography.
- HALDEMAN, S. S. 1840-1844—A Monograph of the Limnaides and other Fresh-Water Univalve Shells of N. America. Philad. Nos. 1-8. Lists 11 shells from Tenn. See Binney Bibliography. p. 65.
- 1842—Description of five new species of N. American Fresh-Water Shells. Jour. Acad. Nat. Sci. Philad. 8:200-202. *Physa globosa*, Nolichucky R.; *Unio abacus*, Holston R.; and *Anodon plicatus*, Cumberland R., Tennessee.
- 1846—Description of *Unio abacooides*, a new species. Amer. Jour. Sci. & Art. N. S. 2:274. From East Tennessee.
- HICKMAN, M. E. 1937—A Contribution to the Mollusca of East Tennessee. Bound thesis. Univ. of Tenn. Library. Knoxville.
- HINKLEY, A. A., AND P. MARSH—List of Shells collected in central Tennessee. Aledo, Ill. (Have no record of pub. date.)
- 1904—List of Alabama Shells collected in October and November, 1903. Nautilus 18(4):37-45. August (5):54-57. Sept.
- 1920—A new species of *Goniobasis*. Occ. Papers, Mus. Zool. Univ. of Mich. 78:1-3. March. 1. *G. goodrichi*, from Swan Cr., 5 mi. E. of Aetna, Hickman Co., Tenn.
- 1920—Anson A. Hinkley. Obit. with Photo. By B. Walker. Nautilus 34(2):55-57. Oct.
- JAY, JOHN C. 1852—A Catalog of the Shells, arranged according to the Lamarckian system, etc., contained in the collection of John C. Jay, M.D. 4th ed. N. Y. 1-478. Lists many Tennessee species of the genera *Unio*, *Helix*, *Bulimus*, *Melania*, *Anculotus*, *Symphynota*. See Binney Bibliography. 172-218.
- JOHNSON, D. W. 1905—The Distribution of Freshwater Faunas as evidence of Drainage Modifications. Science, N. S. 21:588-592.* Consideration of the Tennessee R. system from the point of view of molluscan distribution.
- KUNZ, GEORGE F. 1897—The Fresh-Water Pearls and Pearl Fisheries of the United States. Bull. U. S. Fish Comm. 17:373-426. For Tennessee, see p. 400.
- KUTCHKA, GORDON M. 1938—New varieties of *Anguispira* and *Discus*. Nautilus 52(1):11-14. July. *Discus patulus brooksi*; *D. p. angulatus*, and *D. bryanti tuberculatus*: new varieties for Tennessee.
- LEA, ISAAC. 1830-1831—Observations on the Naiades, and descriptions of new species of that and other families. Trans. Amer. Philos. Soc. Philad. 4:63-121. 15 pls. *Unio multiplicatus*; *U. pustulatus*; *U. lens*; *Melania tuberculata*; *M. acuta*, from Tennessee River. *Carocolla helicoides*; *Valvata arenifera*, Nashville. *Unio arcoeformis*, Tennessee R. *Melania elongata*, West Tennessee.
- 1832-1834—Observations on the Naiades, and descriptions of new species of that and other families. Trans. Amer. Philos. Soc. Philad. 5:23-119. (Consisting of 4 parts and an index). *Unio capsoeformis*, Cumberland R.; *U. ravenelianus*, French Broad R.; *U. haysianus*, Cumberland R.; *U. dromas* and *U. perdix*, Harpeth R.; *U. troostensis* and *U. nashvillianus*, Cumberland R.; *U. pictus*, Harpeth R., Tennessee.
- 1834-1838—Description of new freshwater and land Shells. Trans. Amer. Philos. Soc. Philad. 6:1-154. Art. I. 24 pls. Lists 16 species from Tennessee. See Binney Bibliography. 440.
- —1840—Descriptions of new freshwater and land Shells. Proc. Amer. Philos.

- Soc. Philad. 1:284-289. (This paper, with plates, may be found in Trans. Amer. Philos. Soc. 8:191-229.) Lists 20 species from Tennessee. See Binney Bibliography, 423.
- 1841—New Fresh-Water and Land Shells. Proc. Amer. Philos. Soc. Philad. 2:11-15. Lists many Tennessee species.
- 1841—Continuation of paper on Fresh-Water and Land Shells. Proc. Amer. Philos. Soc. Philad. 2:30-34. Lists 11 species from Tenn.
- 1841—Continuation of Mr. Lea's paper on Fresh-Water and Land Shells. Proc. Amer. Philos. Soc. Philad. 2:81-83. (This paper was published in 2 parts in Trans. Amer. Philos. Soc. 8:242-245, and 9:17-23.) Lists 9 species from Tennessee, French Broad, Holston, and Caney Fork Rivers.
- 1845—Descriptions of new Fresh-Water and Land Shells. Trans. Amer. Philos. Soc. Philad. 10(1):67-101. Also Proc. Amer. Philos. Soc. 4:162-168. Lists 8 species from Holston and Clinch Rivers, Tennessee.
- 1852—Descriptions of new species of the family Unionidae. Trans. Amer. Philos. Soc. Philad. 10:253-294. *Unio clarkianus*, Williamsport; *U. stewartsonii*, Chattanooga R.; *Anodonta denigrata*, Campbell Co.; *A. shaefferiana*, Horn Lake Cr.; and *A. oblita*, Campbell Co., Tennessee.
- 1852—Description of a new genus (*Basistoma*) of the family Melaniana, together with some new species of American Melaninae. Trans. Amer. Philos. Soc. Philad. 10:295-302. *Melania sculptilis*; *M. clarkii*; *M. oblita*; *M. sellersiana*; *M. saffordii*, and *M. pinguis*, from Tennessee.
- 1857—Description of six new species of Uniones from Alabama. Proc. Acad. Nat. Sci. Philad. 9:83. From Florence and Tusculumbia, Ala.
- 1858—Descriptions of new species of *Unio* from Tennessee, Alabama, and North Carolina. Proc. Acad. Nat. Sci. Philad. 10:40-41. *U. turgidulus*, Cumberland R.; *U. perradiatus*, Florence, Ala.; *U. mederithii*, Tenn. R.; *U. virescens*, Tenn. R.; and *U. pybasii*, from Florence, Ala.
- 1858—Descriptions of a new *Helix* and two new *Planorbis*. Proc. Acad. Nat. Sci. Philad. 10: 41. March. *Helix clarkii*, Cherokee Co., N. C. *Planorbis wheatelyi*, Montgomery Co., Ala.
- 1858—Descriptions of twelve new species of Uniones and other fresh-water Shells of the U. S. Proc. Acad. Nat. Sci. Philad. 10:165-166. July. Inc. *Unio chattanoogaensis*, from Tenn.
- 1860—Descriptions of five new species of Uniones from North Alabama. Proc. Acad. Nat. Sci. Philad. 12:86, 92, 93. Species from Muscle Shoals area.
- 1860—Descriptions of seven new species of Unionidae from the U. S. Proc. Acad. Nat. Sci. Philad. 12:306-307. *Unio lesleyi*, Ky. and Tenn.; *U. lindsleyi* and *U. perpictus*, from Tenn.
- 1861—Descriptions of twenty-five new species of Unionidae from Georgia, Alabama, Mississippi, Tennessee and Florida. Proc. Acad. Nat. Sci. Philad. 13:38-41. For Tenn.: *Unio perpurpurens* and *Margaritana quadrata*.
- 1861—Description of a new genus (*Strophobasis*) of the family Melanidae. Proc. Acad. Nat. Sci. Philad. 13:96. *S. spillmanii*; *S. cornea*; *S. clarkii*, Tenn. R.
- 1861—Descriptions of eleven new species of the genus *Unio* from the U. S. Proc. Acad. Nat. Sci. Philad. 13:391-393. *U. tesserulae*, from Tenn.
- 1861—Description of seven new species of the genus *Io*. Proc. Acad. Nat. Sci. Philad. 13:393-394. *Io nodosa*; *I. robusta*; *I. variabilis*; *I. modesta*; *I. spillmanii*; *I. gracilis*, and *I. viridula*. Tennessee and Coosa Rivers.
- 1862—Descriptions of ten new species of Unionidae of the U. S. Proc. Acad. Nat. Sci. Philad. 14:168-169. *Unio gerhardtii*, Chattanooga, Tenn.
- 1862—Description of a new genus (*Trypanostoma*) of the family Melanidae, and of forty-five new species. Proc. Acad. Nat. Sci. Philad. 14:169-175. Lists 28 new species from Tennessee and N. Alabama.

- 1862—Description of a new genus (*Goniobasis*) of the family Melanidae and eighty-two new species. Proc. Acad. Nat. Sci. Philad. 14:262-272. May. Inc. 19 species from Tenn. See Binney Bibliography.
- 1862—Descriptions of eleven new species of Melanidae of the U. S. Proc. Acad. Nat. Sci. Philad. 14:272-273. *Strephobasis carinata*, Tenn. R.; *S. olivaria*, Knoxville; *Lithasia downei*, Cumberland River.
- 1863—Descriptions of fourteen new species of Melanidae and one *Paludina*. Proc. Acad. Nat. Sci. Philad. 15:154-156. May. From Cumberland Gap, Tenn. Florence, Ala., and Cumberland and Powell Rivers, Tenn.
- 1864—Descriptions of eleven new indigenous species of Melanidae. Proc. Acad. Nat. Sci. Philad. 16:3-5. Jan. Gives 8 species from East Tennessee.
- 1864—Descriptions of thirteen new species of Melanidae of the U. S. Proc. Acad. Nat. Sci. Philad. 16:111-113. April. *Goniobasis pulla*, Cumberland Gap. *Trypanostoma corneum*, and *T. napoideum*, from Tenn.
- 1864—Descriptions of twenty-four new species of *Physa* of the U. S. and Canada. Proc. Acad. Nat. Sci. Philad. 16:114-116. April. *P. saffordii*, Lebanon, Tenn.
- 1865—Descriptions of eight new species of *Unio* of the U. S. Proc. Acad. Nat. Sci. Philad. 17:88-89. May. *Unio punctatus*, Caney Fork River, and *U. lyonii*, from East Tennessee.
- 1867—Descriptions of five new species of Unionidae and one *Paludina* of the U. S. Proc. Acad. Nat. Sci. Philad. 19:44-45. April *Unio clinchensis*, from the Clinch and French Broad Rivers, Tenn.
- 1868—Descriptions of sixteen new species of the genus *Unio* of the U. S. Proc. Acad. Nat. Sci. Philad. 20:143-145. April. *U. cylindrellus*, Duck River, and *U. planior*, from Tenn.
- 1871—Descriptions of twenty new species of Uniones of the U. S. Proc. Acad. Nat. Sci. Philad. 23:189-193. Oct. Lists 14 new species from Tenn. and North Ala.
- 1872—Descriptions of twenty-nine species of Unionidae from the U. S. Proc. Acad. Nat. Sci. Philad. 24:155-161. June. Lists 7 species from Tenn. and the Muscle Shoals region.
- LEWIS, JAMES. 1870—Catalog of the Shells of the Coosa River, Alabama. Amer. Jour. Conch. 5:166. Feb.
- 1871—On the Shells of the Holston River. Amer. Jour. Conch. 6(3):216.
- 1871—Land Shells of East Tennessee. Amer. Jour. Conch. 6:188.
- 1876—*Io* and its habits. Amer. Nat. 10:321.
- MARSH, W. A. 1902—Description of a new *Unio* from Tennessee. Nautilus 15:115-116. *U. andrewsii*.
- 1902—Description of a new *Unio* (*beauchampi*) from Tennessee. Nautilus 16:7-8. 1 pl.
- MORSE, E. S. 1869—Our common Fresh-Water Shells. Amer. Nat. 3:530-535, 648-651. Mentions and figures *Melantho ponderosa* Say, and *M. coarctata* Lea., Tenn.
- MYER, W. E. 1914—Pearl Fisheries of Tennessee. Trans. Tenn. Acad. Sci. 2:19-25. 1914-1917.
- ORTMANN, A. E. 1912—*Cumberlandia*, a new genus of Naiades. Nautilus 26(2):13. June.
- 1916—The Anatomy of *Lemiox rimosus* Rafinesque. Nautilus 30:39-41. August. From the Holston River, Grainger Co.; Knox Co.; Rotherwood, Hawkins Co.; Clinton, Anderson Co.; and the Powell River, Claiborne Co., Tenn.
- 1918—The Naiades of the upper Tennessee Drainage, with notes on Synonymy and Distribution. Proc. Amer. Philos. Soc. Philad. 57:521-626.*
- 1920—Correlation of Shape and Station in Fresh-Water Mussels. (Naiades).

- Proc. Amer. Philos. Soc. Philad. **59**:269-312.* Observations from the headwaters of the Ohio and Tennessee rivers.
- 1921—The Anatomy of certain Mussels from the upper Tennessee. *Nautilus* **34**(3):81-91. Jan.* 28 species are described of 14 genera from the area.
- AND BRYANT WALKER. 1922—On the nomenclature of certain North American Naiades. *Occ. Papers, Mus. Zool. Univ. of Mich.* **112**:1-75. July 1.* Includes many Tennessee forms and varieties.
- 1923—The Anatomy and Taxonomy of certain Unionidae and Anodontinae from the Gulf Drainage. *Nautilus* **36**:73-84. 129-132.* Seven Tenn., Ala., and Ga. species.
- 1923-1924—Notes on the Anatomy and Taxonomy of certain Lampsilinae from the Gulf Drainage. *Nautilus* **37**(2):56-60. Oct., 1923. (3):99-105, Jan., 1924. (4):137-144. April, 1924.* *Medionidus conradicus*; *M. parvulus*; *Carunuculina moesta*; *Miromya nebulosa*, and *M. vanuxemensis*, from the Tenn. and Cumberland Rivers.
- 1924—The Naiad-Fauna of the Duck River in Tennessee. *Amer. Midl. Nat.* **9**(1):18-62. Jan.* An important reference.
- 1924—Mussel Shoals. *Science. N. S.* **60**:565-566.*
- 1925—Mussel Shoals. *Bull. N. Y. Zool. Soc.* **35**:10-11.*
- 1925—The Naiad-Fauna of the Tennessee River below Walden Gorge. *Amer. Midl. Nat.* **9**(7): 321-372.*
- 1926—Unionidae from the Reelfoot Lake region in West Tennessee. *Nautilus* **39**(3): 87-94. A list of 23 species and subspecies with comments on ecology and distribution.
- 1926-1927—The Naiades of the Green River Drainage in Kentucky. *Annals Carnegie Mus.* **17**(5):167-188. Pub. just before O's death. Refers to Cumberland River and Tennessee localities.
- 1927—Arnold Edward Ortmann. (Obit.) *Nautilus* **40**(4):109-111. April. With photo.
- PILSBRY, H. A. 1893—*Polygyra subpalliat*a, n. sp. *Nautilus* **7**:5-7. From N. Carolina.
- 1895—New forms of American Shells. *Nautilus* **8**:102. *Gastrodonta lateumbilicata* and *Stomatogyrus sargenti*, from Ala.
- 1895—New American Fresh-Water Mollusks. *Nautilus* **8**:114-116. *Planorbis alabamensis* and *Ammicola olivacea*.
- 1895—New forms of American Zonitidae and Helicidae. *Nautilus* **9**:14-16. *Gastrodonta patuloides* and *Omphalina andrewsae*, Gt. Smoky Mts.
- 1896—Description of a new *Gastrodonta*. *Nautilus* **9**:123-124. *G. collisella*, from Tenn.
- AND SAMUEL N. RHOADES. 1896—Contribution to the Zoology of Tennessee. No. 4. Mollusks. *Proc. Acad. Nat. Sci. Philad.* **48**:487.*
- 1896—A new species of *Pomatiopsis*. *Nautilus* **9**:37-38. *P. hinkleyi*, from Ala.
- 1897—A Classified Catalog of American Land Shells, with localities. *Nautilus* **10**:45-48, 59-60, 71-72, 83-84, 93-96.* Useful reference.
- 1897—*Polygyra ferrissi*, n. sp. *Nautilus* **10**:92. From the Gt. Smoky Mts.
- 1898—Descriptions of new species and varieties of American Zonitidae and Endodontidae. *Nautilus* **11**:85-87. *Gastrodonta clappi*, from Tenn.
- 1898—Descriptions of new American Land Shells. (*Punctum* and *Gastrodonta*). *Nautilus* **11**:133-134. Inc. *G. lamellidens*, from Gt. Smoky Mts.
- 1899—Descriptions of new American Land Shells. *Nautilus* **12**:140-142. Inc. *Gastrodonta coelaxis*, from N. Carolina.
- 1900—Mollusca of the Great Smoky Mountains. *Proc. Acad. Nat. Sci. Philad.* **52**:110-150.* An extensive account of the region and its fauna. A useful reference.

- 1902—New American Land Shells. *Nautilus* **16**:30-33. *Polygyra alabamensis*, from Ala.
- 1903—The greatest American *Planorbis*. *Nautilus* **16**:75-76. *P. magnificus*, n. sp. of N. Carolina.
- 1911—Notes on the Anatomy and Classification of the genera *Omphalina* and *Mesomphix*. Proc. Acad. Nat. Sci. Philad. **63**:469-486. 3 pls.
- 1924—Some Alleghenian forms of the Land-Snail genus *Gonyodiscus*. Proc. Acad. Nat. Sci. Philad. **76**:417-421. Inc. *G. bryanti* (Harper), Union Co., Tenn.
- AND E. G. VANATTA. 1924—*Polygyra appressa linguifera* and *sancta georgiensis*. *Nautilus* **38**:4-6. From Knoxville, Tenn.
- 1927—North Carolina Land Shells. *Nautilus* **40**:136. April. (Headwaters, French Broad River).
- PRICE, S. F. 1900—Mollusca of Southern Kentucky. *Nautilus* **14**:75-79.
- RAFINESQUE, C. S. 1864—The Complete Writings of Constantine Samuel Rafinesque (1783-1840) on recent and fossil Conchology. Ed. by W. G. Binney and G. W. Tryon, Jr. New York. Bailliere Bros. 1-96.
- 1831—Enumeration and Account of some remarkable natural objects in the cabinet of Prof. Rafinesque in Philadelphia. Philad. Nov. Includes *Melania (Ambloxus) rugosa* Raf. from the Cumberland Mts.
- REEVE, LOVELL. 1860—Conchology Iconica. Monogr. of the genus *Io*. 3 pls.* Monogr. of the genus *Anculotus*. 6 pls.* (No record of place of publ.)
- REMINGTON, P. S., AND W. J. CLENCH. 1925—Vagabonding for Shells. *Nautilus* **38**(4): 127-143. April.* Collecting along the Tennessee, Cumberland, Duck and Elk Rivers, Tennessee.
- RICHARDS, H. G. 1934—Molluscs from Chattanooga, Tennessee. *Nautilus* **47**:147. A list of 17 species.
- SARGE&9, H. E., 1892—Annotated List of Alabama Land Mollusca. *Nautilus* **6**:76-78.
- 1894—Shell collecting in Northern Alabama. *Nautilus* **7**:121-122.
- 1895—*Ferussacina subcylindrica* and two new species in Jackson County, Alabama. *Nautilus* **8**:104-105. 2 n. sp. desc. by Pilsbry. **8**:102.
- SIMPSON, C. T. 1891—On the means of Distribution of Unionidae in the Southeastern U. S. *Nautilus* **5**:15-17.*
- 1900—Synopsis of the Naiades, or pearly fresh-water Mussels. Pub. no. 1205. Proc. U. S. Natl. Mus. **22**:501-1044. Oct. 8.*
- 1900—On the Evidence of the Unionidae regarding the former courses of the Tennessee and other Southern Rivers. *Science* **12**:133-136. July 27.*
- 1900—New and Unfigured Unionidae. Proc. Acad. Nat. Sci. Philad. **52**:74-86. 5 pls. *Lampsilis fallaciosus*, Cumberland R.; *Quadrula flexuosa*, Holston R.
- STEARNS, R. E. C. 1881—Observations on *Planorbis*. Proc. Acad. Nat. Sci. Philad. **33**:92.
- STERKI, V. 1905—Cycladidae of the Southern States. *Nautilus* **19**(3):30-32. July. Lists collections mainly from Ala. and Miss., inc. Florence and Muscle Shoals region.
- TROOST, G. 1844—Seventh Annual Report on the Geology of Tennessee. 40-42. Nov.* Lists 184 species of Mollusca for Tennessee. This list is given in Binney's Bibliography. 123-125.
- TRYON, GEORGE W. 1864—Synopsis of the species of *Goniobasis* and *Schizostoma*. Proc. Acad. Nat. Sci. Philad. 24-92.*
- 1865—Description of new species of *Strepomatidae*. *Amer. Jour. Conch.* **1**:38. *Pleurocera conradi*.
- 1865—Catalog of the species of *Physa* inhabiting the U. S. *Amer. Jour. Conch.* **1**:165-173.* A list of 60 species.

- 1866—Monograph of the family Strepomatidae. Amer. Jour. Conch. **2**:14-52. 115-133.* This continuation contains brief descriptions and woodcuts of 274 species of *Goniobasis* and 32 of *Anculosa*.
- 1866—Observations on the family of Strepomatidae. Amer. Jour. Conch. **2**:97-135.* 464 species of N. America. About two-thirds are inhabitants of the upper Tennessee River and its tributaries.
- 1866—Monograph of the terrestrial Mollusca of the U. S. Amer. Jour. Conch. **2**:218-277. 306-329.*
- 1871—Notes on Dr. James Lewis' paper "On the Shells of the Holston River." Amer. Jour. Conch. **7**:86. Nov. 2.
- 1873—Land and Fresh-Water Shells of North America. Part IV. Strepomatidae. Smithsonian Misc. Coll. 1-428. Washington.*
- (Founder), H. A. PILSBRY, ET AL. 1879-1927—A Manual of Conchology. 27 volumes to date.
- VAN DER SCHALIE, HENRY. 1938—The Naiades (Freshwater Mussels) of the Cahaba River in Northern Alabama. Occ. Papers, Mus. Zool. Univ. of Mich. **392**:1-29. Dec. 1.* Consideration of forms common and separate of the Cahaba and Tennessee drainages, with a discussion of their distribution.
- VANATTA, E. G. 1903—Notes on some Shells from N. Carolina. Nautilus **16**:106.
- 1915—Rafinesque's Types of *Unio*. Proc. Acad. Nat. Sci. Philad. **67**:549-559.
- 1926—Land Snails of Breathitt County, Kentucky. Nautilus **39**:80.
- WALKER, BRYANT. 1899—*Polygyra edwardsi* in Elizabethton, Tennessee. Nautilus **12**:120.
- 1901—A new species of *Strophitus*. Nautilus **15**:65-66. *S. wrightianus*, from Ga.
- AND H. A. PILSBRY. 1902—The Mollusca of the Mt. Mitchell region, N. Carolina. Proc. Acad. Nat. Sci. Philad. **54**:413-442. 2 pls.* With n. var. of *Vitrea*.
- 1909—New Amnicolidae from Alabama. Nautilus **22**:1-10. 21-32. 85-90. *Clappia*, n. genus.
- 1910—Description of a new species of *Truncilla*. Nautilus **24**:42-44. *T. lewisii*, n. sp., from Holston, Clinch, and Cumberland Rivers, Tenn.
- 1916—*Pleurobema lewisii* (Lea). Nautilus **29**:114-116. Synonym: *Unio cor* Conrad. From the Tennessee River.
- 1917—The Method of Evolution in the Unionidae. Occ. Papers, Mus. Zool. Univ. of Mich. **45**:1-10.* Discussion of changes in American drainage systems on the basis of molluscan distribution.
- 1918—The Unione Fauna of Alabama. Mich. Acad. Sci. Report no. 20.* Three faunas are represented, known as the Tennessee, Alabama, and Atlantic. Of over 500 species of Unionidae of N. America, more than 300 are found in Alabama.
- 1918—Notes on American Naiades. I. Occ. Papers, Mus. Zool. Univ. of Mich. **49**:1-6. March 18. Mentions *Unio rimosus*, from the Cumberland R.
- 1918—A Synopsis of the Classification of the Fresh-Water Mollusca of N. America, North of Mexico, and a Catalog of the more recently described species, with notes. Misc. Publ., Mus. Zool. Univ. of Mich. **6**:1-213. Dec. 30.* Refers to many Tennessee species. Work contains 233 text figs. A highly useful reference work.
- 1928—The Terrestrial Shell-bearing Mollusca of Alabama. Misc. Publ., Mus. Zool. Univ. of Mich. **18**:1-180. Nov. 20.* Also appeared as Museum paper no. 8. Geol. Survey of Ala. Inc. many Tennessee species, with plates and drawings of anatomical details.

- WEBB, W. F. 1936—Handbook for Shell Collectors. Pub. by the author. 202 Westminster Rd., Rochester, N. Y. 4th edition. 1-291.* With figs. of many Tennessee forms.
- WETHERBY, A. G. 1876—Remarks on the variation in form of the family Streptomatidae, with descriptions of new species. Cincinnati Soc. Nat. Hist. 1:1-12.*
- 1880—Some notes on American Land Shells. Jour. Cincinnati Soc. Nat. Hist. 3:33-40. *Helix (Patula) cumberlandiana* Lea. p. 36.
- 1881—On the Geographical Distribution of certain Fresh-Water Molluscs of N. America, and the probable causes of their variation. Jour. Cincinnati Soc. Nat. Hist. 3:317-324. 4:156-166.* Important reference to Tennessee conchology.
- 1893-1894—Natural History Notes from N. Carolina: The Land Shells of Roan Mountain and Vicinity. Jour. Cincinnati Soc. Nat. Hist. 16: 92-93. 209-216. 17:69-77.
- 1911—Locality for *Polygyra (Triodopsis) obstricta* Say. Nautilus 25:60. Locality: near Murfreesboro, Rutherford Co., Tennessee.
- WHEATLEY, CHARLES M. 1845—Catalogue of the Shells of the U. S., with their localities. Troy (N. Y.) Lyc. Nat. Hist. 1-35. 2nd ed.* Lists 125 species from Tennessee localities, of the genera *Helix*, *Unio*, *Alasmodonta*, *Anodonta*, *Ancylus*, *Carocolla*, *Physa*, *Lymnoea*, *Melania*, *Anculosa*, *Io*, and *Paludina*. The complete list is in Binney's Bibliography. 129-153.
- WHEELER, H. E. 1912—The Mollusca of Monte Sano, Alabama. Nautilus 25(1): 121-127. March. From a spur of the Cumberland Mts., Madison Co., Ala.
- 1912—Addition to the list of Mollusca from Monte Sano, Alabama. Nautilus 26:14-16.
- WHITE, C. A. 1905—The Ancestral Origin of the North American Unionidae. Smithsonian Misc. Coll. 48:75-78.*
- WILSON, CHARLES B. AND H. WALTON CLARK. 1912—Mussel Beds of the Cumberland River in 1911. Econ. Circ. no. 1. 1-4. U. S. Bur. Fisheries. Washington.
- 1914—The Mussels of the Cumberland River and its Territories. Report U. S. Fish Comm. Washington no. 781:1-63. 1912. (1914).*
- WINSLOW, M. L. 1921—Mollusca of the Pisgah Forest, N. Carolina. Nautilus 35:40-44.*
- WOODARD, T. M., JR. 1934—Anatomy of the Reproductive System of *Goniobasis laqueata* (Say). Jour. Tenn. Acad. Sci. 9:243-259. 2pls. Material from the vicinity of Nashville, Tenn.
- 1935—Spermic dimorphism in *Goniobasis laqueata* (Say). Jour. Morph. 57(1): 1-29. March 5. 3 pls. Material from Tenn. localities.
- WRIGHT, B. H. 1898—A new undulate *Unio* (*U. triumphans*) from Alabama. Nautilus 11:101-102.
- AND BRYANT WALKER. 1902—Check-List of North American Naiades. Detroit. 8vo. 1-19. Compilation of names from Simpson: Proc. U. S. Natl. Mus. 22:501-1044. 1900.

Part 5. Crustacea

- COKER, R. E. 1926—Plankton Collections in Lake James, N. Carolina: Copepods and Cladocera. Jour. E. Mitchell Sci. Soc. 41:228-258. 11 pls. Collections from just outside the Tennessee Valley drainage.
- 1934—Contribution to knowledge of N. American Freshwater Harpacticoid copepod Crustacea. Jour. E. Mitchell Sci. Soc. 50:75-142. Inc. many western N. Carolina forms.
- COPE, E. D. 1871—Observations on the Fauna of the Southern Alleghanies. Amer. Nat. 4:392-402. Observations at Mossy Creek, Jefferson Co., Tenn.

- AND A. S. PACKARD, JR. 1881—The Fauna of the Nickajack Cave. (Tennessee). *Amer. Nat.* **15**:877-882.*
- EDDY, S. 1930—The Plankton of Reelfoot Lake, Tennessee. *Trans. Amer. Micros. Soc.* **49**:246-251.
- FAXON, WALTER. 1898—Observations on the Astacidae in the U. S. National Museum and in the Museum of Comparative Zoology, with descriptions of new species. *Proc. U. S. Natl. Mus.* **20**(1136):643-694.* *Cambarus bartonii*, Claiborne, Monroe, McMinn Cos.; *C. longulus*, Cumberland Gap, Tazewell, Greeneville, Knoxville; *C. extraneus gardianus*, Athens; *C. immunis spirostris*, Obion Co.; *C. spinosus*, Powell R. and Tazewell; *C. erichsonianus*, n. sp., Greeneville and Athens; *C. forceps*, Clinch River, Tenn.
- FLEMING, R. S. 1936—The larger Crustacea of the Nashville region. Bound thesis. 1-81. Peabody Coll. Library, Nashville.
- 1938—The larger Crustacea of the Nashville Region. *Jour. Tenn. Acad. Sci.* **13**(4):296-314. 7 pls.* Contains a review of the literature and a list of species mentioned from Tennessee. The paper is to be continued in a later number of the journal.
- GREENE, E. L. 1933—A Systematic and Ecological Study of the Entomostraca of East Tennessee, with special reference to Andrew Jackson Lake. Bound thesis. Univ. of Tenn. Library. Knoxville.
- 1934—Studies on Entomostraca from the Andrew Jackson Lake region of East Tennessee. *Jour. Tenn. Acad. Sci.* **9**:298-306. 1 map.
- HAGEN. 1870—*Bull. Mus. Comp. Zool. Harvard Coll.* **3**:1-109. 10 pls. *Cambarus placidus* and *C. extraneus* are listed from Tenn.
- HAY, W. P. 1899—Synopsis of N. American Invertebrates. VI. The Astacidae of N. America. *Amer. Nat.* **33**:957-966. *Cambarus bartonii*; *C. longulus*; *C. longulus* var. *longirostris*; *C. dubius*; *C. latimanus*; *C. namulatus*; *C. palmeri*; *C. erichsonianus*, and *C. forceps*, from Tennessee.
- 1902—Observations on the Crustacean Fauna of Nickajack Cave, Tennessee, and vicinity. Publ. no. 1292. *Proc. U. S. Natl. Mus.* **25**:417-439. Amphipods, Isopods, Decapods: n. subsp.
- 1902—Two new subterranean Crustaceans from the U. S. *Proc. Biol. Soc. Washington. (D.C.)* **14**:179-180. From Mammoth Cave, Ky., and Nickajack Cave, Tenn.
- 1902—Observations on the Crustacean Fauna of the region about Mammoth Cave, Kentucky. Publ. no. 1285. *Proc. U. S. Natl. Mus.* **25**:223-236.
- IVES, J. D. 1930—Cave Animals of Tennessee. *Jour. Tenn. Acad. Sci.* **5**(3):112-124.*
- 1934—Notes on the Fauna and Ecology of Tennessee Caves. *Jour. Tenn. Acad. Sci.* **9**:149-153.* Observations on *Limosina* sp.; *Meta menardii*; *Ivesia tennesseensis*; *Machilis variabilis*.
- MACKIN, J. G., AND L. HUBRICHT. 1938—Records of Distribution of species of Isopods in Central and Southern U. S., with descriptions of four new species of *Mancasellus* and *Asellus*. *Amer. Midl. Nat.* **19**(3):628-637. May. *M. brachyurus*: Blanket Mt., Sevier Co., Tenn.
- MATTOX, NORMAN T. 1936—A new Fairy Shrimp belonging to the genus *Pristicephalus*. *Amer. Midl. Nat.* **17**:950-952. 1 pl. A Phyllopod crustacean, *P. comptus*, from Tiptonville, Tenn.
- ORTMANN, A. E. 1931—Crawfishes of the Southern Appalachians and the Cumberland Plateau. *Annals Carnegie Mus.* **20**:61-160.* Records for Tenn.: *Cambarus blandingi acutus*; *C. erichsonianus*; *C. rusticus forceps*; *C. rusticus placidus*; *C. juvenilis*; *C. alabamensis*; *C. validus*; *C. compressus*; *C. hamulatus*; *C. extraneus*, and *C. montanus acuminatus*; *C. montanus veteranus*; *C. montanus*; *C. longulus longirostris*; *C. bartoni bartoni*; *C. bartoni asperimanus*; *C. bartoni striatus*; *C. carolinus*, and *C. diogenes*.

- RHOADES, S. N. 1895—Contributions to the Zoology of Tennessee. Proc. Acad. Nat. Sci. Philad. 376-407.
- SMITH, S. I. 1874—The Crustacea of the Fresh Waters of the U. S. Report U. S. Fish Comm. Washington. 657-661.
- STAFFORD, B. E. 1911—A new subterranean Fresh-Water Isopod. Pomona Coll. Jour. Entom. (Claremont, Calif.) 3:572-575. *Caecidotea alabamensis*, n. sp. Ala.
- STOUT, V. R. 1911—A new subterranean Amphipod. Pomona Coll. Jour. Entom. (Claremont, Calif.) 3:569-571. *Crangonyx alabamensis*, n. sp. Ala.
- WILLIAMSON, E. B. 1905—Odonata, Astacidae, and Unionidae collected along the Rockcastle River at Livingston, Kentucky. (Astacidae by A. E. Ortmann). Ohio Nat. 5:309-312.

Part 6. Arachnida. Myriapoda

- BACHTEL, D. H. 1928—Survey of the Spiders of Nashville. Bound thesis. 1-54. Peabody Coll. Library. Nashville. August.
- BISHOP, S. C. AND C. R. CROSBY. 1926—Notes on the Spiders of the Southeastern U. S., with descriptions of new species. Jour. E. Mitchell Sci. Soc. 41:165-212. April.*
- 1935—A new genus and two new species of Dictynidae. (Araneae). Proc. Biol. Soc. Washington. (D.C.) 48:45-48. 1 pl. *Callioplus pantoplus*, from Tennessee.
- BOLLMAN, C. H. 1888—Notes upon a collection of Myriapoda from East Tennessee, with description of a new genus and six new species. Annals N. Y. Acad. Sci. 10:106-112. *Lithobius branneri*; *L. coecus*; *L. similis*; *Striaria* (n.g.) *granulosa*; *Craspedosoma carinatum*, and *Scolioplanes gracilis*, from Tenn.
- 1888—Notes on a Collection of Myriapods from Mossy Creek, Tennessee, with description of a new species. Proc. U. S. Natl. Mus. 11:339-342. *Fontaria tennesseensis*.
- 1893—The Myriapoda of North America. Bull. U. S. Natl. Mus. 46:1-210.* Contains Tenn. lists with localities.
- BRÖLEMANN, H. W. 1896—Liste de Myriapodes des États-Unis, et principalement de la Caroline du Nord, faisant partie des collections de M. Eugène Simon. Annals Soc. Entom. France 65:43-70. 2 pls.
- 1900—Myriapodes d' Amerique. Mém. Soc. Zool. France 13:89-131. 3 pls. New sp. of *Fontaria* from N. Carolina. 123.
- CHAMBERLIN, RALPH V. 1918—Myriapods from Nashville, Tennessee. Psyche 25:23-30.
- 1918—New Polydesmoid Diplopods from Tennessee and Mississippi. Psyche 25:122-127.
- 1921—Chilopods and Diplopods from Knox County, Tennessee. Canadian Entom. 53:230-233. 1 pl.
- 1925—A new species of the Lithobid genus *Nampabius* from Tennessee. Canadian Entom. 57:291.
- 1929—On three new species of the genus *Oxyopes*. Entom. News, etc. Philad. 40(1):19. Jan.
- 1931—A new Milliped of the genus *Fontaria* from Mississippi. (Chilognatha: Xystodesmidae). Entom. News, etc. Philad. 42:78-79.
- 1936—Further records and descriptions of North American Gnaphosidae. Amer. Mus. Nov. 853:1-25. May 25. *Zelotes duplex*, Mt. LeConte.
- COPE, E. D. 1869—On some new and little-known Myriapoda from the Southern Alleghanies. Trans. Amer. Entom. Soc. 3:365. Also: Ann. & Mag. Nat. Hist. 6(4):425-426. *Petaserpes rosalbus*, East Tennessee.

- CROSBY, C. R. AND S. C. BISHOP. 1924—Notes on the Opiliones of the Southeastern U. S., with descriptions of new species. Jour. E. Mitchell Sci. Soc. **40**:8-26.*
- 1925—Two new Spiders from the Blue R'dge Mountains of North Carolina. Entom. News, etc. Philad. **36**:142-146. 2 figs.
- DAVIS, NORMAN W. 1934—A Revision of the genus *Leiobunum* (Opiliones) of the United States. Amer. Midl. Nat. **15**:662-705.* *L. bicolor*, Mt. LeConte; *L. flavum leopenis*, n. subsp., Obion Co.; *L. politum*, So. Fulton; *L. serratipalpe*, Roan Mt.; *L. uxorium*, Gatlinburg; *L. ventricosum*, Lookout Mt., Pattonville, Obion; and *L. vittatum*, Bristol, Gatlinburg, Tenn.
- EXLINE, HARRIET. 1936—Nearctic Spiders of the genus *Cicurina* Menge. Amer. Mus. Nov. **850**:1-25. May 20. *C. brevis*, Mt. Mitchell, N. C.; *C. breviararia*, Grandfather Mts., N. C.; *C. bryantae*, n. sp., Newfound Gap, Tenn.; *C. atomaria*, Mt. LeConte, and *C. robusta* from Cumberland Gap, Montvale, and Gt. Smoky Mts., Tenn.
- GERTSCH, W. J. 1934—Notes on American Lycosidae. Amer. Mus. Nov. **693**:1-25. Feb. 2. *Arctosa sublata*, Kingston, Tenn.; *A. funerea*, Kingston, and *Pirata sedentarius*, Tenn.
- 1934—Some American Spiders of the family Hahniidae. Amer. Mus. Nov. **712**:1-32. April. *Neoantistea riparia*, race *radula* (Emerton), from the sides of Mt. LeConte.
- 1935—New American Spiders with notes on other species. Amer. Mus. Nov. **805**:1-24. May 21. *Phrurolithus delicatulus*, Montvale Springs, Tenn.
- 1936—Further diagnoses of new American Spiders. Amer. Mus. Nov. **852**:1-27. May 22. *Wadotes tennesseensis*, n. sp. Mt. LeConte, Tenn.
- AND H. K. WALLACE. 1937—New American Lycosidae, with notes on other species. Amer. Mus. Nov. **919**:1-22. May 1. *Schizocosa duplex*, Crossville; and *S. retrorsa*.
- IVES, J. D. 1935—A Study of the Cave Spider, *Nesticus pallidus* Emerton, to determine whether it breeds seasonally or otherwise. Jour. E. Mitchell Sci. Soc. **51**:297-299. Dec.* From Three Springs Cave (Butty's Cave or Delap's Cave) Tenn. Species breeds throughout the year.
- JACOT, A. P. 1937—Six new mites from western N. Carolina. Proc. Entom. Soc. Washington **39**:163-166.
- KRAEPELIN, K. 1898—Zur Systematik der Solifugen. Mitt. aus dem Naturhist. Mus. in Hamburg. **16**:195-258. 2 pls. Mentions *Dalanies* from western N. Carolina.
- LOOMIS, H. F. 1936—Three new Millipeds of the order Colobognatha from Tennessee, Texas, and Lower California, with records of previously known species. Proc. U. S. Natl. Mus. **83**(2989):361-368. *Brachycybe petasata*, n. sp. from Cherokee Natl. Forest, Tenn.
- 1938—The Cambaloid Millipeds of the U. S. including a family new to the fauna and new genera and species. Proc. U. S. Natl. Mus. **86**(3043):27-66. *Cambala annulata* (Say), and *Choctella cumminsi*, Tenn.
- MARX, G. 1889—On a new and interesting Spider from the U. S. Proc. Entom. Soc. Washington **1**:166. *Hypochilus thorelli*, from Lookout Mt., Tenn.
- PETRUNKEVITCH, A. 1925—A new Erigoninae from Tennessee. Jour. N. Y. Entom. Soc. **33**:170-176. 1 pl.
- 1932—Collecting *Hypochilus* (Arachnida). Jour. N. Y. Entom. Soc. **40**:19-23. *H. thorelli* from various mt. ranges in Tenn., N. C., and Ga. Also *Marpissa californica*, new to Tenn.

Part 7. Insecta

- ABBOTT, J. F. 1913—Corixidae (Hemiptera) of Georgia. (With description of localities by J. C. Bradley). Bull. Entom. Soc. Brooklyn **8**:81-93.
- AINSLIE, G. G. 1930—The Bluegrass Webworm. (Lepidop.) U. S. D. A. Tech. Bull.

- 173:1-26. 4 figs. *Crambus teterrellus* Zinck., continuously abundant in blue grass regions of Ky. and Tenn. Methods of control.
- ALLARD, H. A. 1916—Some northern Georgia Acridiidae. (Orthop.) Canadian Entom. 48:274-279.
- ALEXANDER, CHARLES P. 1926—Undescribed species of the genus *Limnophila* from Eastern N. America. I. Bull. Entom. Soc. Brooklyn 21(3):109-115. *L. serotinella* and *L. nigrogeniculata*, from Tenn.
- 1926—Undescribed species of Crane-Flies from the U. S. and Canada. II. Insec. Inscit. Menstruus 14:114-122. *Elliptera tennesa* and *Molophilus auricomus*, from Tenn.
- 1926—Undescribed species of Crane-Flies from the Eastern U. S. III. Entom. News, etc. Philad. 37(9):291-297. Nov. *Tipula brevifurcata*, Tenn.
- 1926—Undescribed species of *Dicranoptycha* from Eastern N. America. Psyche 33(2):54-59. *D. megaphallus*, Tenn.
- 1927—Undescribed species of Crane-Flies from the Eastern U. S. and Canada. Entom. News, etc. Philad. 38(6):161-184. June. *Tipula maculipleura*, from Tenn.
- 1927—Undescribed species of the genus *Limnophila* from Eastern N. America. Bull. Entom. Soc. Brooklyn 22:56-64. *L. (Phylidorea) adustoides*, Tenn.
- 1927—Undescribed species of the genus *Limnophila* from Eastern N. America. III. Bull. Entom. Soc. Brooklyn. 22:110-115. *L. (Phylidorea) subsimilis*, from Tenn.
- 1929—New Nearctic Crane-Flies. XIII. Canadian Entom. 61(1):15-22. 4 figs. *Dicranota notabilis*, from Tenn.
- 1929—Undescribed species of Eriopterine Crane-Flies from the U. S. and Canada. Jour. N. Y. Entom. Soc. 37(1):49-58. *Erioptera chrysocomoides*, from Tenn.
- ALLEN, H. W. 1929—An annotated List of the Tachinidae of Mississippi. Annals Entom. Soc. Amer. 22:676-690.
- ASHMEAD, WILLIAM H. 1888—Descriptions of new Braconidae in the collection of the U. S. National Museum. Proc. U. S. Natl. Mus. 11:611-671. *Urosigalphus armatus*, n. sp. from Tenn.
- BANKS, NATHAN. 1905—Descriptions of Neuropterous Insects from the Black Mountains, N. Carolina. Bull. Amer. Mus. Nat. Hist. New York. 21(12):215-218.*
- 1915—Geographic Distribution of the Neuropteroid Insects, with an analysis of the American Insect fauna. Annals Entom. Soc. Amer. 8:125-135.*
- BARBER, H. S. 1928—Two new Cave-Beetles related to *Anophthalmus pusio* Horn. Jour. Washington Acad. Sci. 18(7):194-196. *A. engelhardtii*, from Tenn.
- BARKLEY, M. A. 1927—Seasonal Succession of insect life in a cornfield. Bound thesis. 1-62. Peabody Coll. Library. Nashville. August. Locality: Central Tennessee.
- BEAMER, R. H. 1930—Some *Erythroneura* of the *obliqua* group. Annals Entom. Soc. Amer. 23(3):417-456. 3 pls. *E. bifurca*; *E. harpax*; *E. obvia*; *E. latapax*; Tenn.
- 1931—Some *Erythroneura* (Grape-leaf hoppers) of the *maculata* group. Canadian Entom. 63(6):127-135. Inc. *E. contracta*, from Kan. Ill. and Tenn.
- 1932—Some *Erythroneura* of the *maculata* group. Canadian Entom. 63(10):240-244. (11):268-270. (12):285-289, 1931. 64(1):12-17. (2):45-48. (3):69-72. (4):82-88. (6):134-144. (7):158-162. (8):174-181. (9): 3 pls. Inc. *E. bispinosa*; *E. calamitosa*; *E. paravipes*; *E. teres*; *E. clavipes*; *E. arta*, and *E. rotunda*, from Tenn.
- BENTLEY, GORDON M. 1905—The Control of Insects, Fungi, and other Pests. Bull. Agric. Exp. Sta. Univ. of Tenn. Knoxville. 18(4):33-45. Dec.
- 1906—The San José and other injurious scale insects of Tennessee, with methods for their control. Bull. Agric. Exp. Sta. Univ. of Tenn. Knoxville 19(76):13-34. Dec.

- BEUTENMULLER, W. 1903—Description of a new Moth from N. Carolina. *Bull. Amer. Mus. Nat. Hist.* **19**:585. *Olene*, n. sp.
- 1913—A new *Nomaretus* from Mt. Mitchell, N. Carolina. (Coleop.) *Insec. Inscit. Menstruus* (a monthly jour. of entom.) Washington **1**:139-140.
- 1918—Notes on the *Cychnus* found in the Black Mountains, N. Carolina. (Coleop.) *Bull. Entom. Soc. Brooklyn* **13**:89-90.
- BLACKMAN, M. W. 1922—Mississippi Bark Beetles. *Miss. Agric. Exp. Sta. Bull.* **11**:1-130. 18 pls. 1 map.
- BLATCHLEY, W. S. 1920—Orthoptera of Northeastern North America. Nature Pub. Co. Indianapolis. 1-784. Refers to Tenn.*
- BOWDITCH, F. C. 1908—Notes on *Pachybrachys*. *Entom. News, etc. Philad.* **19**: 216-217. May. *P. spumarius*; Tenn.
- BRAUN, ANNETTE F. 1935—Notes and new species of Microlepidoptera. *Trans. Amer. Entom. Soc.* **61**(1):45-52. *Zelleria gracillariella*. Larvae web leaves of *Ribes* in Tenn. *Lithocolletis rhododendrella* mines leaves of *Rhododendron* in Tenn.
- BRIMLEY, C. S. 1908—N. Carolina records for Odonata for 1906 and 1907. *Entom. News, etc. Philad.* **19**:134-135.
- 1920—Notes on N. Carolina Dragonflies. *Entom. News, etc. Philad.* **31**: 138-139.
- 1921—The Bee-Flies of N. Carolina. *Entom. News, etc. Philad.* **32**:170-172.
- 1922—List of the Tachinidae (Diptera) of N. Carolina. *Entom. News, etc. Philad.* **33**:20-26.
- 1922—Additional Data on N. Carolina Tabanidae, Bombyliidae, and Tachinidae. (Diptera). *Entom. News, etc. Philad.* **33**:230-232.
- 1922—List of the Robberflies (Asilidae) of N. Carolina. *Entom. News, etc. Philad.* **33**:294-298.
- 1923—Additional Records of Lepidoptera from N. Carolina. *Entom. News, etc. Philad.* **34**:113-118.
- 1923—Additional Surphidae (Diptera) from N. Carolina, with descriptions of two supposed new species. *Entom. News, etc. Philad.* **34**:277-279.
- 1924—Three supposed new species of *Ceraturgus* (Diptera) from N. Carolina. *Entom. News, etc. Philad.* **35**:8-12.
- BROWN, FRANK R., AND J. W. PEARSON. 1938—Some *Culicidae* of the Reelfoot Lake region. *Jour. Tenn. Acad. Sci.* **13**(2):126-132. April.*
- BUTLER, H. G. 1931—Observations on the Biology of the Peach Borer in Roane County, Tennessee. (Harriman, Tenn. 1930) *Jour. Econ. Entom.* **24**(4):851-854.
- 1931—Peach Insects of Tennessee. *Tenn. State Hort. Soc. Proc.* **23**:42-45.
- 1932—Observations on the Biology of the Peach Borer in Roane County, Tennessee. (Harriman, Tenn. 1931) *Jour. Econ. Entom.* **25**(4):781-786.
- 1933—Larval Parasites of the Oriental Fruit Moth in Roane County, Tennessee. *Jour. Econ. Entom.* **26**(5):982-987.
- BYERS, C. F. 1931—Dixie Dragonflies collected during the summer of 1930. (Odonata). *Entom. News, etc. Philad.* **42**:(4):113-119.*
- CARPENTER, F. M. 1931—Revision of the nearctic Mecoptera. (Neuroptera). *Bull. Mus. Comp. Zool. Harvard Coll.* **72**(6):205-277. 8 pls. 6 figs. Inc. *Panorpa longicornis*; *P. isolata*; and *P. acuta*, from Tenn.
- 1933—Trichoptera from the mountains of North Carolina and Tennessee. *Psyche* **40**(1):32-47. 2 pls. 1 fig. A report on 23 species.
- CHAMBERLIN, RALPH V. 1911—The Lithobiomorpha of the Southeastern States. *Annals Entom. Soc. Amer.* **4**:32.*
- 1912—The Geophilodea of the Southeastern States. *Bull. Mus. Comp. Zool. Harvard Coll.* **54**(13):407-436. April. 3 pls.

- CHAMBERS, V. T. 1870—Time of appearance of the Polyphemus Moth in Louisiana and Kentucky. *Amer. Entom.* **2**:156.
- COLCORD, M. AND E. P. FELT. 1921—Index II, to the Literature of American Economic Entomology. 1915-1919. *Amer. Assn. Econ. Entom. Melrose Highlands, Mass.* 1-388.* Inc. here because of general interest.
- COLE, A. C., JR. 1938—Suggestions concerning taxonomic nomenclature of the Hymenopterous family Formicidae, and descriptions of three new Ants. *Amer. Midl. Nat.* **19**(1):236-241. *Leptothorax tennesseensis*, n. sp. and *Aphaenogaster texana punctithorax*, n. subsp. Gt. Smoky Mts., Tenn.
- 1938—Insect Collecting in the Great Smoky Mountains National Park. *Jour. Tenn. Acad. Sci.* **13**(4):274-276. Oct.
- CORLEY, N. 1937—Dytiscidae of the Nashville region. (Coleop.) Bound thesis. 1-68. Peabody Coll. Library. Nashville. August. Only 19 species are listed from 13 localities in central Tennessee.
- COTTON, E. C. 1908—The Life History and Habits of the North American Fever Tick, with special reference to eradication. (in Tenn.) *Bull. Agric. Exp. Sta. Univ. of Tenn. Knoxville.* No. **81**:53-71. Dec.
- AND J. F. VOORHEES. 1911—The Cattle Tick as affected by climate. (in Tenn.) *Bull. Agric. Exp. Sta. Univ. of Tenn. Knoxville* No. **94**:119-164.
- CURRAN, C. HOWARD. 1926-1927—The nearctic species of the genus *Rhaphium* Meigen. (Dolichopodidae: Diptera). *Trans. Royal Canadian Inst.* **15**(34) II. : 249-260, 1926. **16**(35) I. 99-179. 1927. Lists *R. simplicipes* for Tenn.
- CUSHMAN, R. A. 1935—New Ichneumon-Flies. *Jour. Wash. Acad. Sci.* **25**(12): 547-564. 1 fig.
- DARLINGTON, P. J., JR. 1931—On some Carabidae, including new species, from the mountains of N. Carolina and Tennessee. (Coleop.) *Psyche* **38**(4):145-164. *Scaphinotus viduus irregularis*; *S. confusus*; *Nomarelius unistriatus*; *Sphaeroderus multicarinatus*; *Nebria appalachia*; *Pterostichus unicarum*; *P. sphodrinus*; *P. primus*, and *P. carolinus fumorum*, from Tennessee.
- 1933—The subspecies of *Sphaeroderus canadensis* Chd. (Coleop.) *Psyche* **40**(2):62-64. *S. canadensis*, ssp. *lengi* from N. C.-Tenn. state line. East Tennessee.
- DAVIDSON, R. H. AND D. M. DELONG. 1938—Studies of the genus *Empoasca*. (Homoptera: Cicadellidae). V. Twelve new species of *Empoasca*. *Ohio Jour. Sci.* **38**(2):90-96. March. *E. decurvata*, n. sp. and *E. excava*, n. sp. from Clarksville, Tenn.
- DAVIS, W. T. 1910—Miscellaneous notes on collecting in Georgia. *Jour. Entom. Soc. N. Y.* **18**:82-85.
- 1913—*Williamsonia*, a new genus of Dragonflies from N. America. *Bull. Entom. Soc. Brooklyn* **8**:93-96.
- 1914—A new species of *Atlantiscus* (Orthoptera) from the mountains of Georgia and N. Carolina. *Bull. Entom. Soc. Brooklyn* **9**:104-106.
- 1918—Mississippi Cicadas, with a key to the species of the Southeastern U. S. *Jour. Entom. Soc. N. Y.* **26**:141-155.*
- DELONG, D. M. 1916—The Leafhoppers, of Jassoidea of Tennessee. *Tenn. State Bd. of Entom. Bull.* **17**.* Rare. 212 species and varieties are listed.
- 1918—Additional Record of Tennessee Cicadellidae. (Hemiptera: Homoptera). *Ohio Jour. Sci.* **18**(7):233-242. May.* Lists *Macropsis occidentalis*; *M. tristis*; *Draeculacephala angulifera*; *Gypona* sp.; *G. scarlatina*; *G. spadix*, n. sp.; *Aligia modesta*; *Deltocephalus alboneura*, n. sp.; *Thamnotettix proprius*, n. sp.; *Alebra bicincta*; *A. albostriella*, and *A. eburnda*, from Clarksville, Tenn.
- 1918—Additional Records of Tennessee Cicadellidae. *Ohio Nat.* **18**:228.*
- 1926—Three new species of Cicadellidae previously confused with related species. *Trans. Entom. Soc. Amer.* **52**(2):89-92. *Thamnotettix arundineus*; Tenn.

- AND R. H. DAVIDSON. 1933—Some new species of *Eugnathodus*. (Homoptera: Cicadellidae). Ohio Jour. Sci. **33**(1):55-58. *E. neglecta* var. *pallida*, from Tenn.
- 1935—A new genus and five new species of Leaf-hoppers related to *Thamnotettix*. (Homoptera: Cicadellidae). Entom. News, etc. Philad. **46**:180-183. July. *Arundanus marginellus*, n. sp. from Tenn.
- AND R. H. DAVIDSON. 1935—Some new N. American species of deltocephaloid Leafhoppers. Canadian Entom. **67**(8):164-172. 1 pl. *Polyamia similis*, from Tenn.
- AND C. O. MOHR. 1936—Studies of the genus *Scaphoideus*. (Homoptera: Cicadellidae) I. Seventeen new N. American species. Amer. Midl. Nat. **17**: 965-977. *S. immistus*, *S. flexus*, and *S. brevidens*, from Tenn.
- 1937—The genera *Cyperana* and *Paluda* in North America. Amer. Midl. Nat. **18**(2):225-236. March. Inc. *C. melanogaster* (Provancher) from Tenn.
- AND C. O. MOHR. 1937—The genus *Graminella*. (Homoptera: Cicadellidae). Amer. Midl. Nat. **18**:622-630. With pls. Lists *G. fitchii*, from Tenn.
- 1938—The Genus *Phlepsius*—A Study of the North American Species with Special Reference to the Characters of the Male Genitalia. Lloydia (Cincinnati) **1**(1-4):232-252, 8 pls. *Phlepsius abruptus*, n.sp. from Bells, Tenn.
- DENNIS, C. A. 1938—The Distribution of Ant species in Tennessee, with reference to Ecological Factors. Annals Entom. Soc. America **31**(2):267-308.* A useful reference.
- DICKERSON, E. L. AND H. B. WEISS. 1917—The Azalea Lace-Bug, *Stephanitis pyrioides* Scott. Entom. News, etc. Philad. **28**:101-105. Tennessee.
- DOZIER, H. L. 1922—An annotated List of Mississippi Chrysomelidae. (Coleop.) Ohio Jour. Sci. **22**(4):117-124. Feb.* 125 species are listed.
- 1928—The Fulgoridae or plant-hoppers of Mississippi, including those of possible occurrence. A taxonomic, biological, ecological, and economic study. Tech. Bull. Miss. Agric. Exp. Sta. **14**:1-152.*
- DRAKE, CARL J. 1916—A new Tingid from Tennessee. (Hemiptera). Ohio Jour. Sci. **16**(7):326-328. *Leptostyla costofasciata*, n. sp. from Clarksville, Tenn.
- AND H. M. HARRIS. 1926—Notes on American Anthocoridae, with descriptions of new forms. Proc. Biol. Soc. Washington. **39**:33-45. Inc. *Lasiochilus fuscus*, from Miss. and Tenn.
- — 1928—Concerning some North American Water-Striders with descriptions of three new species. Ohio Jour. Sci. **28**(5):269-276. *Gerris nebularis*; *G. insperatus*; *G. marginatus*; *Rheumatobates tenuipes*; *R. trulliger*; *Microvelia fontinalis*, and *M. austrina*, are mentioned from Tenn.
- DYAR, H. G. 1922—The Mosquitoes of the U. S. Proc. U. S. Natl. Mus. **62**:1-119.* *Culex erraticus*; *C. peccator*; *C. quinquefasciatus*; *Psorophora sayi*; *P. horridus*; *P. columbiae*; *Aedes hirsuteron*; *A. triseriatus*; *A. vexans*; *A. aegypti*; *Megarthinus septentrionalis*; and *Anopheles quadrimaculatus*, recorded from Tenn.
- FERNALD, H. T. 1928—Insects; the People and the State. Sci. Monthly **27**:193-205. Address to Amer. Assn. of Econ. Entom. Nashville, Tenn. Dec., 1927.
- GILMORE, J. U. AND J. MILAM. 1934—A new Pest in Tobacco Plant Beds, *Limnobia ultima*. Jour. Econ. Entom. **27**:290-291. Larvae attacking seedlings in Tenn. Control with freshly-mixed KMnO_4 (4 gm./gal.) or with nicotine sulphate (10 cc./gal.).
- 1938—Observations on the Hornworms attacking Tobacco in Tennessee and Kentucky. Jour. Econ. Entom. **31**(6):706-712. Summary of years observations on *Protoparce sexta* and *P. quinquemaculata*.
- GLOYD, LEONORA K. 1936—Three new North American species of Gomphinae. (Odonata). Occ. Papers, Mus. Zool. Univ. of Mich. **326**:1-18. 3 pls. Feb. 25. *Gomphus rogersi*, from Long Cr., Fentress Co., Tenn.
- GREEN, SUSIE C. 1937—Aquatic Hemiptera of Reelfoot Lake. (Tenn.) Jour. Tenn. Acad. Sci. **12**(1):154. Jan. Contrib. no. 10, Reelfoot Lake Biol. Sta. A list of 29 species.
- GROTE, A. R. 1871—Descriptions of Lepidoptera from Alabama. Canadian Entom. **3**:101. 124. 181.

- HANCOCK, J. L. 1918—A new genus and two new species of Tettigids (Orthoptera), with a note on *Nomotettix borealis* Walker. Entom. News, etc. Philad. **29**(9):343. Nov. Clarksville.
- HEBARD, MORGAN. 1919—Remarks on the species assigned to *Cavotettix* Hancock, a synonym of *Neotettix* Hancock. Entom. News, etc. Philad. **30**:78-82. March. *Neotettix proavus*, from Clarksville, Tenn.
- 1934—Studies on Orthoptera which occur in North America north of the Mexican boundary. III. Revisionary data and new N. American Decticinae. Trans. Amer. Entom. Soc. **60**(1):31-55. 2pls. 1 fig.* Mentions *Atlanticus americana* ssp. *hesperus*, from Tenn.
- 1934—New genera and species of the *Melanopi* found within the U. S. and Canada. (Orthop.) V. VI. Trans. Amer. Entom. Soc. **60**:337-390. Inc. *Melanoplus hubbelli* from Tenn.
- HINE, JAMES S. 1902—New or little-known Diptera. Ohio Nat. **2**(5):228-230. March. Inc. *Criorhina umbratilis* Will. from Nashville, Tenn.
- HOOVER, W. A. 1909—The Geographical Distribution of American Ticks. Jour. Econ. Entom. **2**:403. Dec. For Tennessee, see p. 408.
- HOWE, R. W. 1916—Studies of the Mexican Cotton Boll Weevil in the Mississippi Valley. U. S. D. A. Bull. **358**:1-32.
- HUBBELL, T. H. 1926—Correction of records of *Ceuthophilus* (Orthop.: Tetti-goniidae). Florida Entom. **10**(1):14. Refers to Tennessee records.
- 1936—A Monographic Revision of the genus *Ceuthophilus*. Univ. of Florida Publ. Biol. series **2**(1):1-551. 38 pls.* Refers to many Tennessee species and localities: 112-114, 154, 165, 183, 192, 238, 313, 350, 369, 442.
- HULL, FRANK M. 1922—New Syrphidae (Diptera) from Mississippi. Annals Entom. Soc. Amer. **15**:370-373.
- 1924—Milesia in North America. (Diptera). Entom. News, etc. Philad. **35**:280. For Tenn: 282.
- HUNGERFORD, H. B. 1928—Some Corixidae from Northern States and Canada. (Hemiptera). Canadian Entom. **60**(9):226-230. 1 pl. includes *Arctocorixa hubbelli*, from Tenn.
- HUTCHINS, R. E. 1933—Annotated List of Mississippi Rhopalocera. (Lepidop.) Canadian Entom. **65**:210.
- HUTSON, RAY, ET. AL. 1933—Scientific Notes. Jour. Econ. Entom. **26**(1):291-304. 1 fig. Note on outbreak of grasshoppers in Tennessee during 1932.
- IVES, J. D. 1934—Notes on the Fauna and Ecology of Tennessee Caves. Jour. Tenn. Acad. Sci. **9**(2): 149-153. 1 fig.* *Limosina* sp. (Diptera) taken 1700 ft. from entrance of Indian Cave. Development studied. *Meta menardii* (Aran.), *Ivesia tennesseensis*, *Machilis variabilis* (Thysanura) taken from caves.
- 1938—Cave Hibernation of Mosquitoes. Jour. Tenn. Acad. Sci. **13**(1):15-20. Jan.* Lists hibernation data for Tenn. caves, with obs. on temp. and humidity conditions. Buttry's Cave, Three Springs, Tenn.
- JEWETT, H. H. 1924—The Grape Leaf-Hoppers of Bluegrass Kentucky. Bull. Ky. Ky. Agric. Exp. Sta. **254**:1-130.*
- JOHNSON, H. A. 1937—Attractivity of Light for Anopheles Mosquitoes. Jour. Tenn. Acad. Sci. **12**(1):104.
- KEARFOTT, W. D. 1907—Microlepidoptera from the Black Mountain region of North Carolina, with descriptions of new species. Bull. Amer. Mus. Nat. Hist. N. Y. **23**(8):153-169. Gives a list of 11 species.
- KENNEDY, C. H. AND M. M. SCHRAMM. 1933—A new *Strumigenys* with notes on Ohio species. (Formicidae: Hymenopt.) Annals Entom. Soc. Amer. **26**(1):94-104. *S. dietrichi* reported from Ill. and Tenn.
- KINSEY, ALFRED G. 1929—The Gall-Wasp genus *Cynips*, a study in the origin of species. Indiana Univ. Studies **16**(84-86). June-Sept. (Pub. Feb. 27, 1930). Gives species from Tenn. and adjacent regions.

- KIRBY, W. F. 1906—A Synonymic Catalogue of Orthoptera. II. Orthoptera Saltatoria. (1) (Achetidae et Phasgonuridae). British Mus. London 1-562. Mentions Tenn. species.
- KNIGHT, HARRY H. 1927—Notes on the Distribution and Host Plants of some North American Miridae. (Hemiptera). Canadian Entom. **59**(2):34-44.* Accumulated notes from the author's work in collecting and naming Miridae for ten years. For Tenn.: *Leucopoecila albofasciata* Reut.; *Halicotoma valida*; *Fulvius imbecilus* Say; *Lopidea davisii* Knight; *Platytylhellus atripennis* Reut., and others from the southeastern States.
- KNULL, J. N. 1930—Notes on Coleoptera. No. 2. Entom. News, etc. Philad. **41**: 82-86. March. Mentions *Chrysobothris orono* Frost, from Tenn.
- KOEN, JOHN. 1937—The Dragonflies of the Reelfoot Lake Area. Jour. Tenn. Acad. Sci. **12**(1):129-153. Jan.* A list of 31 species, with descriptive notes and tables.
- LANGSTON, J. M. 1927—Phyllophaga of Mississippi. Tech. Bull. Miss. Agric. Exp. Sta. **15**:1-103. 13 pls.*
- LENG, C. W. 1910—Notes on Coleoptera collected in Northern Georgia. Jour. Entom. Soc. N. Y. **18**:71-82.
- LUTZ, F. E. AND T. D. A. COCKERELL. 1920—Notes on the Distribution and Bibliography of N. American Bees of the families Aphidae, Meliponidae, Bombidae, Euglossidae, and Anthophoridae. Bull. Amer. Mus. Nat. Hist. **42**(15):491-641.* *Bombus* and *Psithyrus* from Tenn.
- MARCOVICICH, S. 1920—Grasshoppers of Tennessee. Tenn. State Bd. of Entom. Bull. **33**. **9**(2):1-112.* A useful and important reference, but rare.
- 1923—A root weevil (*Stephanocleonus plumbeus* Lec.) reared from strawberry. Canadian Entom. **55**:218. Locality: Tennessee.
- 1925—The Strawberry Root Louse in Tennessee. Jour. Agric. Res. **30**(5): 44-49.
- AND S. A. ROBERT. 1925—The Corn Ear Worm on Tomato. U. S. D. A. Tenn. Sta. Bull. No. 133:3-14.
- 1926—The control of the Striped Cucumber Beetle. (in Tenn.) Agric. Exp. Sta. Univ. of Tenn. Knoxville. Circ. no. 1. 2 pp. Feb.
- AND W. W. STANLEY. 1930—The climatic limitations of the Mexican Bean Beetle. Annals Entom. Soc. Amer. **23**(4):666-686. Dec. With special ref. to Tenn. localities and conditions.
- 1930—How to prevent damage by the Mexican Bean Beetle Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville. Circ. no. 28. 2 pp. With special reference to Tenn.
- 1934—Control of Weevils in stored Beans and Cowpeas. Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville. Bull. no. 150:1-8. (Tenn. conditions).
- 1934—The Woolly Apple Aphid in Tennessee. Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville Bull. **151**:1-16.
- 1934—The Woolly Aphis in Tennessee. Jour. Econ. Entom. **27**(4):779-784.
- 1936—Studies of the Ecology and Control of Cutworms in Tennessee. Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville Bull. **159**:1-16. Oct.*
- AND W. W. STANLEY. 1937—Control of Tobacco Insects in Tennessee. Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville Bull. **160**:1-14. Jan.*
- MARSTON, L. C., JR. 1931—*Dynastes tityus* Linn. in Delaware. (Coleop.) Entom. News, etc. Philad. **42**:28. Jan. Also reported from Knoxville, Tenn.
- MCATEE, W. L. AND J. R. MALLOCH. 1933—Revision of the subfamily Thyreocorinae of the Pentatomidae. (Hemipt. Annals Carnegie Mus. **21**(4):191-411. 14 pls.* Mentions *Galgapha carinata*, from Tenn.
- MELENEY, H. E. AND E. L. BISHOP. 1929—Observations on the Malaria problem of West Tennessee. Southern Med. Jour. **22**:382. Apr.
- , —, AND F. L. ROBERTS. 1930—Further Observations on the Malaria problem of West Tennessee. Southern Med. Jour. **23**(5):435-442.

- AND JAMES CRABTREE. 1934—Results from screening of rural homes in Lake County, Tennessee. *Southern Med. Jour.* **27**(6):552-558. June.
- 1937—The Problem of Malaria Mortality in the U. S. *Amer. Jour. Trop. Med.* **17**(1):15-24. Jan. Refers to Tennessee conditions and statistics.
- METCALF, Z. P. 1915—A List of Homoptera of N. Carolina. *Jour. E. Mitchell Sci. Soc.* **31**:35-60.*
- MORGAN, H. A. 1905—Texas Cattle Fever Tick: Pasture methods of Eradication. *Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville. Bull.* **18**(1):1-10. Jan. *Boophilus annulatus* in Tenn.
- MORGAN, A. C. 1911—Tobacco Insects of Tennessee. *Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville Bull.* **93**:101-113. June.*
- AND J. U. GILMORE. 1924—The Tobacco Flea-Beetle in the dark-fired tobacco district of Kentucky and Tennessee. *U. S. D. A. Farmer's Bull. No. 1425.* 1-12.*
- MORSE, A. P. 1904—New Acridiidae from the Southeastern States. (*Orthop.*) *Psyche* **11**:7-13. *Eotettix pusillus* from N. Carolina.
- MOULTON, DUDLEY. 1929—Contribution to our knowledge of American Thysanoptera. *Bull. Entom. Soc. Brooklyn* **24**(4):224-244. 1 fig. *Cephalothrips elegans*; Tenn.
- MUESEBECK, C. F. W. 1932—Revision of the Nearctic Ichneumon-Flies belonging to the genus *Macrocentrus*. *Proc. U. S. Natl. Mus.* **80**(23):1-55. Inc. *M. instabilis*; Tenn.
- MULLENS, N. E. 1937—Taxonomy and Morphology of the Hydrophilidae of the Nashville region. (Coleop.) Bound thesis. 1-60. Peabody Coll. Library. Nashville. June.* Only 13 species are described from 14 stations in the Nashville region.
- MUSGRAVE, PAUL N. 1932—Notes on Helmidæ (Coleop.) taken in the Tennessee Great Smoky Mountains, with descriptions of new species. *Proc. Entom. Soc. Washington* **34**(5):78-81. 1 pl.* Notes on 5 subspecies of *Limnius cryophilus*, a type in the U. S. Natl. Mus.
- NEDHAM, J. G. AND H. B. HEYWOOD. 1929—Handbook of the Dragonflies of North America. Thomas. Springfield and Baltimore. 1-378.* Contains Tenn. references.
- , J. R. TRAYER, AND Y.-C. HSU. 1935—The Biology of Mayflies, with a Systematic Account of North American Species. Ithaca, N. Y. 1-759. Many pls. and figs.* For Tenn. see pp. 245, 258, 264, 283, 309, 318, 343, 353, 489, 550, 588, 594, 610.
- OSBORN, HERBERT, AND CARL J. DRAKE. 1916—Some new species of nearctic Tingidae. *Ohio Jour. Sci.* **17**(1):9-15. *Corythucha associata*, Clarksville, Tenn.
- ——— 1917—Notes on American Tingidae, with descriptions of new species. *Ohio Jour. Sci.* **17**(8):295-307. 4 Tenn. species mentioned
- OSBURN, WILLIAM. 1895—Rhopalocera of Tennessee. (*Lepidop.*) *Entom. News, etc. Philad.* **6**(8):245-248.
- 1895—Rhopalocera of Tennessee. Pt. II. *Entom. News, etc. Philad.* **6**(9):281-284.
- PELTON, W. C. 1933—Control of Garden Insects. *Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville Pub.* **176**: 2pp. April.* Refers particularly to Tennessee conditions.
- POOS, F. W. 1933—Four new species of *Empoasca*. (Homop: Cicadellidae). *Proc. Entom. Soc. Washington.* **35**(8):174-179. 1 pl. *E. sativae* and *E. curvata*, from Tenn.
- REINHARD, H. J. 1930—A Synopsis of the genus *Macromeigenia*, including the description of one new species. (*Diptera*). *Entom. News, etc. Philad.* **41**:261. Oct. Tenn.; p. 262.
- RICHARDS, A. GLENN, JR. 1931—Noctuidæ of Northern Georgia and Tennessee. (*Lepidop.*) *Entom. News, etc. Philad.* **42**(9):247-252. (10):271-276. Lists species collected at Athens, Ga. and Monteagle, Tenn.

- 1931—Distributional Studies on Southeastern Rhopalocera. (Macrolepidop.) Bull. Entom. Soc. Brooklyn **26**(5):234-255.* Districts in Ga., Tenn., N. C., S. C., with 127 species.
- ROGERS, J. SPEED. 1930—The Summer Crane-Fly Fauna of the Cumberland Plateau in Tennessee. Occ. Papers, Mus. Zool. Univ. of Mich. **215**:1-50. 5 pls. August 15.* One of the few papers on the fauna of the particular area. A description of the territory with a large list of species.
- ROHWER, S. A. 1934—Descriptions of five parasitic Hymenoptera. Proc. Entom. Soc. Washington **36**(2):43-48. Inc. *Anthonomus signatus* and *Phanerotoma formosana* from Tennessee.
- SCHAEFFER, CHARLES. 1932—Notes on some Galerucinae, with descriptions of new species. (Coleop.: Chrysomelidae). Canadian Entom. **64**(10):236-239. Lists *Phyllobrotica stenidea*, from Tenn.
- SCHAUPP, F. G. 1881—List of the described Coleopterous larvae of the U. S., with some remarks on their classification. Bull. Entom. Soc. Brooklyn **2**:1-3, 9, 10, 21, 22, 29, 30. **3**:64, 90, 94, 100. **4**:8, 15, 16, 24, 31, 32, 36, 46.
- SCUDDER, S. H. 1880—The Entomological Libraries of the U. S. Library of Harvard Coll. Bibliog. contrib. 11. Cambridge. 8vo. 1-6.
- 1894—The North American *Ceuthophili*. Proc. Amer. Acad. Arts. & Sci. **30**:17-111. *Ceuthophilus ensifer* Packard from Nickajack Cave, Tenn.
- 1900—Catalogue of the described Orthoptera of the U. S. and Canada, with an appendix of descriptions of new species. Proc. Davenport Acad. Sci. **8**:1-104. 3 pls.* Mentions Tennessee species.
- SHERMAN, F., JR. 1908—Notes on tiger beetles and elevations. Entom. News, etc. Philad. **19**:360-362. Consideration of localities in N. Carolina.
- SHIELDS, S. E. 1938—Tennessee Volley Mosquito Collections. Jour. Econ. Entom. **31**(3):426-430.* Species collected in the Tenn. Valley, 1934-1936: *Anopheles punctipennis*; *A. crucians*; *A. quadrimaculatus*; *A. barberi*; *A. walkeri*; *Aedes dupreei*; *A. hirsuteron*; *A. thibaulti*; *A. canadensis*; *A. atropalus*; *A. triseriatus*; *A. vexans*; *A. aegypti*; *Culex peccator*; *C. inhibitor*; *C. salinarius*; *C. restuans*; *C. quinquefasciatus*; *C. pipiens*; *C. apicalis*; *Theobaldia melanura*; *T. inornata*; *Psorophora howardi*; *P. ciliata*; *P. ferox*; *P. varipes*; *P. cyanescens*; *P. discolor*; *P. columbiae*; *P. signipennis*; *Mansonia perturbans*; *Uranotaenia sapphirina*; *Orthopodomyia alba*; *O. signifera*; *Megarhinus septentrionalis*.
- SKINNER, HENRY. 1907—The Identity of *Thecla calanus* and *edwardsi*. (Lepidop.) Entom. News, etc. Philad. **18**(2):47-48. Feb. *T. calanus*, Nashville, Tenn.
- SMITH, JOHN B. 1888—Notes on the species *Lachnosterna* of temperate North America, with descriptions of new species. Proc. U. S. Natl. Mus. **11**:481-525. *L. ulkei* and *L. hornii*; from Tenn.
- 1911—Notes on the species of *Acronycta*, and descriptions of new species. Entom. News, etc. Philad. **22**:309-318. July. *A. tristis*, n. sp. from Johnson City.
- SMITH, M. R. 1924—An annotated List of the Ants of Mississippi. Entom. News, etc. Philad. **35**:47, 54, 77-85, 121-127.
- 1927—An additional annotated List of the Ants of Mississippi. Entom. News, etc. Philad. **38**:308-314.
- 1928—An additional annotated List of the Ants of Mississippi, with a description of a new species of *Aphaenogaster*. Entom. News, etc. Philad. **39**:242-246. 257-279.
- 1931—An additional annotated List of the Ants of Mississippi. Entom. News, etc. Philad. **42**:16-24. **43**:157-160.
- STANLEY, W. W. 1936—Studies of the Ecology and Control of Cutworms in Tennessee. Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville Bull. **159**:1-16. Oct.*
- SUMMERS, H. E. 1891—The true Bugs, or Heteroptera, of Tennessee. Tenn. Agric. Exp. Sta. Univ. of Tenn. Knoxville Bull. **9**:3. July.*

- THOMAS, C. 1873—The Acrididae of the U. S. Hayden's Report of the U. S. G. S. of the Territories. 4to. 1-258. Washington. *Pyrgomorpha punctipennis*, from East Tenn. 68.
- TOWNES, H. K., JR. 1938—The Nearctic Species of *Netelia* (Paniscus of Authors) and a Review of the Genera of Neteliini (Hymenoptera, Ichneumonidae). *Lloydia* (Cincinnati) **1**(1-4):168-231, 8 pls. Nine spp., four of these new, are listed from North Carolina, mostly from Raleigh.
- TRAYER, JAY R. 1932—Mayflies of N. Carolina. *Jour. E. Mitchell Sci. Soc.* **47**(1): 85-161. (2):163-236.
- 1933—Heptagenine Mayflies of North America. *Jour. Entom. Soc. N. Y.* **41**:105-125. Inc. N. C. and Tenn. species.
- 1934—New North American species of Mayflies. *Jour. E. Mitchell Sci. Soc.* **50**:189-254. Dec. *Isonychia diversa*; from Tenn.
- VALENTINE, J. MANSON. 1931—New cavernicole Carabidae of the subfamily Trechiniæ Jeannel. *Jour. E. Mitchell Sci. Soc.* **46**(2):247-258. 3 pls. Collections from limestone caves in Va., W. Va. Tenn. and Ala.
- 1932—A Classification of the genus *Pseudanophthalmus* Jeannel (Fam. Carabidae) with descriptions of new species and notes on distribution. *Jour. E. Mitchell Sci. Soc.* **47**(2):261-280. 8 pls.* *P. alabamæ*, from Tenn.
- 1935—Speciation in *Steniridia*, a group of cychrine beetles. (Fam. Carabidae, gen. *Scaphinotus*). *Jour. E. Mitchell Sci. Soc.* **51**(2):341-375. 9 pls.* *S. andrewsi parvitarisalis*, Ga., N. C., Tenn.; *S. andrewsi darlington*, Tenn. and N. C.; *S. andrewsi waldensia*, Tenn.
- WALKER, E. M. 1912—N. American Dragonflies of the genus *Aeschna*. Univ. of Toronto Studies. Biol. series. No. 11. 1912. (See Wright, 1938).
- WATSON, J. R. 1933—Some Thysanoptera of the Great Smoky Mountains. *Florida Entom.* **16**(4):61-62. Data on 11 species. *Ctenothrips frosti* and *Trachythrips watsoni*, new to Tenn., Ga., and S. Carolina.
- 1933—Two new species of *Plectrothrips*. *Florida Entom.* **17**(1):16-18. 1 pl. (2):33-34. Mentions *P. montanus*; from Tenn. 16.
- WESSON, L. G. 1935—A new species of Ant from Tennessee. *Entom. News*, etc. *Philad.* **46**:208-210. *Leptothorax (Dichothorax) manni*, n. sp. from Nashville.
- WHEELER, W. M. 1904—The Ants of North Carolina. *Bull. Amer. Mus. Nat. Hist.* N. Y. **20**(26):299-306.
- WILLIAMSON, E. B. 1901—The subgenus *Stylurus* Needham, Sely's groups VI and VII of the genus *Gomphus*, and on the post-anal cells in the latter. *Trans. Entom. Soc. Amer.* **27**:205-217. Lists Tenn. species. See Wright, 1938.
- 1903—A new species of *Gomphus* related to *G. fraternus*. *Entom. News*, etc. *Philad.* **13**:47-49. From the Cumberland River, Nashville, Tenn. *G. hybridus* from mouth of Stone's River, Tenn.
- 1903—The Dragonflies of Tennessee, with a few records for Virginia and Alabama. *Entom. News*, etc. *Philad.* **14**:221-229. See Wright (1938) for species list.
- 1909—The N. American Dragonflies (Odonata) of the genus *Macromia*. *Proc. U. S. Natl. Mus.* **37**:369-398. 2 pls. Dec. 14.* Species from Knoxville, Big Creek, Sneedsville, Clinch River, Tenn.
- 1912—*Hetaerina titia* and *tricolor*. (Odonata) *Entom. News*, etc. *Philad.* **23**: 98-101. From Nashville and the Clinch River, Tenn.
- 1912—The Dragonfly *Argia moesta*, and a new species. *Entom. News*, etc. *Philad.* **23**:196-203. Cumberland River at Nashville, Tenn.
- 1914—*Gomphus pallidus* and two related species. (Odonata). *Entom. News*, etc. *Philad.* **25**:49. Feb. See p. 54.
- 1923—Odonatological Results of an auto trip across Indiana, Kentucky, and Tennessee. *Entom. News*, etc. *Philad.* **34**(1):6. Jan. (2):37. Feb.*

- 1934—Dragonflies collected in Kentucky, Tennessee, N. and S. Carolina, and Georgia, in 1931. Occ. Papers, Mus. Zool. Univ. of Mich. **288**:1-20. June 26.* See Wright, 1938.
- WILSON, C. B. 1907—The Dragonflies of the Mississippi Valley, collected during the Pearl Mussel investigations on the Mississippi River, July and August, 1907. Pub. no. 1692. Proc. U. S. Natl. Mus. **36**:653-671. West Tennessee.
- 1912—Dragonflies of the Cumberland Valley in Kentucky and Tennessee. Pub. no. 1928. Proc. U. S. Natl. Mus. **43**:189-200.* See Wright (1938).
- WRIGHT, MIKE. 1937—A Survey of the nymphs of the order Odonata in the vicinity of Nashville, Tennessee. Bound thesis. 1-64. 4 pls. Vanderbilt Univ. Library. Nashville. 75 adult species, 25 species of nymphs are listed.
- 1938—A Review of the Literature on the Odonata of Tennessee. Jour. Tenn. Acad. Sci. **13**(1):26-33. Jan.* A review of all papers, listing species and their localities in Tennessee. 75 species are recorded.
- 1938—Notes on the Dragonflies of Reelfoot Lake, Tennessee. Jour. Tenn. Acad. Sci. **13**(2):104-108. April. Contrib. no. 14, Reelfoot Lake Biol. Sta.* Information on *Gomphus pallidus*; *Dromogomphus spoliatus*; *Libellula pulchella*; *Enallagma vesperum*; *Libellula luciosa*; *Lestes inequalis*; *L. rectangularis*; *Argia apicales*; *Enallagma signatum*; *E. exsulans*, and *Ischnura posita*.

Part 8. Pisces

- AGASSIZ, L. 1854—Notice of a collection of Fishes from the Southern Bend of the Tennessee River, Alabama. Amer. Jour. Sci. & Art **17** Ser. 2.: 297-308. 353-369.
- BAKER, C. L. 1937—The Commercial, Game, and Rough Fishes of Reelfoot Lake. Jour. Tenn. Acad. Sci. **12**(1):9-59. Jan.* Contrib. no. 1. Reelfoot Lake Biol. Sta. With many pls. and figs
- AND M. V. PARKER. 1938—The Fishes of Reelfoot Lake. Jour. Tenn. Acad. Sci. **13**(2):160-163. April.* A list of 56 species from the region.
- 1939—Additional Fishes of Reelfoot Lake. Jour. Tenn. Acad. Sci. **14**(1):6-40. Jan.* Report Reelfoot Lake Biol. Sta. **3**. Contrib. no. 20. Account of many species, with annotations and references. Many pls.
- 1939—Key to Reelfoot Lake Fishes. Jour. Tenn. Acad. Sci. **14**(1):41-45. Jan. Report Reelfoot Lake Biol. Sta. **3**.*
- BALL, M. 1937—Minnows of the Nashville region. Bound thesis. 1-78. Peabody Coll. Library. Nashville. August.
- BEAN, B. A. 1903—Notice of a collection of Fishes made by H. H. Brimley in Cane River and Bollings Creek, N. Carolina, with a description of a new species of *Notropis*. Proc. U. S. Natl. Mus. **26**:913-914. *N. brimleyi*, with others.
- BOEPPLE, J. F. 1911—Notes on the Fish of the Cumberland River. Trans. Amer. Fisheries Soc. 181-182.* (pub. 1912)
- BURROWS, R. JR. 1935—A Biological Survey of Streams in the Great Smoky Mountains National Park. Dept. of Comm. Bur. of Fisheries. Washington (Mimeographed report)*
- CARPENTER, S. J. 1931—The Circulation of the Blood in the swim bladder of some common Fishes of Eastern Tennessee. Bound thesis. Univ. of Tenn. Library. Knoxville.
- CLIMAX (Pseudonym) 1880—Some interesting Facts about Fish in Tennessee Waters. Chicago Field. **13**:252.
- 1880—Interesting Facts about Fish in the Harpeth River (Tenn.) and the tributaries. Chicago Field. **13**:304-305.
- 1880—German Carp in Tennessee Chicago Field. **14**:263.
- COPE, E. D. 1867—On the genera of Fresh-Water Fishes *Hypsilepis* Baird and *Photogenis* Cope, their species and distribution. Proc. Acad. Nat. Sci. Philad. 156-166. In this paper are recorded *H. cornutus*; *H. c. frontalis*; *H. coccogenis*;

- H. galacturus*; *Photogenis leuciodus*, and *P. telescopus*, now of the genus *Notropis*, from the Tenn. R. and tributaries of the Holston R.
- 1870—On some Etheostomine Perch from Tennessee and N. Carolina. Proc. Amer. Philos. Soc. Philad. 11:261-270. Jan. 7.* 11 species of fishes are recorded, now recognized as *Diplesion blennioides*; *Hypohomus aurantiacus*; *Percina caprodes*; *Etheostoma zonale*; *E. maculatum*; *E. camurum*; *E. vulneratum*; *E. rufilineatum*; *E. coeruleum*; *D. blennioides* (?), and *Ulocentra simoterum*, from the Tenn. and Cumberland Rivers. This is one of the few references including species from the Big South Fork of the Cumberland.
- 1870—A Partial Synopsis of the Fishes of the Fresh Waters of North Carolina. Proc. Amer. Philos. Soc. Philad. 11. Mentions *Ptychostomus erythrus*, from the French Broad River, Tenn.
- 1871—Remarks on *Asteracanthus* Ag., from New Jersey, and *Labidesthes* Cope, from Tennessee. Proc. Amer. Philos. Soc. Philad. 11:439-440.
- COX, ULYSSES O. 1904—A Revision of the Cave Fishes of N. America. Report U. S. Fish Comm. 377-393.*
- EVERMANN, B. W. AND S. F. HILDEBRAND. 1914—Notes on the Fishes of East Tennessee. Doc. no. 832. Issued Sept. 21, 1916. Bull. Bur. Fisheries 34:431-452. 13 figs.*
- 1915-1916—The Fishes of Kentucky and Tennessee: A Distributional Catalog of the known species. Doc. no. 858. Issued Jan. 10, 1918. Bull. U. S. Bur. Fisheries 35:293-368.* An important reference abstracting the papers to 1915.
- FOWLER, H. W. 1906—Some new and little-known Percoid Fishes. Proc. Acad. Nat. Sci. Philad. 58:510-528. Dec.* *Ambloplites rupestris*, Cumberland R.; *Lepomis megalotis*, Coal Cr.; *L. palladus*, Coal Cr.; *Micropterus dolomieu*, Coal Cr.; *M. salmoides*, Coal Cr.; *Percina caprodes*, So. Fork, Cumberland R.; *Diplesion blennioides*, So. Fork, and Clinch R.; *Crystallaria asprella*, So. Fork, and *Etheostoma maculatum*, So. Fork. Not a modern list, but one of the few reporting species found in the Big South Fork of the Cumberland River in Tennessee.
- 1907—Notes on Lancelets and Lampreys. Proc. Acad. Nat. Sci. Philad. 59:461. *Ichthyomyzon bdellium* from the Clinch River, Tenn.
- 1910—Notes on the variation of some species of the genus *Notropis*. Proc. Acad. Nat. Sci. Philad. 62:273-293. April.* *N. procer longiceps*; *N. galacturus*; *N. telescopus*, from the Cumberland R. and Coal Cr., Tenn. *N. coccogenis*; *N. micropteryx*, from Coal Cr. *N. luciodus* from the Cumberland River.
- 1922—Records of Fishes for the Eastern and Southern U. S. Proc. Acad. Nat. Sci. Philad. 74:1-27. 2 pls.* Lists a large no. of species for N.C. and Ala. inc. *Lepisosteus punctatus*; *Notropis umbratilis*, and *Stizostedion canadense* from the Tenn. R.
- 1923—Records of Fishes for the Southern States. Proc. Biol. Soc. Washington 36:7-34. March 28.* Inc. *Ichthyomyzon bdellium*, Clinch River.
- 1924—Notes on North American Cyprinoid Fishes. Proc. Acad. Nat. Sci. Philad. 76:389-416.* *Semotilus atromaculatus*, So. Fork, Cumberland R.; *Rhinichthys atronasmus*, Holston R., French Broad R.; *Leuciscus vandoisulus*; *Ceraticythus hyalinus*, and *Hybopsis kentuckiensis*, from Coal Cr., Tenn.
- GILBERT, CHARLES H. 1887—Descriptions of new and little-known *Etheostomoids*. Proc. U. S. Natl. Mus. 10:47-64.* *E. (Hadropterus) squamatus*, French Broad R.; *E. zonale*; *E. (Rhothoeca) blennius*, Tenn. R.; *E. saxatile*, Clinton, Tenn. *E. tuscumbia*, Tuscumbia, Ala. and *E. luteovinctum* from Stone's R., near Nashville.
- 1889—Report on the Explorations during 1889, with notes on the Fishes of the Tennessee, Alabama, and Escambia Rivers. Bull. U. S. Fish Comm. Washington 9:143-159.*
- GUDGER, E. W. 1930—*Ichthyomyzon concolor* in the Coosa R. at Rome, Ga., with notes on other lampreys in our South Atlantic and Gulf drainages. Copeia 145-147.*

- H., J. D. 1879—Fish Protection in Tennessee. *Forest & Stream* **12**:131.
- 1879—Tennessee Shad and Salmon. *Forest & Stream* **12**:185.
- 1879—Success in Tennessee in Fish Protection. *Forest & Stream* **13**:826.
- 1880—German Carp in Tennessee. *Forest & Stream* **13**:366.
- 1880—Fish Culture and Protection in Tennessee. *Forest & Stream* **13**:1005.
- HAY, O. P. 1880—On a collection of Fishes from Eastern Mississippi. *Proc. U. S. Natl. Mus.* **3**:488-515. List of 56 species, 15 being desc. as new.
- 1883—On a collection of Fishes from the Lower Mississippi Valley. *Bull. U. S. Fish Comm.* **2**:57-75.
- HAZZARD, A. S. 1932—Some Phases of the Life History of the Eastern Brook Trout, *Salvelinus fontinalis* Mitchell. *Trans. Amer. Fisheries Soc.* **62**:344-350. (Tenn.)
- 1935—Low Water Temperature, a Limiting Factor in the successful production of Trout in Natural Waters. *Trans. Amer. Fisheries Soc.* **63**:204-207. Included here as an important reference for southern fisheries.
- HENSHALL, JAMES A. 1889—On a collection of Fishes from East Tennessee. *Jour. Cincinnati Soc. Nat. Hist.* **12**(1):31-33. April.* *Campostoma anomalum*; *Chrosomus erythrogaster*; *Ulocentra simotera*; *Etheostoma coeruleum*, and *Cottus icталops* from Whiteside, Tenn.
- HILDEBRAND, S. F. 1932—On a collection of Fishes from the Tuckaseegee and upper Catawba River Basins, N. Carolina, with a descriptions of a new Darter. *Jour. E. Mitchell Sci. Soc.* **48**:50-82. 1 pl. 2 figs. *Poecilichthys gutselli*, n. sp. from the Tuckaseegee R., headwaters of Tenn. R.
- HOWLAND, J. W. 1931—Studies on the Kentucky Black Bass, *Micropterus pseudaplites* Hubbs. *Trans. Amer. Fisheries Soc.* **61**:88-94. Also from Tenn.
- HUBBS, CARL L. 1930—Material for a Revision of the Catostomid Fishes of Eastern North America. *Misc. Publ., Mus. Zool. Univ. of Mich.* **20**:1-47. April 30.* Important for a discussion of Tenn. distribution.
- AND M. B. TRAUTMAN. 1937—Revision of the Lamprey genus *Ichthyomyzon*. *Misc. Publ., Mus. Zool. Univ. of Mich.* **35**. Reports *I. bdellium* from Clinch R. at Norris, Tenn. Coal Creek, Tenn. Saltville, Va. Madison Co., Ala.
- AND R. W. ESCHMEYER. 1938—The Improvement of Lakes for Fishing, a method of Fish Management. *Bull. no. 2, Inst. Fisheries Res. Univ. of Mich.* 1-233. Inc. in this list because of general interest.
- JORDAN, DAVID STARR AND A. W. BRAYTON. 1877—On *Lagochila*, a new genus of Catostomid Fishes. *Proc. Acad. Nat. Sci. Philad.* **29**:280-283. *L. lacera*, n. gen. from Chickamauga R. near Ringgold, Ga. and streams trib. to Tenn. R.
- 1877—Contributions to N. American Ichthyology. II. A. Notes on Cottidae, Etheostomatidae, Percidae, Centrarchidae, Aphododeridae, Dorysomatidae, and Cyprinidae, with revisions of the genera and descriptions of new or little-known species. B. Synopsis of the Siluridae of the Fresh Waters of N. America. *Bull. U. S. Natl. Mus.* **10**:1-120. 45 pls.* *Pelodichthys olivaris*, French Broad R. (Pl. 34-35); *Noturus elutherus*, French Broad R. (Pl. 40); *Tar. R.* (Pl. 40-41).
- 1977—A Partial Synopsis of the Fishes of upper Georgia, with supplementary papers on Fishes of Tennessee, Kentucky, and Indiana. *Annals N. Y. Lyc. Nat. Hist.* **11**:307-377.*
- 1877—On the Distribution of Fresh-Water Fishes of the U. S. *Annals N. Y. Acad. Sci.* **1**:4.* Lists many species from French Broad, Powell, and Clinch Rivers, Tenn.
- 1877-1878—Review of Rafinesque's Memoirs on N. American Fishes. *Bull. U. S. Natl. Mus.* **1**(9):1-53.
- AND A. W. BRAYTON. 1878—On the Distribution of the Fishes of the Alleghany region of S. Carolina, Georgia, and Tennessee, with descriptions of the new or little-known species. *Bull. U. S. Natl. Mus.* **12**:1-96. 7-237.* Fishes of the Cumberland basin, 71. Tennessee basin, 56.

- AND JOSEPH SWAIN. 1883—List of Fishes collected in the Clear Fork of the Cumberland, Whitley Co., Kentucky, with descriptions of three new species. *Proc. U. S. Natl. Mus.* **6**:249-251.* 23 species are listed, with *Bolesoma susanae*, *Poeciliichthys sagitta*, and *Etheostoma cumberlandicum* as n. spp.
- 1890—Report of Explorations made during the summer and autumn of 1888, in the Alleghany region of Virginia, N. Carolina, and Tennessee, and in western Indiana, with an account of the Fishes in each of the river basins of those regions. *Bull. U. S. Fish Comm.* **8**:97-173. 15 pls. 1888 (1890).*
- AND B. W. EVERMANN. 1896—The Fishes of North and Middle America. *Bull. U. S. Natl. Mus.* **47**: 4 vols. 1-3313.* Contains many Tenn. references.
- KING, WILLIS. 1937—Notes on the Distribution of native Speckled and Rainbow Trout in the streams at Great Smoky Mountains National Park. *Jour. Tenn. Acad. Sci.* **12**(4):351-361. Oct.*
- KIRSCH, PHILLIP H. 1893—Notes on a collection of Fishes from the Southern Tributaries of the Cumberland River in Kentucky and Tennessee. *Bull. U. S. Fish Comm.* **11**:257-268. 1891 (1893).* Collections made at various points between Nashville and the Big South Fork of the Cumberland.
- KUHNÉ, EUGENE R. 1939—The Reelfoot Lake Creel Census. *Jour. Tenn. Acad. Sci.* **14**(1): 46-53. Jan. Report Reelfoot Lake Biol. Sta. **3**. Tabulation of results from 714 records by resident and non-resident fishermen.
- 1939—Preliminary Report on the Productivity of some Tennessee Waters. *Jour. Tenn. Acad. Sci.* **14**(1):54-60. Jan.* Report Reelfoot Lake Biol. Sta. **3**. Statistics on fisheries yield from Open Lake, Lauderdale Co., Reelfoot Lake, and Cove Lake, Tenn.
- 1939—A guide to the Fishes of Tennessee and the Mid-South. *Div. of Game and Fish. Nashville.* 1-128.* With 82 figs., illus. 79 species of fishes found in the region.
- LEACH, G. C. AND M. C. JAMES. 1938—Propagation and Distribution of Food Fishes: Fiscal Year 1937. U. S. Dept. Comm. Bur. of Fisheries. Washington. Adm. Report no. 33. 461-492. Contains Tenn. statistics. Also see earlier reports.
- MYERS, G. S. 1913—The Status of the Darter, *Richiella brevispina* (Coker). *Copeia* **163**. Lists *Poeciliichthys flabellaris (cumberlandicus)*, Cumberland Gap, Tenn.
- NICHOLSON, H. 1880—The Jack of Tennessee. *Chicago Field.* **13**:83. 367.
- PARKER, M. V. 1939—A Note on the Food of the Short-Nosed Gar at Reelfoot Lake. *Jour. Tenn. Acad. Sci.* **14**(1):186-187. Report Reelfoot Lake Biol. Sta. **3**. Contrib. no. 28. Records from stomach contents of *Cylindrosteus platostomus* show predominant food to be fish, and *Helioperca* in particular at this locality.
- POWERS, E. B. 1937—Notes on Mortality of Fish at Kephart Prong Fish Rearing Pools. (Gt. Smoky Mts. Natl. Park). *Jour. Tenn. Acad. Sci.* **12**(3):309.
- AND T. H. ROSTORFER. 1937—The Mortality of Fish at the Hamblen State Hatchery. (Tenn.) *Jour. Tenn. Acad. Sci.* **12**(4):377-380. Oct. Study of chemical conditions of water at State hatchery, Morristown, Tenn.
- 1938—Factors involved in the sudden Mortality of Fishes. *Trans. Amer. Fisheries Soc.* **67**(2):271-281. 1937 (1938). Obs. on the effects of high CO₂-tensions at Kephart Prong Fish Hatchery, Hamblen Fish Hatchery, Andrew Jackson Lake, etc.
- PUTNAM, F. W. 1872—The Blind Fishes of Mammoth Cave and their Allies. *Amer. Nat.* **6**(1):6-30.* Mentions *Typlichthys subterraneus*, Lebanon, Tenn.
- RAFINESQUE, C. S. 1819—Natural History of the Fishes of the Ohio River and its Tributary Streams. *Western Rev. & Misc. Mag.* **1**:305-313.
- 1832—Extracts from a second series of letters written to Baron Cuvier of Paris in 1831. *Atlantic Jour. & Friend of Knowledge* **1**(1): Spring no. Philad.
- 1899—Ichthyologia Ohioensis, or Natural History of the Fishes inhabiting the River Ohio and its tributary streams. (A verbatim et literatim reprint of the original,

- with a sketch of the Life, the Ichthyologic work, and Ichthyologic Bibliography of Rafinesque). By R. E. Call. 1-175. Burrows Bros. Cleveland.
- RAGSDALE, G. H. 1876—Speckled Trout in Tennessee. *Forest & Stream* 7:85.
- RAVENEL, W. DE C. 1899—Report on the Exhibit of the U. S. Fish Commission at the Tennessee Centennial Exposition, Nashville, in 1897. Report of the Comm. Washington 329-339.
- SHAVER, J. M. 1933—Biotic Relationships at Reelfoot Lake. *Jour. Tenn. Acad. Sci.* 8(1):61-64.
- SCHOFFMAN, ROBERT J. 1938—Age and Growth of the Blue-Gills and large-mouth Black Bass in Reelfoot Lake. *Jour. Tenn. Acad. Sci.* 13(2):81-103. April.*
- 1939—Age and Growth of the Red-Eared Sunfish in Reelfoot Lake. *Jour. Tenn. Acad. Sci.* 14(1):61-71. Jan.* Report Reelfoot Lake Biol. Sta. 3. Contrib. no. 26. Study of *Eupomotis microlophus*. 6 in length reached in third summer, sexual maturity during the second summer of life.
- SMITH, HUGH M. 1896—Statistics of the Fisheries of Tennessee in 1894. Report of the Comm. U. S. Fish Comm. Washington 528-530.
- 1898—Statistics of the Fisheries of the Interior Waters of the U. S. Report U. S. Fish Comm. 22:489-574. 1896 (1898). Cont. Tenn. references.
- 1907—The Fishes of N. Carolina. N. C. Geol. and Econ Survey 2:1-452.* Lists *Moxostoma aureolum*, *Hypohomus squamatus*, and *Etheostoma camurum*, from Tenn.
- U. S. BUR. FISHERIES STATION, IRWIN, TENN. 1896—Act of August 5, 1892, establishing the station. Report U. S. Fish Comm. Washington 1894 (1896). 18.
- 1897—Selection of site, and operations at Irwin. Report U. S. Fish Comm. 1897-1904.
- U. S. BUR. OF FISHERIES. 1902—Statistics of the Fisheries of Tennessee in 1899. Report 1901 (1902). 689-692, and more recent reports.
- VIOSCA, PERCY, JR. 1931—The Southern small-mouthed Black Bass, *Micropterus pseudaplites* Hubbs: Distribution in the South. *Amer. Fisheries Soc.* 61:96-105.
- WOOLMAN, A. J. 1892—Report of an Examination of the Rivers of Kentucky, with lists of Fishes obtained. *Bull. U. S. Fish Comm.* 10:249-288.
- WORTH, S. C. 1885—Summary of the Fish cultural work in North Carolina. *Bull. U. S. Fish Comm. Washington* 5:366. Refers to salmon planted in Tennessee rivers.

Part 9. Amphibia. Reptilia

- ALLARD, H. A. 1908—*Bufo fowleri* (Putnam) in northern Georgia. *Science N. S.* 28:655-656. Gwinnett and Jackson Cos.
- 1909—Notes on some Salamanders and Lizards of North Georgia. *Science N.S.* 30:122-124.
- 1910—Ophidian notes at Thompson's Mills, North Georgia. *Science N.S.* 31:426-427.
- BAILEY, J. R. 1936—*Microhyala carolinensis* in northeastern Tennessee. *Copeia* No. 2: 115. Kingsport and Bluff City, Sullivan Co.
- 1937—Notes on the Plethodont Salamanders of the southeastern U. S. *Occ. Papers, Mus. Zool. Univ. of Mich.* 364:1-10.*
- BAKER, LOUISE C. 1937—Mating Habits and Life History of *Amphiuma tridactylum* Cuvier, and effect of pituitary injections. *Jour. Tenn. Acad. Sci.* 12(2):206-218. April. Collections and Exps. from the Reelfoot Lake Biol. Sta., Tenn.
- BANTA, A. M. AND W. L. McATEE. 1906—The Life History of the Cave Salamander, *Spelerpes maculicandus* Cope. *Proc. U. S. Natl. Mus.* 30:67-83.
- BISHOP, S. C. 1924—Notes on Salamanders. *N. Y. State Mus. Bull. No. 253: 87-102.*

- 1925—Records of some Salamanders from N. Carolina and Pennsylvania. *Copeia* **139**:9-12.
- 1926—Records of some Amphibians and Reptiles from Kentucky. *Copeia* **152**:118-120.
- 1928—Notes on some Amphibians and Reptiles from the Southeastern States, with description of a new Salamander from N. Carolina. *Jour. E. Mitchell Sci. Soc.* **43**(3-4):153. July. New form: *Amblystoma mabeei*.
- BLANCHARD, FRANK N. 1920—A Synopsis of the King Snakes: Genus *Lampropeltis* Fitzinger. *Occ. Papers, Mus. Zool. Univ. of Mich.* **87**:1-7. 1 table. June 24. *L. getulus niger* and *L. rhombomaculata*, from Tenn.
- 1920—A black *Pituophis*. *Copeia* **81**:30-33. April 15. From Murphy, Tenn.
- 1922—The Amphibians and Reptiles of Western Tennessee. *Occ. Paper, Mus. Zool. Univ. of Mich.* **117**:1-18.*
- 1924—The forms of *Carphophis*. *Papers Mich. Acad. Arts. Sci. & Letters.* **4**:527-530.
- 1933—The Snakes of the genus *Virginia*. *Papers Mich. Acad. Arts. Sci. & Letters.* No. 3. *V. valeriae elegans*, Maxey, Tenn.; *V. valeriae valeriae*, Tyre Springs, Tenn.
- BRANDT, B. B. 1933—An extension of the range of *Hyla gratiosa* LeConte. *Copeia*: 39.
- BRIMLEY, C. S. 1904—Box Tortoises of southeastern N. America. *Jour. E. Mitchell Sci. Soc.* **20**:27.*
- 1910—Records of some Reptiles and Batrachians from the southeastern U. S. *Proc. Biol. Soc. Washington.* **23**:9-18.*
- 1912—Notes on the Salamanders of the North Carolina mountains, with descriptions of two new species. *Proc. Biol. Soc. Washington.* **25**:135-140. 2 pls.* *Plethodon metcalfi*, n. sp. and *Spelerpes ruber*, var. n. *schencki*.
- 1926—Revised Key and List of Amphibians and Reptiles of North Carolina. *Jour. E. Mitchell Sci. Soc.* **42**(1):2.* Lists *Aneides aeneus*, from Tenn.
- 1928—Yellow-Cheeked *Desmognathus* from Macon Co., N. Carolina. *Copeia* **166**:21-23.
- BURT, C. E. AND M. D. 1929—A Collection of Amphibia and Reptiles from the Mississippi Valley, with field observations. *Amer. Mus. Nov. No.* 381:1-14.*
- BURT, C. E. 1931—A Study of the Teiid Lizards of the genus *Cnemidophorus* with special reference to their Phylogenetic Relationships. *Bull. U. S. Natl. Mus.* **154**. *C. sexlineatus sexlineatus*, Nashville, Perryville, Somerville, Chattanooga, Spring City, and Roane Co., Tenn. *Illus.* with 38 figs.
- 1937—The Lizards of the Southeastern United States. *Trans. Kan. Acad. Sci.* **40**:349-366.* An annotated list of species with key. For Tenn.: *Anolis carolinensis* Voigt; Blount, Hamilton, Sevier Counties. *Sceloporus undulatus undulatus* Latreille; Blount, Benton, Claiborne, Davidson, Dyer, Hamilton, Humphreys, Maury, Fentress, Henry, Knox, Madison, Obion, Roane, Sevier, Shelby, Union, and Sumner Counties. *Cnemidophorus sexlineatus sexlineatus* (Linn.); Benton, Fayette, Hamilton, Sequatchie, Davidson, Decatur, and Henry Counties. *Leiopisma unicolor* (Harlan); Dyer, Hamilton, Henry, Obion, and Shelby Counties. *Eumeces fasciatus* (Linn.); Hamilton, Hickman, Knox, Montgomery, Roane, Benton, Blount, Carroll, Cumberland, Dyer, Franklin, Henry, Houston, Madison, Obion, Rhea, Sevier, Shelby, White and Williamson Counties. *Ophisaurus ventralis* (Linn.); Bradley, Knox, and Roane Counties.
- 1938—The Frogs and Toads of the Southeastern United States. *Trans. Kan. Acad. Sci.* **41**:331-360. 14 figs.* For Tenn.: *Bufo americanus americanus* Holbrook; Carter, Cumberland, Henderson, Humphries, Perry, Roane, Smith, Whitley, Davidson, Hamilton, Obion, Sevier, and Sumner Counties. *Bufo woodhousii fowleri* Hinckley; Cumberland, Dickson, Fayette, Fentress, Grainger, Hamilton, Jefferson, Lauderdale, Macon, Moore, Roane, Smith, Union, White, Benton, Dyer, Henry,

- McMinn, Madison, Obion, Sevier, and Shelby Counties. *Acris gyrlus* (LeConte); Henderson, Hickman, Humphries, Jefferson, Knox, Perry, Warren, Hamilton, Henry, Green and Obio Counties. *Pseudacris nigrita triseriata* (Wied.); Putnam, Blount, Dyer, Obion, and Sevier Counties. *Hyla avivoca* Viosca; Davidson, Chester and Obio Counties. *Hyla cinerea cinerea* (Schneider); Lauderdale, Montgomery, and Obion Counties. *Hyla crucifer* Wied.; Coffee, Putnam, Blount, and Sevier Counties. *Hyla versicolor versicolor* LeConte; Campbell, Decatur, Fentress, Knox, Loudon, Macon, Marion, Perry, Sevier, Smith, Union, White, Blount, Dyer, Henry, McMinn, Obion, and Shelby Counties. *Rana catesbiana* Shaw; Cheatham, Decatur, Fayette, Fentress, Hamilton, Knox, Lauderdale, Monroe, Pickett, Putnam, Union, Dyer, Green, Henry, Obion, and Sevier Counties. *Rana clamitans* Latreille; Putnam, Union, Blount, Obion, Polk, Roane, and Sevier Counties. *Rana palustris* LeConte; Carter, Henry, and Roane Counties. *Rana pipiens* Schreber; Blount, Carroll, Clay, Fayette, Humphrey, Putnam, Sequatchie, Sevier, Dyer, Hamilton, Henry, Obion and Shelby Counties. *Microhyla carolinensis* (Holbrook); Hamilton, Henry, McMinn, Shelby and Sullivan Counties.
- BYRD, E. E. 1939—Certain Aspects of the Anatomy of a Two-Headed Turtle. Jour. Tenn. Acad. Sci. **14**(1):102-109. 1 pl.
- CAGLE, F. R. 1937—Egg-Laying Habits of the Slider Turtle, (*Pseudemys troostii*), the Painted Turtle (*Chrysemys picta*), and the Musk Turtle (*Sternotherus odoratus*). Jour. Tenn. Acad. Sci. **12**(1):87-95.* Contrib. no. 4, Reelfoot Lake Biol. Sta.
- 1937—Notes on *Natrix rhombifera* as observed at Reelfoot Lake. Jour. Tenn. Acad. Sci. **12**(2):179-185. 1 pl. 1 fig. April. Diamond-back water snake.
- CAHN, ALVIN R. 1937—The Turtles of Illinois. Ill. Biol. Monogr. **16**(1-2):1-218.* Contains several Tenn. records.
- 1939—The Barking Frog, (*Hyla gratiosa*) in Northern Alabama. Copeia no. 1: 52-53. March 9.
- CARR, A. F., JR. 1938—A new subspecies of *Pseudemys floridana*, with notes on the *floridana* complex. Copeia no. 3. 105-109. *P. hieroglyphica*, Cumberland R., Tenn. *P. concinna*, from E. Tenn. and N. Ala.
- CARTER, H. A. 1934—Georgia Records of *Gastrophryne carolinense*. (Holbrook). Copeia: 138.
- CHADWICK, C. S. 1928—Adaptive Peculiarities of Blood Circulation and Aeration in Lungless Salamanders with particular reference to *Desmognathus monticola*. Bound thesis. 1-50. 9 pls. Vanderbilt Univ. Library. Nashville. May 21. Material collected in central Tennessee.
- COCHRAN, DORIS M. 1938—An Addition to the Lizard Fauna of Tennessee. Copeia No. 2. 90. *Anolis carolinensis* from Waynesboro, Wayne Co., and from Big Frog Mt., Polk Co. Reported as "apparently new to the state." Was previously reported from Tenn. by Jones and Ressler. Copeia. 1927.
- COPE, E. D. 1881—*Plethodon aeneus* from Nickajack Cave. Amer. Nat. **15**:878. Description of type.
- 1889—Batrachia of North America. Bull. U. S. Natl. Mus. **34**:1-525.* For Tenn. see tables pp. 27, 42, 56, 135, 137, 143, 157, 170, 182, 197, 287, 331, 341, 376, 409, 427.
- DITMARS, R. L. 1930—The Poisonous Serpents of the New World. Bull. N. Y. Zool. Soc. **33**:3. *Crotalus horridus* of Tenn.
- DONNELL, T. A. 1936—The Development of the mesonephros and Müllerian Duct of the Turtle. Bound thesis. 1-31. Vanderbilt Univ. Library. Nashville. 7 pls. June. *Chelydra serpentina* from Nashville, Tenn.
- DUNN, EMMETT R. 1917—The Pine Snake in Virginia. Copeia no. 51. 101. Nov. 26. Mentions specimen from Blount Co., Tenn.
- 1917—Salamanders of the genera *Desmognathus* and *Leurognathus*. Pub. no. 2211. Proc. U. S. Natl. Mus. **53**:393-433.* With maps and description of range for these forms in N. Carolina and Tenn.

- 1917—Reptile and Amphibian collections from the N. Carolina mountains, with special reference to Salamanders. *Bull. Amer. Mus. Nat. Hist.* **37**:593-634.*
- 1918—The collection of Amphibia Caudata of the Museum of Comparative Zoology. *Bull. Mus. Comp. Zool. Harvard Coll.* **62**(9):445-471. Dec. Lists species from Tennessee.
- 1920—Some Reptiles and Amphibia from Virginia, Carolina, Tennessee and Alabama. *Proc. Biol. Soc. Washington* **33**:129-138. Dec. 30. Inc. *Coluber constrictor constrictor* from Spring City, Tenn.
- 1926—The Salamanders of the family Plethodontidae. *Smith Coll., Northampton, Mass.* 1-441. With many pls. and maps.* An important reference for this group in Tenn. and adjacent areas.
- 1927—*Hyla phaeocrypta* in Tennessee. *Copeia* No. 162. 19. March. From Nashville, Tenn.
- 1927—A new mountain race of *Desmognathus*. *Copeia* No. 164. 84-86.
- 1927—On the relationship of certain Plethodont Salamanders. *Copeia* no. 165. 102-106.
- ENDSLEY, J. R. 1937—The occurrence of *Hyla avivoca* in Western Tennessee. *Copeia* **1**:70. Henderson, Chester Co.
- FOWLER, H. W. AND E. R. DUNN. 1917—Notes on Salamanders. *Proc. Acad. Nat. Sci. Philad.* **69**:7-28. 2 pls.* Studies of N. Carolina and Tenn. species.
- GENTRY, GLENN. 1937—A Preliminary Survey of the Amphibia of Tennessee. Bound thesis. 1-107. Peabody Coll. Library. Nashville. August.* With maps and tables, showing distribution of species in Tenn. by counties.
- GLOYD, H. K. AND R. CONANT. 1938—The subspecies of the Copperhead, (*Aghkistrodon mokasen* Beauvois). *Bull. Chicago Acad. Sci.* **5**(7):163-166. *A. mokasen mokasen*, So. Ill. and E. Central Ala. *A. mokasen cuperus*, Tenn. R. and N. E. Ala.
- HARPER, FRANCIS. 1935—Records of Amphibians for the Southeastern States. *Amer. Midl. Nat.* **16**:275-310.* *Bufo fowleri*, Etowah, Tenn.; *Hyla crucifer*, Gatlinburg, Tenn.; *Hyla versicolor versicolor*, Etowah; *Rana clamitans*, Parksville and Gatlinburg; *Gastrophryne carolinensis*, Etowah.
- HASSLER, W. G. 1929—Salamanders of the Great Smokies. *Nat. Hist. (N. Y.)* **29**(1):95-100.*
- HIBBARD, C. W. 1937—The Amphibia and Reptiles of Mammoth Cave National Park (Proposed). *Trans. Kan. Acad. Sci.* **39**:277-281.
- HOLT, E. G. 1924—Additional Records for the Alabama herpetological catalogue. *Copeia* **135**:93-95; **136**:100-101.
- JONES, J. P. AND B. C. V. RESSLER. 1927—The occurrence of *Anolis carolinensis* Voigt in eastern Tennessee. *Copeia* **164**. 87-88.
- 1928—A few facts regarding some Tennessee Snakes. *Jour. Tenn. Acad. Sci.* **3**(2):14-24. 1 fig. April.* Popular acct., with a list of 6 lizards, 30 snakes, and 11 turtles.
- KLINE, E. K. AND N. M. FULLER. 1932—Interpretation of Laboratory finds in Rural Spring Water Supplies. *Amer. Jour. Pub. Health* **22**(7):691-699. Lists *Gryinophilus porphoryticus* and *Desmognathus fuscus* from Tenn. Paper deals with *B. coli* in spring water and salamanders as hosts thereof.
- KING, WILLIS. 1936—A new Salamander (*Desmognathus*) from the Southern Appalachians. *Herpetologica* **1**(2):58-60. *D. wrighti*, Mt. LeConte, Sevier Co., Tenn.
- 1939—A Survey of the Herpetology of Great Smoky Mountains National Park. *Amer. Midl. Nat.* **21**(3):531-582.*
- KLAUBER, L. M. 1936—A Key to the Rattlesnakes with a summary of Characteristics. *Trans. San Diego Soc. Nat. Hist. (Calif.)* **8**:20.* *Sistrurus miliarius streckeri*; *Crotalus horridus horridus*; *C. horridus atricaudatus*, species found in Tennessee.

- LODING, H. P. 1922—A Preliminary Catalogue of Alabama Amphibians and Reptiles. Geol. Survey of Ala. Papers Ala. Mus. Nat. Hist. 5:1-53. Sept.*
- MCCLURE, GERVASE W. 1931—The Great Smoky Mountains, with preliminary notes on the Salamanders of Mt. LeConte and LeConte Creek. *Zoologica N. Y.* 11(6): 53-76. 2 maps. 7 pls.* Study of *Desmognathus quadra-maculatus*; *D. phoca*; *D. fuscus carolinensis*; *Plethodon jordani*; *Cyrinophilus danieli*; *Eurycea bislineata wilderae*. An ecological investigation.
- MOORE, J. P. 1899—*Leurognathus marmorata*, a new genus and species of Salamander of the family Desmognathidae. Proc. Acad. Nat. Sci. Philad. 51:316-323. From Grandfather Mts., N. C. Alt. 3500 ft.
- NECKER, W. L. 1934—Contribution to the Herpetology of the Smoky Mountains of Tennessee. Bull. Chicago Acad. Sci. 5:1-4. 7 anurans, 2 lizards, 10 snakes, 2 turtles, are described from the region.
- NOBLE, G. K. 1927—The Plethodontid Salamanders; some aspects of their Evolution. Amer. Mus. Nov. 249:1-26. 10 figs.*
- ORTENBURGER, A. I. 1928—The Whip Snakes and Racers. Univ. of Mich. Publ. Ann Arbor. 1-247.* *Coluber constrictor*; from Tenn.
- PARKER, M. V. 1937—Some Amphibians and Reptiles from Reelfoot Lake. Jour. Tenn. Acad. Sci. 12(1):60-86. Jan.* An annotated listing of specimens collected during 1935-1936. Contrib. no. 3, Reelfoot Lake Biol. Sta.
- 1939—The Amphibians and Reptiles of Reelfoot Lake and Vicinity, with a Key for the separation of species and subspecies. Jour. Tenn. Acad. Sci. 14(1): 72-101.* Records of collections with an account of relative abundance. Illustrated.
- POPE, C. H. 1928—Some Plethodontid Salamanders from North Carolina and Kentucky, with description of a new race of *Leurognathus*. Amer. Mus. Nov. 306:1-19. April 14. Records *D. fuscus carolinensis*, Gatlinburg, Tenn.
- RHOADES, S. N. 1895—Contributions to the Zoology of Tennessee. No. 1. Reptiles and and Batrachians. Proc. Acad. Nat. Sci. Philad. 47:376-407.
- RUTHVEN, A. G. 1908—Variations and genetic relationships of the Garter Snakes. Bull. U. S. Natl. Mus. 61:1-198.* Inc. *Thamnophis sauritis* and *T. sirtalis*, from Tenn.
- SIEBENROCK, F. 1907—Die Schildkrötenfamilie Cinosternidae. Sitzber. d. Wiener Akad. 1 Abt. 116:527-599. Mentions Tennessee turtle records: *Sternotherus minor*, and *S. odoratus*.
- SMITH, HOBART M. 1938—A Review of the Snake genus *Farancia*. Copeia no. 3: 110-117. Records *F. abacura reinwardtii* on map of West Tennessee, vicinity of Gilbertville Reservoir, T. V. A.
- 1938—Remarks on the status of the subspecies of *Sceloporus undulatus*, with descriptions of new species and subspecies of the *undulatus* group.* Occ. Papers. Mus. Zool. Univ. of Mich. 387:1-17. Oct. 31. *S. undulatus fasciatus* from Bluff City, Sullivan Co., Sugar Loaf Mt., and Jackson, Madison Co., Tenn.
- STEJNEGER, LEONHARD. 1906—A new Salamander from North Carolina. Pub. no. 1457. Proc. U. S. Natl. Mus. 30:559-562. *Plethodon shermani*.
- 1923—Rehabilitation of a hitherto overlooked species of Musk Turtle of the Southern States. Proc. U. S. Natl. Mus. 62:1-3. *Sternotherus minor*, Roane Co., Tenn. Previously called *S. carinatus* by Rhoades, 1895.
- TAYLOR EDWARD H. 1935—A Taxonomic Study of the cosmopolitan Scincoid Lizards of the genus *Eumeces*. Bull. Univ. Kansas Sci. Bull. no. 23: 643.* Lists *E. fasciatus*; *E. laticeps*, from Tenn. *E. anthracinus*, from N. W. corner of N. C.
- TRAPIDO HAROLD. 1938—*Lampropeltis getulus nigra* (Yarrow) in West Virginia and Western Tennessee. Copeia no. 1: 49.
- UNTERSTEIN, W. 1929—Bemerkungen zur Fortpflanzung von *Desmognathus fuscus* Raf. Sitzber. d. Ges. Naturfor. zu Berlin. 243-249. Locality: N. Carolina.

- VIOSCA, PERCY. 1937—A tentative revision of the genus *Necturus*, with descriptions of three new species from the Southern Gulf Drainage area. *Copeia* no. 2:120-139.* Lists and maps range of *N. maculata* from Tenn. and N. Ala.
- WALKER, C. F. 1931—Description of a new Salamander from North Carolina. *Proc. Junior Soc. Nat. Hist. Cincinnati* Memoir no. 3-5. *Plethodon welleri*, Grandfather Mts.
- WELLER, W. H. 1930—Notes on *Aneides aeneus* Cope and Packard. *Proc. Junior Soc. Nat. Hist. Cincinnati*, 1(1):2-3. First records for Gt. Smoky Mts., Tenn.
- 1930—A new Salamander from the Great Smoky Mountains National Park. *Proc. Junior Soc. Nat. Hist. Cincinnati*, 1:7. *Desmognathus aureatagulus*, n. sp. from near Newfound Gap, Tenn.-N.C. line.
- 1931—A Preliminary List of the Salamanders of the Great Smoky Mountains of N. Carolina and Tennessee. *Proc. Junior Soc. Nat. Hist. Cincinnati*, 2(1):21-32.* An annotated list of 12 species with descriptive and taxonomic notes and habitat records.
- WILDER, I. W. 1913—The Life-History of *Desmognathus fusca*. *Biol. Bull.* 24(4-5):251-343.*
- WRIGHT, A. H. AND A. A. 1924—Key to the Eggs of the Salienta East of the Mississippi River. *Amer. Nat.* 58:375-381. 1 pl. Refers to species common to Tenn.
- 1929—Synopsis and Descriptions of North American Tadpoles. *Proc. U. S. Natl. Mus.* 74:1-70. 9 pls.* Species from Eastern and Southern U. S.
- WRIGHT, A. A. AND A. H. 1933—Handbook of Toads and Frogs: The Toads and Frogs of the U. S. and Canada. Comstock. Ithaca, N. Y. 1-231. 89 figs.*
- YARROW, H. C. 1882—Check-List of North American Reptilia and Batrachia. *Bull. U. S. Natl. Mus.* no. 24: 1-249.* For. index of Tennessee localities, see p. 215.

Part 10. Aves

(This section contains references to local lists of general ornithological interest.)

- A(LLEN), J. A. 1896—Rhoad's List of Tennessee Birds. *Auk* 13:244-245. A critical review.
- ALLISON, ANDREW. 1907—Notes on the spring Birds of Tishomingo County, Mississippi. (With general notes on the fauna and flora). *Auk* 24:12-25. Records some Tennessee species.
- ANDERSON, J. 1928—Notes on the Birds about Memphis. *Bird Lore*, 30:294. Western Tenn.
- BAILEY, VERNON. 1905—Birds known to eat the Boll Weevil. *Bull. Biol. Survey U. S. D. A.* (22):1-16. Western meadow lark, Killdeer, Brewer's blackbird, lead in weevils devoured.
- BAIRD, CHARLES. 1937—A Least Bittern near Knoxville. *The Migrant* 8(4):87. Dec. From Andrew Jackson Lake, East Tennessee.
- BAMBERG, J. 1937—Notes from Wheeler Dam. *The Migrant* 8(2):40.
- BARTRAM, J. 1791—Travels through N. and S. Carolina, Georgia, East and West Florida. Philad. (Copy in Lib. of Tenn. Historical Soc.*)
- BARTSCH, PAUL. 1922—Some Tern Notes. *Auk* 39:101. Jan. Least and Black Terns in Tennessee.
- BELLROSE, FRANK. 1938—Notes on Birds of the Great Smoky Mountains National Park. *The Migrant* 9(1):1-4. March.* An annotated list of 59 species.
- BENT, A. C. 1919—North American Diving Birds. *Bull. U. S. Natl. Mus.* 107. Contains Tenn. data.
- 1921—Life Histories of North American Gulls and Terns. *Bull. U. S. Natl. Mus.* 113. Contains Tenn. data.

- 1925—Life Histories of North American Wild Fowl. Bull. U. S. Natl. Mus. 130. Cont. note on breeding of Canada geese at Reelfoot Lake. 222.
- 1926-1927—Life Histories of N. American Marsh Birds. Bull. U. S. Natl. Mus. I. 135. (Note on breeding of American Egret, p. 145. Coot, p. 367.) II. 142. (Record for Eastern Dowitcher, Reelfoot Lake, p. 115).
- BIRDS OF THE NATIONAL PARKS: CHECK-LIST OF. 1937—Natl. Park Service. Washington (Mimeographed). Dec.* Contains a list of Birds from the Gt. Smoky Mts. Natl. Park, Tenn.
- BIRDS OF TENNESSEE: PRELIMINARY LIST OF. 1917-1933—Compiled by the Tenn. Ornith. Soc. 1917, 1st. ed. 1933 2nd ed. Div. of Game and Fish, State of Tenn. Nashville.
- BRASFIELD, S. A. 1932—The Nesting Habits of the Wood Thrush. (in Tenn.) Bound thesis. 1-89. Peabody Coll. Library. Nashville. August.*
- BREWSTER, WILLIAM. 1886—An Ornithological Reconnaissance in Western North Carolina. Auk 3:94-112. 173-179.
- BRIMLEY, C. S. 1893—Some Additions to the Avifauna of N. Carolina. Auk 10:241-244.
- BRUNER, S. C. AND A. L. FIELD. 1912—Notes observed on a trip through the mountains of Western N. Carolina. Auk 29:368-377. Includes Carter Co., Tenn. With 23 species uncommon to the region.
- BURLEIGH, T. D. 1925—Notes on the breeding Birds of Northeastern Georgia. Auk 42:70-74. Discussion of 10 species.
- 1925—Notes on the breeding habits of some Georgia Birds. Auk 42:396-401.
- 1934—A critical study of the Distribution and Abundance of *Dendroica castanea* and *D. striata* in the Southeastern States during the spring and fall migrations. Wilson Bull. 46:142-147. Sept. For spring migrations in Tenn., see p. 147.
- 1935—The present status of the olive-sided Fly-catcher as a breeding Bird in Western N. Carolina and Eastern Tennessee. Wilson Bull. 47:165. June.
- 1935—Two new Birds from the Southern Appalachians. Proc. Biol. Soc. Washington 48:61-62. *Certhia familiaris nigrescens*, N. C., W. Va., and Tenn.
- BUTLER, A. W. 1892—Notes on the range and habits of the Carolina Parakeet. Auk 9:51. "A. L. Roache noted the abundance of these birds in West Tenn. before 1828."
- CAHN, ALVIN R. AND PAUL BRYAN. 1938—Shoveller Breeding in Northern Alabama. Auk 271-272. April *Spatula clypeata*, Wheeler Dam, Ala.
- CALHOUN, J. C. 1938—1938 Swift Banding at Nashville and Clarksville. The Migrant 9(4):77-81. With maps.*
- CHAPMAN, F. M. 1935—Further remarks on the relationships of the Grackles of the subgenus *Quiscalus*. Auk 52(1):21. Refers to grackles of Tenn. pp. 28-29.
- 1939—*Quiscalus* in Mississippi. Auk 56(1):28-31. Reviews races of grackles in Miss., N. W. Ala., and S. W. Tenn.
- CLEAVES, H. H. 1913—What the American Bird Banding Association has accomplished during 1912. Auk 30:248-261. April Tenn. records, p. 259.
- CLEBSCH, ALFRED. 1936—August notes along the Cumberland. The Migrant 7(3):53-54.
- 1937—Water Birds on a temporary Lake. The Migrant 8(2):23. June. Montgomery Co., Tenn.
- 1937—A Canoe Trip on the Cumberland River. The Migrant 8(3):60. Sept. Locality: Clarksville to Dover, Tenn.
- 1937—Notes from members of the Clarksville Chapter, Tenn. Ornith. Soc. The Migrant 8(4):76.
- COFFEY, B. B. JR. 1931—Summer Warblers of Shelby County. (Tennessee). The Migrant 2(2):1-2. June.

- 1931—Along the Mississippi in August and September. *The Migrant* 2(3): 21-23. Sept.
- 1932—A Trip to Mud Lake. (Miss.-Tenn.) *The Migrant* 3(3):35-36. Sept.
- 1933—Notes on the Painted Bunting at Memphis. *The Migrant* 4(4):41-42. Dec.
- 1936—August Waterbird visitors at Mud Lake. *The Migrant* 7(3):61-68. Sept.
- 1936—Chimney-Swift migration at Memphis, Tenn. *The Migrant* 7(4):79-82. With maps.
- 1937—Nocturnal migration at Memphis. *The Migrant* 8(4):74-75. Dec.
- 1938—Blackbird Banding in the Mid-South. *The Migrant* 9(3):59-63. Sept.* With maps and tabulations from Nashville, Pulaski, Memphis, Water Valley, Miss., and Monticello, Ark.
- 1938—Swift Banding in the South. *The Migrant* 9(4):82-84. Dec.
- COOK, G. AND A. F. GANIER. 1924-1925—Christmas Census, Nashville, Tenn. *Bird Lore* 26:43-44. 27:53.
- CROOK, C. 1931—The Black Vulture—A Bird of the South. *The Migrant* 2(1):1-2. March.
- 1935—The Birds of late summer on Reelfoot Lake. *Jour. Tenn. Acad. Sci.* 9(1):1-18.* Annotated List of 97 species, with bibliography.
- 1935—Nesting of the Lark Sparrow in central Tennessee. *Auk* 52(2):194. Rutherford County.
- 1935—The Status of the Black-Billed Cuckoo (*Coccyzus erythrophthalmus* Wilson) in Tennessee. *Jour. Tenn. Acad. Sci.* 10(4):241-247. Oct.
- 1938—Notes on the Food of some Water Birds of Reelfoot Lake: (Upper Blue Basin Area). *Jour. Tenn. Acad. Sci.* 13(2):109-119. April.* Contrib. no. 15, Reelfoot Lake Biol. Sta.
- DILLON, G. P. 1931—The Prairie Horned Lark in Houston Co., Tennessee. *The Migrant* 2(4):30-31. Dec.
- EVANS, ESTWICK. 1819—A Pedestrian's Tour of four thousand miles through the Western States and Territories, during the winter and spring of 1818. 1-200. Contains a note of breeding of the Carolina Parakeet in Tenn. along the Mississippi River.
- FLEMING, J. H. 1907—Birds observed in Hawkins County, East Tennessee. *Wilson Bull.* 14:154-157.
- FOSTER, GEORGE, JR. 1937—Notes on the Water Birds of Norris Lake. *The Migrant* 8(2):28-29. June.*
- 1937—A Brown Pelican in East Tennessee. (Norris Lake). *The Migrant* 8(4):87. Dec.
- FOX, W. H. 1882—Stray Notes from Lookout Mountain, Tenn. *Bull. Nuttall Orn. Club.* 191-192.
- 1886-1887—List of Birds found in Roane County, Tennessee, during April, 1884, and March and April, 1885. *Auk* 3:315-320. 4:164.*
- 1887—*Vireo solitarius alticola* in Tennessee. *Auk* 4:164.
- GANIER, A. F. 1916—November Bird Life at Reelfoot Lake. *Wilson Bull.* 28:25-30.*
- 1916—Notes on the breeding of Warblers in Tennessee. *Wilson Bull.* 28: 138-143.
- 1917—Preliminary List of the Birds of Tennessee. State of Tenn. Div. of Game & Fish. Nashville. 1-28.*
- 1918—Tree Sparrow at Nashville, Tennessee. *Wilson Bull.* 30:92-93.
- 1921—Nesting of Bachman's Sparrow. (in Tenn.) *Wilson Bull.* 33:1-4.
- 1922—Breeding of the Barn Swallow in Tennessee. *Wilson Bull.* 34:184-185.
- 1923—Notes from the Tennessee Cumberlands. *Wilson Bull.* 35:26-34.

- 1923—Nesting of the Sharp-Skinned Hawk. (in Tenn.) *Wilson Bull.* **35**:41-43.
- 1924—Starlings abundant at Nashville, Tennessee. *Wilson Bull.* **36**:31-32.
- 1925—The Starling Breeding in Tennessee, N. Carolina, and Virginia. *Wilson Bull.* **37**:174-175.
- 1925—LeConte's Sparrow at Nashville, Tennessee. *Wilson Bull.* **37**:227.
- 1926—Summer Birds of the Great Smoky Mountains. *Jour. Tenn. Acad. Sci.* **1**(2):31-40. April.* 60 species.
- 1928—European Starling nesting at Nashville, Tennessee. *Wilson Bull.* **40**:198.
- 1928—Snowy Owl in Tennessee. *Wilson Bull.* **40**:251.
- 1929—Some Unusual Water Bird Visitors to Tennessee. *Wilson Bull.* **41**:96-100. July. Herring gulls; White pelican; Whistling swan; Blue goose; Snow goose; White-winged scoter; American egret; Wood Ibis; Caspian tern; Sooty tern; Principally from Reelfoot Lake.
- 1930—Breeding of the Least Tern on the Mississippi River. *Wilson Bull.* **42**(2):103-107. June. Tiptonville, Memphis, and Reelfoot Lake, Tenn.
- 1930—Cartographic souvenir commemorating the visit of Alexander Wilson to Nashville, Tenn. April 26, 1810. *The Migrant* **1**(3-4):20. Dec. Map showing localities visited by Wilson with an account of his travels and observations.
- 1931—Nesting of the Duck Hawk in Tennessee. *Wilson Bull.* **43**:3-8.
- 1931—Nesting of Prairie Horned Lark near Nashville. *The Migrant* **2**(4):31. Dec.
- 1931—Facts about Eagles in Tennessee. *Jour. Tenn. Acad. Sci.* **6**(2):49-57. April.*
- 1933—A Distributional List of the Birds of Tennessee. Tenn. Dept. of Conservation. Div. of Game and Fish. Nashville. Feb. 1-64.* 1 regional map, and a list of 293 species found in the state.
- 1933—A Ten-year-old Cardinal. *Wilson Bull.* **45**(4):152-154. Dec.
- 1934—Incubation Period of the Killdeer. *Wilson Bull.* **46**(1):17-19. March. 29-29½ days. Observations at Knapp Farm, Nashville, Tenn.
- 1934-1937—Further Notes on a very old Cardinal. *Wilson Bull.* **46**:236-237. Dec. **47**:285-286. Dec. **49**:15-16. March. Locality: Nashville, Tenn.
- 1935—Spring Migration at Athens, Tenn. (From the records of W. R. Gettys). *The Migrant* **6**(1):2-5.
- 1935—Goose Pond and its Marsh Birds. *The Migrant* **6**(2):22-24. June. Grundy Co., Tenn.
- , G. R. MAYFIELD, DIXON MERRITT, AND A. C. WEBB. 1935—History of the Tennessee Ornithological Society. *The Migrant* **6**(3):41-44. Sept.*
- 1936—Arrival of spring migrants at Nashville. *The Migrant* **7**(1):6-7. March.
- AND S. A. WEAKLEY. 1936—Nesting of the Cliff Swallow in Tennessee. *The Migrant* **7**(2):29.
- 1936—Summer Birds of Roan Mountain. (Tenn.-N. C.) *The Migrant* **7**(4):83-86. Dec.*
- 1937—Summer Birds of Pickett Forest. *The Migrant* **8**(2):24-27. June.* Pickett Co., Tenn.
- 1937—A Grinnell's Water-Thrush near Clarksville. *The Migrant* **8**(4):85. Dec.
- AND A. CLEBSCH. 1938—Some June Birds of the Great Smokies. *The Migrant* **9**(3):41-45. Sept.*
- 1938—The Relative Abundance of Winter Birds at Nashville. *The Migrant* **9**(4):89-93. With pls.
- GERSBACHER, EVA O. 1939—The Heronries at Reelfoot Lake. *Jour. Tenn. Acad.*

- Sci. 14(1):162-180. Jan.* With photos. Report of the Reelfoot Lake Biol. Sta. 3. Contrib. no. 25.
- GOLSAN, L. S. AND E. G. HOLT. 1917—Further notes on Alabama Birds. Auk 34: 456-457.
- GRAY, DAN R., SR. 1937—A May Day with the Marsh Birds. The Migrant. 8(2): 21-22. June. At Hoover & Mason Lake, a 60-acre permanent lake, 2 mi. n. of Mt. Pleasant, Tenn.
- GREEN, W. R. 1930—The Banding of Chimney Swifts at Chattanooga, Tennessee. Bird-Banding 1(3):104-112. 1 map. 4 figs.* Records on banding and recovery of thousands of *Chaetura pelagica*.
- 1930—Chimney Swift Band operations at Chattanooga Wilson Bull. 42(2): 110-118.* Photo, with tabulations and migration map.
- HOWELL, ARTHUR H. 1909—Notes on the summer Birds of Northern Georgia. Auk 26:129-137. April.* Annotated list of 76 species with localities and altitudes where found at Tate, Pickens Co.; Grassy Mt.; Ellijay, Gilmer Co.; Rich Mt.; Young Harris, Towns Co., and Brasstown Bald.
- 1910—Notes on the summer Birds of Kentucky and Tennessee. Auk 27: 295-304.*
- 1910—Notes on the Birds of the sunken lands of Southeastern Missouri. Auk 27:381-384. This inc. the region about Reelfoot Lake, Tenn.
- 1924—Birds of Alabama. Montgomery, Ala. Brown Ptg. Co. 1-384. 7 pls. 31 figs. 8vo.*
- HUTCHISON, JOHN Y., MRS. 1937—Night singing of the Brown Thrasher. The Migrant 8(3):64. Clarksville, Tenn.
- IJAMS, H. P. 1931—Two interesting notes from East Tennessee. Auk 48:267. Snowy owl, Johnson City. Golden Eagle, Monroe Co., Tenn.
- AND L. A. HOFFERBERT. 1934—Nesting Records of Birds at Athens, Tennessee. The Migrant 5(1):1-4.
- JEFFERIES, W. A. AND J. A. 1889—Notes on Western North Carolina Birds. Auk 6:119-122.
- JONES, F. M. 1931—Nesting Habits of the Parula Warbler. The Migrant 2(3):20-21.
- 1933—Notes on Duck Hawk Nestings. The Migrant 4(4):43-44. Dec.
- KALMBACH, E. R. 1928—The European Starling in the U. S. U.S.D.A. Farmer's Bull. (1571). Cont. Tenn. records.
- KILLIBREW, J. B. 1874—Introduction to the Resources of Tennessee. State Library. Nashville. (Mentions Reelfoot Lake Birds.)
- LANGDON, F. W. 1887—August Birds of the Chilhowee Mountains, Tennessee. Auk 4:125-133.
- LASKEY, F. C., MRS. 1933—Preliminary Report on Field Sparrow Migration. Jour. Tenn. Acad. Sci. 8(3):264-267. July. Locality: Nashville, Tenn.
- LASKEY, AMELIA R. 1934—Gambel's and Harris's Sparrows in Tennessee. Auk 51(2):245-246.* First State records of *Zonotrichia leucophrys gambeli* and *Z. querula*. Individuals of the former studied for successive winters. Undesc. species of *Mediorhynchus* found in the latter.
- 1934—Brown Thrasher banding records from Nashville, Tennessee. Bird-Banding 5(3):133.
- 1934—Eastern Field Sparrow migration in Tennessee. Bird-Banding 5(4): 172-175.
- 1935—Mocking-Bird Life History Studies. Auk 52(3):370-381.* Locality: Nashville, Tenn.
- 1936—Fall and Winter Behavior of Mocking-Birds. Wilson Bull. 48:241-255.* Locality: Nashville, Tenn.

- 1936—Injury Feigning of Bob White and Kentucky Warbler. *Auk* **53**:482. Oct. Nashville, Tenn.
- 1937—Notes on the song of immature Birds *The Migrant* **8**(4):67-68. Dec. Locality: Tennessee.
- 1937—Night Flights of Wild Geese. *The Migrant* **8**(4): Dec. Locality: Nashville, Tenn.
- LEMOYNE. 1886—Notes on Birds of the Great Smokies. *Orn. & Oologist* **11**:115, 131, 149, 163, 179.
- LINCOLN, F. C. 1924—Returns from Banded Birds. U. S. D. A. Bull. (1268). Includes returns from Tenn.
- 1927—Returns from Banded Birds. U. S. D. A. Tech. Bull. **32**. (Contains Reelfoot Lake returns.)
- LYLE, R. B. AND B. P. TYLER. 1934—The nesting Birds of Northeastern Tennessee. *The Migrant* **5**(4):49-57.*
- MANLOVE, W. R. 1933—A Roost of the Wild Pigeon. *The Migrant* **4**(2):18-19.* An eye-witness account of the last great flights of the wild pigeon: White's Cr. Valley, 6 mi. N. of Nashville, Tenn., fall of 1870.
- MARTIN, A. C. 1935—Quail-Food Plants of the Southeastern States. Circ. no. 348. U. S. D. A. April.* 45 species are listed, with figs. for many. Paper included here as of interest to conservationists.
- MASLOWSKI, KARL. 1937—Notes on the Bird Life of Reelfoot Lake, Tennessee. *The Migrant* **8**(3):58-60. Sept.*
- 1938—Birds of an Earthquake Lake. *Nature Mag.* **31**(2):February.* Nesting in Big Ronaldson Slough: American egret; Ward's heron; Black-crowned night heron; Double-crested cormorant; Anhinga.
- MASON, C. R. 1938—A "Warbler Wave" of interest. *Auk* **55**:282-283. Record from Florence and Guntersville, Ala.
- MAYFIELD, G. R. 1930—The Warblers of Tennessee. *The Migrant* **1**:2-3.
- 1931—Field notes on the Sparrows of Tennessee. *The Migrant* **2**(3):17-20. Sept.
- 1934—Mockingbird's imitation of other Birds. *The Migrant* **5**(2):17-18. June.
- 1937—Black-throated Blue Warbler at Nashville. *The Migrant* **8**(2):39.
- 1937—Observations of mixed flocks in autumn. *The Migrant* **8**(3):47-49. Sept. Locality: Stone's River, Tennessee.
- MCCAMEY, F. 1935—An April visit to the Reelfoot Crane-Towns. *The Migrant* **6**(2):17-18.* Reelfoot Lake, Tenn.
- 1935—August notes from North Lake. (Tenn.) *The Migrant* **6**(3):51-53. Sept.
- 1936—Six September Days in the Smokies. *The Migrant* **7**:57-59. Sept.
- MCNISH, E. D. 1923—Nesting of the Blue-Winged and Worm-Eating Warblers in Tennessee. *Wilson Bull.* **35**:55-56.
- 1930—Game Birds of Tennessee. *The Migrant* **1**:10. A brief appeal for conservation of these birds.
- MEARNS, E. A. 1902—Descriptions of three new Birds from the Southern States. *Proc. U. S. Natl. Mus.* **24**:915-926. *Fringillidae*, *Hirundinidae*, *Sittidae*.*
- MERRITT, DIXON. 1937—A Ring-Billed Gull on the Cumberland River. *The Migrant* **8**(3):64-65. Sept. Locality: Nashville to Lebanon, Tenn.
- MIGRANT, THE. 1930—Note on a swallow-tailed kite in Tennessee. **1**:3. June. Bird killed on the So. Harpeth River, Nov. 9, 1929. First record for this form in Tenn.
- MONK, H. C. 1924—The Cedar Waxwing in Tennessee in summer. *Wilson Bull.* **36**:138.
- 1924—White and Black Warbler in Tennessee in winter. *Wilson Bull.* **36**:138-139.

- 1929—Bird Migration at Nashville. Jour. Tenn. Acad. Sci. **4**(3):65-77. 3 figs.* Records for the arrival and departure of many species, based on 16 years observation.
- 1933—A Study of the Roosts of the Bronzed Grackle at Nashville. Jour. Tenn. Acad. Sci. **8**(4):362-370.*Two records are given of winter roosts in Centennial Park with an estimate of 50,000 birds (inc. 3 species) for the flock.
- 1933—Cedar Waxwing breeding at Nashville, Tennessee. Wilson Bull. **45**(3):140. (Centennial Park.)
- 1937—A Record Flight of Wild Geese at Nashville, Tennessee. The Migrant **8**(4):80. Dec.
- MONROE, B. L. 1937—A Blue-Winged Warbler nest near Nashville. The Migrant. **8**(2):38-39.
- MOSS, CHARLES. 1927—The Raven in Tennessee. Bird-Lore **29**(6):421. *Corvus corax principalis*, Gt. Smoky Mountains.
- MUMAW, H. A. 1936—A Preliminary Ecological Survey of Birds on the University Farm. Bound thesis. Univ. of Library. Knoxville.*
- MURRAY, J. J. 1931—The Black Vulture in the Tennessee Mountains. Auk **48**:117.
- OAKES, J. C. 1933—A Study of the occurrence of Birds on Vanderbilt University Campus. Bound thesis. 1-92. Peabody Coll. Library. Nashville. June.
- OBERHOLSER, H. C. 1906—The North American Eagles and their Economic Relations. Bull. Biol. Survey U.S.D.A. no. 27. 1-31. Washington. Refers to districts in Tenn.
- OGDEN, S. A. 1933—Raptore and Water Bird records from East Tennessee: The Migrant **4**(4):46-48. Dec.
- PEARSON, T. G. 1908—Ornithological work in North Carolina. (Pres. Address, N. C. Acad. Sci. May, 1908). Jour. E. Mitchell Sci. Soc. **24**:33-43.
- , C. S. BRIMLEY, AND H. H. BRIMLEY. 1919—Birds of North Carolina. N. C. Geol. and Econ. Survey. **4**:1-380. i-xxiii. 29 col. pls. 1 map. Many figs. 8vo.* Raleigh, N. C.
- 1922—Herons of the United States. Natl. Audubon Assn. Aud. Soc. Bull. **5**. Bird Lore **25**:306-314. Cont. notes on Little Blue Heron breeding at Reelfoot Lake, Tenn. 310.
- PERKINS, SAMUEL E., III. 1932—Indiana bronzed grackle migration. Bird-Banding **3**(3):85-94. 3 maps.* Records of *Quiscalus quiscula aeneus* breeding in winter in Tenn. Miss. and Ala.
- PETTINGILL, OLIN S., JR. 1936—The American Woodcock, a Monograph. Memoirs Boston Soc. Nat. Hist. **9**(2):169-391. April.* (Section giving status and data on this bird for Tenn. by A. F. Ganier.)
- PHILLIPS, J. C. 1915—The old New England Bob White. Auk **32**:204-207. April. Tenn. mentioned. 204.
- PICKENS, A. L. 1926—Attracting Birds in the Southeastern States. Bird-Lore **28**:102-107. 1 fig.
- PICKERING, C. F. 1937—A September visit to Reelfoot Lake. The Migrant. **8**(3):49-50. Sept.
- PINDAR, L. O. 1886—The Breeding of *Branta canadensis* at Reelfoot Lake, Tennessee. Auk **3**:481.
- RAGSDALE, G. H. 1879—Nesting of Snowbird in Eastern Tennessee. Bull. Nuttall Ornith. Club **4**:236-239.
- RHODES, S. N. 1895—Contributions to the Zoology of Tennessee. No. 2. Birds. Proc. Acad. Nat. Sci. Philad. 463-501.*
- 1896—Additions to the Avifauna of Tennessee. Auk **13**:181-182.
- SANBORN, HERBERT. 1932—Notes on a captive Golden Eagle. The Migrant **3**(4):39-40. Dec. Locality: Nashville, Tenn.
- SAUNDERS, W. E. 1931—The Gray-Cheeked Thrush in winter. The Migrant **2**:6-7. Locality: Tennessee.

- SCHULTZ, H. H. 1930—Birds of the Cedar Glades of Middle Tennessee. Bound thesis. 1-170. Peabody Coll. Library. Nashville. June.
- SENNETT, G. B. 1887—Observations on Western North Carolina mountains in 1886. *Auk* 4:240-245.
- SHARP, VERNON, JR. 1931—Nesting data on Middle Tennessee Birds. I. The Migrant 2(1):5-6. March. II. 2(2):3-4. June.
- 1932—The Pileated Woodpecker. *The Migrant* 3(4):40-41. With ref. to Tennessee.
- SHAVER, J. M., AND M. B. ROBERTS. 1930—Some nesting habits of the Cardinal. *Jour. Tenn. Acad. Sci.* 5(4):157-170. 1 pl. Studies on *Cardinalis c. cardinalis* made in Kentucky and Tennessee.
- AND G. WALKER. 1930—A Preliminary Study of the effects of temperature on the time of ending of the evening song of the Mockingbird. *Auk* 47(3):385-396. 2 figs. Field obs. on *Mimus p. polyglottos* at Nashville, Tenn.
- AND R. WALKER. 1931—A Preliminary Report on the influence of light intensity upon the time of ending of the evening song of the robin and the mockingbird. *Wilson Bull.* 43(1).
- 1931—A Bibliography of Tennessee Ornithology. *Jour. Tenn. Acad. Sci.* 6(4):179-190.* Includes most papers published previous to 1931.
- 1933—The Influence of climatic and weather factors upon the number of Birds on a depositing Creek Bank. *Ecological Monogr.* 535-597. Oct.*
- AND M. B. ROBERTS. 1933—A Brief Study of the courtship of the Eastern Cardinal (*Richmondia cardinalis cardinalis* Linn.) *Jour. Tenn. Acad. Sci.* 8(2):116-123. April.* Localities; Ambry Hills, Ky. and Nashville, Tenn.
- AND C. CROOK. 1934-1935—The Birds on the Campus of George Peabody College for Teachers, Nashville, Tennessee. *Jour. Tenn. Acad. Sci.* 9(4):278-287. Oct. 10(2):77-82. April.*
- 1935—Bird Study at Peabody College. *The Migrant* 6(4):80-82. Dec. (List of Master's theses on Tennessee birds available for study in the Library of George Peabody College for Teachers, Nashville.)
- 1936—A Mid-Winter Bird Census of the Montgomery Bell project. *Jour. Tenn. Acad. Sci.* 11:95-97.
- 1937—Late Migration of the Brown Thrasher. *The Migrant* 8(2):37-38. Nashville, Tenn.
- SIMPSON, T. W. 1939—The Feeding Habits of the Coot, Florida Gallinule, and Least Bittern on Reelfoot Lake. *Jour. Tenn. Acad. Sci.* 14(1):110-115. Jan. Report Reelfoot Lake Biol. Sta. 3* Contrib. no. 22.
- SMITH, A. 1937—Blackbird Roosts on Reelfoot Lake. *The Migrant* 8(3):63. Sept.
- SMITH, G. S. 1881—The Red Crossbill in Tennessee. *Nuttall Bull.* 6:56-57.
- 1885—Crossbills. (in Tenn.) *Orn. & Oologist* 8:6-7.
- SOAPER, R. C. 1937—The Reelfoot "Cranetown." *The Migrant* 8:42-43. June.
- STOCKARD, C. R. 1904—Nesting Habits of the Woodpeckers and Vultures in Mississippi. *Auk* 21:463-471. (An early paper of a great anatomist.)
- STONE, W. 1918—Review of Preliminary List of Birds of Tennessee. *Auk* 35:93-94.
- STUPKA, A. 1937—Pine Siskins in the Great Smokies. *The Migrant* 8(4):69-70. Dec.*
- 1938—Red Crossbill breeding in the Great Smoky Mountains National Park. *Auk* 55:675. Oct.*
- 1938—Additional Notes on Pine Siskins in the Great Smoky Mountains National Park. *The Migrant* 9(4):93-94. Dec.*
- TAIT, B. 1930—The Evening Song of Birds in relation to light intensity. Bound thesis. 1-60. Peabody Coll. Library. Nashville.

- TENNESSEE WARBLER: NOTES ON. 1869-1870—*Amer. Nat.* **2**:181; **3**:222, 331, 496, 575.
- TODD, H. C. 1937—Upland Plovers at Murfreesboro, Tennessee. *The Migrant* **8**(3): 64. Sept.
- 1938—The Black Vulture in Rutherford County, Tennessee. *The Migrant* **9**(2):23-24. June.
- TORREY, BRADFORD. 1896—Some Tennessee Bird Notes. *Atlantic Monthly* **77**:198-207.
- 1896—Spring Notes from Tennessee. Houghton, Mifflin. Boston 1-223.
- 1936—Spring Birds of Chattanooga. *The Migrant* **7**(2):34-37. June.
- TRENHOLM, L. 1926—The Starling in Tennessee. *Bird Lore* **28**:334.
- TRENT, JAMES, JR. 1935—Waterbirds of East Tennessee. *The Migrant* **6**(2):25-32. June.* A list of 59 species recorded in the literature, together with 8 others known to occur.
- 1936—Waterfowl in spring on Norris Lake, Tennessee. *The Migrant* **7**(2): 30-31.* List includes many game birds.
- TYLER, B. P. 1921-1922—Starling in Tennessee. *Bird Lore* **23**:94-95. **24**:94-95.
- AND R. B. LYLE. 1933—Winter Birds of Northeastern Tennessee. *The Migrant* **4**(3):25-29. Sept.*
- 1935—In search of the Duck-Hawk. *The Migrant* **6**(2):18-19. June. Along the Holston River, Tenn.
- 1936—The Carolina Junco in Northeastern Tennessee. *The Migrant* **7**(4):89-90. Dec.
- VAUGHN, H. S. 1932—The Red-Tailed Hawk. *The Migrant* **3**(1):3-4. March. Habitat: Tenn.
- 1933—A Day in "Cranetown" (Reelfoot Lake, Tennessee). *The Migrant* **4**(4):13-14. June.
- WAILES, B. L. C. 1854—The Birds of Mississippi. Report on Agric. and Geol. of Miss. 317-327.
- WALKER, W. M., JR. 1935—A Collection of Birds from Cocke County, Tennessee. *The Migrant* **6**(3):48-50. Sept.* Collection of N. F. Stokeley, Del Rio, Tenn., on the French Broad River. Greater scaup, *Nyroca marila*; Black rail, *Crexiscus jamaicensis stoddardi*; Western willet, *Catoptrophorus semipalmatus inornatus*: new to Tenn.
- 1937—The Ospreys build a nest. *The Migrant* **8**(3):53. Sept. Locality: Andrew Jackson Lake, Tenn.
- WESTON, F. M., JR. 1913—Additional notes from the mountains of Western N. Carolina. *Auk* **30**:418-421.
- WETMORE, ALEXANDER. 1939—Notes on the Birds of Tennessee. *Proc. U. S. Natl. Mus.* **86**(3050):175-243.* An important new reference. Account of collecting expedition of 1937, covering nearly the entire state, with collections and annotated references to species, together with those in the U. S. Natl. Mus.
- WHITTEMORE, W. L. 1937—Summer Birds of Reelfoot Lake, Tenn. *Jour. Tenn. Acad. Sci.* **12**(1):114-128. Jan.*
- WILSON, GORDON. 1922—Bird Changes caused by the winter of 1917-1918. *Auk* **39**:270. April Refers to terns in Tenn.
- WING, L. 1938—Albino Chimney Swift. *Auk* **55**:280. April. Locality: Union Co., Tenn.
- WOODRING, G. B. 1934—Another visit to Cranetown. *The Migrant* **5**:27-28. Locality: Reelfoot Lake, Tenn.
- 1934—Some Observations on Ducks. *The Migrant* **5**:37-38. Sept.
- 1936—Waterfowl of Radnor Lake, near Nashville, Tennessee. *Jour. Tenn. Acad. Sci.* **11**(4):241-250.*

- WOODWARD, M. 1916—East Tennessee Audubon Society. *Bird Lore* **18**:445-446. Statement of organization.
- WRIGHT, ALBERT HAZEN. 1911—Other early records of the Passenger Pigeon. *Auk* **28**:427-449. Oct. For Tenn., p. 442.
- 1915—Early records of the Wild Turkey. IV. *Auk* **32**:207-224. April. For Tenn., pp. 215-218.
- YARBOROUGH, G. M. 1932—Red-Shouldered Hawk Notes. *The Migrant* **3**:5-6. March. Tenn. localities.

Part 11. Mammalia

- ALLEN, H. 1864—Monograph of the Bats of North America. Smithsonian Misc. Coll. No. 165. Lists *Lasiurus noveboracensis*, Tyree Springs and Knoxville. *Scotophilus fuscus*, Roane Co., Tenn.
- 1893—A Monograph of the Bats of North America. Bull. U. S. Natl. Mus. No. 43. Lists *Adelonycterus fuscus*, Roane Co. *Atalapha noveboracensis*, Tyree Springs and Knoxville, Tenn.
- ANON. 1880—Big Game near Memphis, Tenn. *Chicago Field*. **13**(1):11. Eastern mountain lion 8 mi. south of Memphis.
- ANTHONY, H. E. 1928—Field Book of North American Mammals. Putnam. N. Y. 1-625. Cont. Tenn. data.*
- ANTLER 1880—Tennessee Hunting Grounds. *Forest & Stream* **15**(16):306. Gray wolves in the Caney Fork district.
- BAILEY, VERNON. 1900—Revision of the American Voles of the genus *Microtus*. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **17**:1-88. 5 pls. June 6. *M. pinetorum auricularis*, Tenn.
- 1937—Our noblest Deer: American Elk. *Nature Mag.* **30**:3. Sept. Maps range of *Cervus canadensis canadensis* showing northeastern Tenn. in the original range.
- BANGS, O. 1894—The Geographical Distribution of the eastern races of the cotton-tail (*Lepus sylvaticus* Bach.) with a description of a new subspecies, and with notes on the distribution of the northern hare (*L. americanus* Erxl.). *Proc. Boston Soc. Nat. Hist.* **26**:404-414.
- 1895—The Synonymy of the Eastern Skunk, (*Mephitis mephitica*) with the description of a new subspecies from Florida. *Proc. Boston Soc. Nat. Hist.* **26**. Also from the Mississippi lowlands, Tenn.
- BRIMLEY, C. S. 1905—A Descriptive Catalog of the Mammals of North Carolina, exclusive of the Cetacea. *Jour. E. Mitchell Sci. Soc.* **21**:1-32.
- CEE, JAY. 1881—Game near Lookout Mountain. *Forest & Stream*. **16**(16):309. (See Kellogg, 1939).
- CHURCH, M. L. 1925—*Mustela allegheniensis* in N. Carolina. *Jour. Mammalogy* **6**:281.
- ELLIOTT, D. G. 1901—A List of Mammals obtained by Thaddeus Surber in N. and S. Carolina, Georgia, and Florida. *Field Mus. Nat. Hist. Zool. Publ.* **3**:31-57. 5 pls.
- GOLDMAN, E. A. 1910—Revision of the Wood Rats of the genus *Neotoma*. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna. No. **31**:11-107. 8 pls. Oct. 19. *N. pennsylvanica*, Tenn.
- 1937—Wolves of North America. *Jour. Mammalogy* **18**(1):37-45.* Record from N. W. Alabama.
- GRINNELL, J. 1915—The Tennessee Possum has arrived in California. *Calif. Fish & Game* **1**(3).
- HAMILTON, W. J. 1930—Notes on the Mammals of Breathitt County, Kentucky. *Jour. Mammalogy* **11**:306-311.
- HIBBARD, C. W. 1935—New Mammal Records for Mammoth Cave National Park, Kentucky. *Jour. Mammalogy* **16**:329.*

- HOLLISTER, N. 1911—Systematic Synopsis of the Muskrats. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **32**:1-38. 6 pls. April 29. Records *Fiber zibethicus zibethicus*, for Tenn.
- HOWELL, A. B. 1927—Revision of the American Lemming Mice. (Genus *Synaptomys*). U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **50**:1-37. 2 pls. June 30. *S. cooperi stonei*, Rogersville, Tenn.
- HOWELL, A. H. 1906—Revision of the Skunks of the genus *Spilogale*. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **26**:1-37. 10 pls. Nov. 24. Lists *S. putorius*, Tenn.
- 1909—Description of a new Bat from Nickajack Cave. Proc. Biol. Soc. Washington **22**:45-48. From Shellmound, Marion Co., Tenn.
- 1909—Notes on the Distribution of certain Mammals in the Southeastern States. Proc. Biol. Soc. Washington **22**:55-68.
- 1914—Revision of the American Harvest Mice. (Genus *Reithrodontomys*). U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna. **36**:1-81. 7 pls. June 5. *R. humilis merriami*, for Tenn.
- 1915—Revision of the American Marmots. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **37**:1-80. 15 pls. April 7. *Marmota monax monax*, for Tenn.
- 1918—Revision of the American Flying Squirrels. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **44**:1-60. 7 pls. June 13. *Glaucomys volans volans* and *G. volans saturatus*, for Tenn.
- 1929—Revision of the American Chipmunks. (Genera *Tamias* and *Eutamias*). U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **52**:1-145. 10 pls. Nov. 7. *T. striatus striatus*; Clarksville and Hickman Co., Tenn.
- 1931—Range of the Allegheny Cliff Rat in the Southern Appalachians. Jour. Mammalogy **12**(2). *Neotoma pennsylvanica*, from Tenn.
- 1933—The Florida Wood Rat in the mountains of Georgia and N. Carolina—with a correction. Jour. Mammalogy **14**:371-372.
- JACKSON, HARTLEY H., T. 1915—A Review of the American Moles. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **38**:1-98. 6 pls. Sept. 30. Records *Scalopus aquaticus aquaticus*, for Tenn.
- 1928—A Taxonomic Review of the American Long-Tailed Shrews. (Genera *Sorex* and *Microsorex*). U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **51**:1-218. 13 pls. July. *S. cinereus*, and *S. fumeus fumeus* from Roan Mt., Tenn.
- KELLOGG, REMINGTON. 1939—Annotated List of Tennessee Mammals. Proc. U. S. Natl. Mus. **86**(3051):245-303.* An important new reference. Account of explorations and collections made during 1937, together with account of mammals in Tenn. from the earliest records. Bibliog. of 44 references. Records of distribution for 86 species, including big game.
- KOMAREK, E. V. 1932—Distribution of *Microtus chrotorrhinus*, with description of a new subspecies. Jour. Mammalogy **13**(2):155-158. 1 fig. Review of 3 subspp. of *M. chrotorrhinus* inc. *M. c. carolinensis*, from N. C. and Tenn.
- 1938—Mammals of the Great Smoky Mountains. Bull. Chicago Acad. Sci. **5**(6):137-162.*
- LANTZ, D. E. 1908—An Economic Study of the Field Mice. (Genus *Microtus*). U. S. D. A. Biol. Survey Bull. No. 31. Washington. Mentions damage by mice in Tenn.
- MERRIAM, C. H. 1888—Remarks on the Fauna of the Great Smoky Mountains, with description of a new species of Red-Backed Mouse. (*Eutamias carolinensis*) Amer. Jour. of Sci. & Art **36**(3):458-460.*
- 1892—The Geographic Distribution of Life in North America with special reference to the Mammalia. Proc. Biol. Soc. Washington **7**:1-64. April.*
- MILES, B. C. 1895—The Gray Wolf of Tennessee. Forest & Stream **45**(9):182. (See Kellogg, 266-267, 1939.)

- MILLER, GERRIT S., JR. 1897—Revision of the North American Bats of the family Vespertilionidae. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **13**:1-129. 3 pls. Oct. 16. Lists *Myotis sublatius*; *Pipistrellus subflavus*; *Lasiurus borealis*, and *Nycticeus humeralis*, for Tenn.
- AND J. A. G. REHN. 1901—Systematic Results of the study of North American Land Mammals to the close of the year 1900. Proc. Boston Soc. Nat. Hist. **30**:1-352.*
- 1924—List of North American recent Mammals with nomenclature and distribution. Bull. U. S. Natl. Mus. **128**:1-673.*
- AND G. M. ALLEN. 1928—American Bats of the genera *Myotis* and *Pizonyx*. Bull. U. S. Natl. Mus. **144**:1-218. 15 figs. 13 maps.*
- MOHR, CHARLES E. 1932—*Myotis grisescens* and *Myotis sodalis* in Tennessee and Alabama. Jour. Mammalogy **13**(3):272-273.* Bats of Nickajack Cave, Tenn.
- 1933—Observations on the young of cave-dwelling Bats. Jour. Mammalogy **14**(1):49-53.*
- NELSON, E. W. 1909—The Rabbits of North America. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **29**:1-287. 13 pls. August 31.* *Sylvilagus floridanus mearnsi*; *S. aquaticus*; *S. floridanus alager*, from Tenn.
- AND E. A. GOLDMAN. 1931—Six new Raccoons of the *Procyon lotor* group. Jour. Mammalogy **11**(4):* Inc. *P. lotor varius*, for Tenn.
- NEWCOMBE, C. L. 1930—An Ecological Study of the Allegheny Cliff Rat. Jour. Mammalogy **11**(2):204.* *Neotoma pennsylvanica* from certain districts in Tenn.
- OSGOOD, W. H. 1909—Revision of the Mice of the genus *Peromyscus*. U. S. D. A. Bur. Biol. Survey. N. Amer. Fauna **28**:1-267. 8 pls. April 17.*
- RHOADES, S. N. 1896—Contributions to the Zoology of Tennessee. No. 3. Mammals. Proc. Acad. Nat. Sci. Philad. **48**:175-205.*
- RUFF, F. J. 1938—Trapping Deer on the Pisgah National Game Preserve, N. Carolina. Jour. Wildlife Management **1**(3):152-159.
- STEGEMAN, LEROY C. 1938—The European Wild Boar in the Cherokee National Forest, Tennessee. Jour. Mammalogy **19**(3):279-290.*
- WINGFIELD, A. B. 1895—Tennessee Deer and Quail. Forest & Stream **45**(24):515.
- YEAGER, LEE E. 1937—Some Habits of Southern Fur-Bearers as indicated by trapping. Amer. Midl. Nat. **18**(6):1072-1078. Nov. Observations at Crooked Cr., N. Central Miss. (Webster Co.) on opossum, mink, red fox, and weasel, 1921-1925.

Index of Localities Mentioned in the Bibliography

- ALPINE, TENN.—Clench, 1937.
- ANDERSON, TENN.—Clapp, 1920.
- ANDERSON Co., TENN.—Ortmann, 1916.
- ANDREW JACKSON LAKE, (TENN.)—Green, 1933, 1934; Powers, 1938; Baird, 1937.
- ASHE Co., N. C.—Breder, 1923.
- ATHENS, TENN.—Ijams & Hofferbert, 1934; Faxon, 1898.
- BELLEVUE (or Bellevue), TENN.—Goodrich, 1921.
- BELLS, TENN.—DeLong, 1938.
- BENTON Co., TENN.—Burt, 1937, 1938.
- BERTIE Co., N. C.—Brimley, 1897.
- BIG CREEK, (TENN.)—Williamson, 1909.
- BLACK MTS., (N. C.)—Pilsbry, 1924; Banks, 1905; Beutenmüller, 1918; Kearfott, 1907.
- BLOUNT Co., TENN.—Dunn, 1917; Archer, 1939; Burt, 1937, 1938; Goodrich, 1938.
- BLOUNT SPRINGS, (ALA.)—Clapp, 1904.
- BLUFF CITY, TENN.—Bailey, 1936; Smith, 1938.
- BOLLINGS CREEK, (N. C.)—Bean, 1903.

- BRADLEY Co., TENN.—Burt, 1937.
 BRASSTOWN BALD, (GA.)—Howell, 1909.
 BREATHITT Co., KY.—Vanatta, 1915; Hamilton, 1930.
 BRICEVILLE, TENN.—Howell, 1910.
 BRISTOL, TENN.—Davis, 1934.
 BULL RIVER, (TENN.)—Lea, 1860.
 BUTTRY'S CAVE, (TENN.)—Ives, 1935, 1938.
 BUTTS CREEK, (TENN.)—Goodrich, 1923.
 BYRDSTOWN, TENN.—Clench, 1937.
- CAMPBELL Co., TENN.—Lea, 1852; Archer, 1938; Burt, 1938.
 CANE CREEK, (N. C.)—Bean, 1903.
 CANEY FORK RIVER, (TENN.)—Lea, 1841, 1865; Antler, 1880.
 CARROLL Co., Tenn.—Burt, 1937, 1938.
 CARTER Co., TENN.—BAKER, 1930; Burt, 1938; Bruner & Field, 1912.
 CENTERVILLE, TENN.—Goodrich, 1921.
 CHATTANOOGA, TENN. (Also see Hamilton Co.)—Green, 1930; Torrey, 1936; Burt, 1931; Lea, 1852, 1858; Richards, 1934.
 CHATTANOOGA RIVER—Lea, 1852.
 CHEATHAM Co., TENN.—Goodrich, 1921; Blair, 1937; Burt, 1938.
 CHEROKEE Co., ALA.—Clapp, 1916.
 CHEROKEE Co., N. C.—Clench & Banks, 1932.
 CHEROKEE NATIONAL FOREST.—Stegeman, 1938; Loomis, 1936.
 CHESTER Co., TENN.—Burt, 1938; Endsley, 1937.
 CLAIBORNE Co., TENN.—Faxon, 1898; Burt, 1937; Ortmann, 1916.
 CLARKSVILLE, TENN.—Clebsch, 1937; Ganier, 1937; Hutchison, 1937; DeLong, 1918; Drake, 1916; Hancock, 1918; Osborn & Drake, 1916; Howell, 1929; Hebard, 1919; DeLong, 1935; DeLong & Mohr, 1936; Calhoun, 1938; Davidson & DeLong, 1938.
 CLAY Co., TENN.—Burt, 1938.
 CLINCH RIVER, (TENN.)—Fowler, 1907, 1923; Jordan, 1877; Williamson, 1909, 1912; Faxon, 1898; Boepple & Coker, 1912; Lea, 1845, 1867; Walker, 1910; Hubbs & Trautman, 1937; Fowler, 1906.
 CLINTON Co., KY.—Kirsch, 1892; Gilbert, 1887.
 CLINTON, TENN.—Ortmann, 1916.
 COAL CREEK, TENN.—Howell, 1910; Hubbs & Trautman, 1937; Fowler, 1906, 1910, 1924.
 COCKE Co., TENN.—Walker, 1935.
 COFFEE Co., TENN.—Burt, 1938.
 COLUMBIA, TENN.—Goodrich, 1921.
 COOSA RIVER, (ALA.)—Lewis, 1870.
 COPPER HILL, TENN.—Marchbanks, 1916.
 COVE LAKE, (TENN.)—Kuhne, 1939.
 COVINGTON, TENN.—DeLong, 1918.
 CROSS Mt. (TENN.)—Howell, 1910.
 CROSSVILLE, TENN.—Gertsch & Wallace, 1937.
 CROOKED CREEK, (MISS.)—Yeager, 1937.
 CUMBERLAND Co., TENN.—Burt, 1937, 1938.
 CUMBERLAND GAP (TENN.)—Myers, 1913; Exline, 1936; Faxon, 1898; Lea, 1863, 1864.
 CUMBERLAND RIVER (TENN.-KY.)—Boepple, 1911; Jordan & Brayton, 1878; Jordan & Swain, 1883; Kirsch, 1893; Williamson, 1912; Wilson, 1912; Wright, 1937, 1938; Haldemaan, 1842; Lea, 1832-34, 1841, 1862; Ortmann, 1923-24, 1926-27; Remington & Clench, 1925; Walker, 1910, 1918; Wilson & Clark, 1912-14; Fowler, 1906, 1910, 1924; Simpson, 1900; Clebsch, 1936, 1937.
 CUMBERLAND MTS. (TENN.)—Rafinesque, 1831.
- DALE Co., ALA.—Goodrich, 1924.
 DAVIDSON Co. TENN. (See Nashville, Tenn.)—Burt, 1937, 1938.

- DECATUR Co., TENN.—Burt, 1937, 1938.
 DEKALB Co., TENN.—Goodrich, 1923.
 DLAP'S CAVE, (TENN.)—Ives, 1935, 1938.
 DICKSON Co., TENN.—Burt, 1938.
 DUCK RIVER, (TENN.)—Lea, 1868; Ortmann, 1924; Remington & Clench, 1925; Goodrich, 1921-1937.
 DYER Co., TENN.—Burt, 1937, 1938.

 ELIZABETHTON, TENN.—Walker, 1899; Loomis, 1938.
 ELK RIVER, (TENN.)—Conrad, 1834; Frierson, 1916; Remington & Clench, 1925.
 ELLIJAY, GA.—Howell, 1909.
 ETOWAH, TENN.—Harper, 1935.
 FAYETTE Co., TENN.—Burt, 1937, 1938.
 FAYETTEVILLE TENN.—Clapp, 1915.
 FENTRESS Co., TENN.—Gloyd, 1936; Rogers, 1930; Burt, 1937, 1938.
 FLINT RIVER, (TENN.)—Conrad, 1834; Frierson, 1916.
 FLORENCE, ALA. (See Muscle Shoals)—Lea, 1863; Mason, 1938; Goodrich, 1921-1937.
 FRANKLIN Co., TENN.—Clapp 1919, 1920; Burt, 1937.
 FRENCH BROAD RIVER, (N. C.-TENN.)—Walker, 1935; Cope, 1870; Jordan, 1877; Jordan & Brayton, 1878; Lea, 1832-1834, 1841, 1867; Fowler, 1924.

 GATLINBURG, TENN.—Harper, 1935; Pope, 1928; Davis, 1934.
 GENDALE HILLS, TENN.—Loomis, 1938.
 GRAINGER Co., TENN.—Ortmann, 1916; Burt, 1938.
 GRANDFATHER MTS. (N. C.)—Walker, 1931; Exline, 1936; Banks, 1932; Moore, 1899.
 GREAT SMOKY MTS. (See Smoky Mts. National Park.)
 GREEN Co., TENN.—Burt, 1938.
 GREENEVILLE, TENN.—Faxon, 1898.
 GREENWOOD, MISS.—Hildebrand & Towers, 1929.
 GUNTERSVILLE, ALA.—Mason, 1938.
 GWINNETT Co., GA.—Allard, 1908-1909.

 HAMILTON, Co., TENN. (See Chattanooga, Tenn.)—Burt, 1937, 1938.
 HARPETH RIVER, TENN.—Migrant, 1930; "Climax," 1880; Conrad, 1866; Lea, 1832-1834.
 HAWKINS Co., TENN.—Fleming, 1907; Ortmann, 1916.
 HENDERSON Co., TENN.—Burt, 1938.
 HENRY Co., TENN.—Burt, 1937, 1938.
 HICKMAN Co., TENN.—Goodrich, 1921; Hinkley, 1920; Howell, 1929; Burt, 1937, 1938.
 HOLSTON RIVER, (TENN.)—Tyler, 1935; Boepple & Coker, 1912; Conrad, 1834; Haldeman, 1842; Lea, 1841, 1845; Lewis, 1871; Ortmann, 1916; Tryon, 1871; Walker, 1910; Fowler, 1924; Simpson, 1900.
 HOOVER & MASON LAKE, (TENN.)—Gray, 1937.
 HORN LAKE CREEK, (TENN.)—Lea, 1852.
 HOUSTON Co., TENN.—Dillon, 1931; Burt, 1937.
 HUMPHREYS Co., TENN.—Burt, 1937, 1938.

 INDIAN CAVE, (TENN.)—Mohr, 1933.

 JACKSON Co., ALA.—Clapp, 1919; Sargeant, 1895.
 JACKSON Co., GA.—Allard, 1908-1910.
 JEFFERSON Co., TENN.—Burt, 1938.
 JOHNSON CITY, TENN.—Ijams, 1931; Smith, 1911.
 KINGSPORT, TENN.—Bailey, 1936.
 KINGSTON, TENN.—Gertsch, 1934.

- KNOX COUNTY, TENN. (See Knoxville, Tenn.)—Chamberlin, 1921; Ortmann, 1916; Burt, 1937, 1938.
- KNOXVILLE, TENN.—Baird, 1937; Ganier, 1929; Hay, 1931; Ijams, 1929; Johnson, 1930; Marchbanks, 1914; Mumaw, 1936; Ogden, 1933; Walker, 1937; Woodward, 1907-1916; Marston, 1931; Needham, Traver & Hsu, 1935; Williamson, 1909; Faxon, 1898; Barber, 1918; Clapp, 1915; Cockerell, 1918; Férussac, 1821; Pilsbry & Vanatta, 1924; Allen, 1864, 1893; DeLong & Mohr, 1936; Goodrich, 1938.
- LAKE CO., TENN.—Meloney & Crabtree, 1934.
- LAUDERDALE CO., TENN.—Burt, 1938; Kuhne, 1939.
- LAWRENCEBURG, TENN.—Howell, 1910.
- LEBANON, TENN.—Putnam, 1872; Lea, 1864.
- LITTLE RIVER, (TENN.)—Clench, 1928.
- LOOKOUT MT. (TENN.)—Fox, 1882; Marx, 1889; Davis, 1934; Cee, 1881.
- LOUDON CO., TENN.—Burt, 1938.
- MACON CO., TENN.—Burt, 1938.
- MADISON CO., ALA.—Wheeler, 1912.
- MADISON CO., TENN.—Smith, 1938; Burt, 1937, 1938.
- MAMMOTH CAVE (KY.)—Call, 1897; Eigenmann, 1909; Bailey, 1933; Giovannoli, 1933; Packard, 1872, 1875, 1888; Kofoid, 1900; Hay, 1902, 1903; Hibbard, 1935.
- MANCHESTER, TENN.—Ganier, 1929.
- MARION CO., TENN.—Howell, 1909; Baker, 1929; Burt, 1938.
- MAURY CO., TENN.—Goodrich, 1921; Burt, 1937.
- MCMINN CO., TENN.—Faxon, 1898; Burt, 1938.
- MCMINNVILLE, TENN.—Goodrich, 1923.
- MEMPHIS, TENN. (See Shelby Co., Tenn.)—Anderson, 1928; Coffey, 1933, 1936, 1937, 1938; Whittmore & Simpson, 1937; Anon., 1880.
- MITCHELL Co. N. C.—Pilsbry, 1924.
- MONROE CO., TENN.—Ijams, 1931; Faxon, 1898; Burt, 1938.
- MONTEAGLE, TENN.—Needham, Traver & Hsu, 1935; Richards, 1931.
- MONTA SANO, ALA.—Wheeler, 1912.
- MONTGOMERY Co., ALA.—Lea, 1858.
- MONTGOMERY Co., TENN.—Clebsch, 1937; Burt, 1937, 1938.
- MONTVALE SPRINGS, TENN.—Gertsch, 1935.
- MOORE Co., TENN.—Burt, 1938.
- MORGAN Co., TENN.—Rogers, 1930; Clapp, 1899.
- MOSCOW, TENN.—DeLong & Mohr, 1936.
- MOSSY CREEK, TENN.—Bollman, 1888; Cope, 1871.
- MT. LECONTE, (TENN.)—King, 1936; McClure, 1931; Chamberlin, 1936; Exline, 1936; Gertsch, 1934; Needham, Traver & Hsu, 1935; Clench & Archer, 1933; Davis, 1934.
- MT. MITCHELL, (N. C.)—Exline, 1936; Beutenmüller, 1913; Pilsbry, 1924; Walker & Pilsbry, 1902.
- MT. PLEASANT, TENN.—Gray, 1937.
- MUD LAKE (MISS.-TENN.)—Coffey, 1932, 1936.
- MURFREESBORO, TENN.—Todd, 1937; Wetherby, 1911.
- MURPHY, TENN.—Blanchard, 1920.
- NANTAHALA GORGE (N. C.)—Clench & Banks, 1932.
- NASHVILLE, TENN. (See Davidson Co., Tenn.)—Bedwell, 1927; Blair, 1937; Greene, 1928; Guy, 1931; Jackson, 1930; Major, 1933; Meloney, 1933; Walker, 1933; Harwood, 1934, 1935; Baker, 1931; Crook & Ganier, 1924-25; Ganier, 1918, 1917-19, 1924, 1925, 1928, 1930, 1931, 1933, 1934, 1935, 1936, 1937; Hieatt, 1931; Laskey, 1933-1937; Layne, 1931; Manlove, 1933; Mayfield, 1928-37; Merritt, 1937; Monk & Mayfield, 1927; Monk, 1929-37; Monroe, 1937; Oakes, 1933; Shaver, 1922-37; Tait, 1930; Vaughn, 1930; Woodring, 1936; Burt, 1931,

- 1937, 1938; Donnell, 1936; Dunn, 1927; Ball, 1937; Bachtel, 1928; Chamberlin, 1918; Barkley, 1927; Corley, 1937; Fernald, 1928; Hine, 1902; Mullens, 1937; Skinner, 1907; Wright, 1937, 1938; Fleming, 1936, 1938; Lea, 1830-40; Wesson, 1936; Calhoun, 1938; Ganier, 1938; Coffey, 1938; Woodward, 1934, 1935; Chadwick, 1928.
- NEWFOUND GAP (TENN.-N. C.)—Exline, 1936; Archer, 1938.
- NICKAJACK CAVE, (TENN.)—Packard, 1894; Ives, 1927-1930; Cope & Packard, 1881; Hay, 1902; Mohr, 1932-33; Scudder, 1894, 1900.
- NOLICHUCKY RIVER, (TENN.-N. C.)—Lea, 1861-1876; Haldeman, 1842.
- NORRIS LAKE, (TENN.)—Foster, 1937; Trent, 1935, 1936; Stirewalt, 1937; Powers, 1938.
- OAKDALE, TENN.—Clapp, 1899.
- OBION Co., TENN.—Faxon, 1898; Davis, 1934; Burt, 1937, 1938.
- OPEN LAKE (TENN.)—Kuhne, 1939.
- OVERTON Co., TENN.—Clench, 1937.
- PARIS, TENN.—DeLong & Mohr, 1936.
- PARKSVILLE, TENN.—Harper, 1935.
- PATTONVILLE, TENN.—Davis, 1934.
- PERRY Co., TENN.—Burt, 1938.
- PERRYVILLE, TENN.—Burt, 1931.
- PICKETT Co., TENN.—Clench, 1937; Burt, 1938.
- PICKETT STATE FOREST (TENN.)—Ganier, 1937.
- PISGAH FOREST (N. C.)—Winslow, 1921; Ruff, 1938.
- PLEASANT GAP, ALA.—Clapp, 1916.
- POLK Co., TENN.—Goodrich, 1931; Burt, 1938.
- POWELL RIVER, (VA.-TENN.)—Faxon, 1898; Clench, 1926; Lea, 1863; Ortmann, 1916.
- PULASKI, TENN.—Coffey, 1938.
- PUTNAM Co., TENN.—Burt, 1938; Goodrich, 1923.
- RALEIGH, N. C.—Townes, 1938.
- REELFOOT LAKE, (TENN.)—Lyon, 1926; Nelson, 1924; Eddy, 1930; Lackey, 1934; Collins, 1937; Harwood, 1936; Bent, 1925, 1926, 1927; Crook, 1935, 1938; Ganier, 1916, 1929, 1930; Howell, 1910; Killibrew, 1874; Lincoln, 1927; Maslowski, 1937, 1938; McCamey, 1935; Pearson, 1922; Pickering, 1937; Pindar, 1886; Scott, 1932; Smith, 1937; Vaughn, 1933; Whittemore, 1937; Parker, 1937-39; Woodring, 1934; Shaver, 1933; Green, 1937; Koen, 1937; Baker, 1937-39; Cagle, 1937; Ortmann, 1926; Hubbell, 1926, 1936; Brown & Pearson, 1938; Kuhne, 1939; Schoffman, 1938, 1939; Byrd, 1938, 1939; Simpson, 1939; Gersbacher, 1939; Soaper, 1937.
- RHEA Co., TENN.—Burt, 1937.
- RICH MT., TENN.—Howell, 1909.
- RIO, KY.—Clench, 1926.
- ROANE Co., TENN.—Fox, 1885; Burt, 1931, 1937, 1938; Stejneger, 1923; Butler, 1931-33; Allen, 1864.
- ROAN MT. (TENN.)—Wetherby, 1893-94; Ganier, 1936; Jackson, 1928; Davis, 1934; Loomis, 1938.
- ROCKCASTLE RIVER, (KY.)—Williamson, 1905.
- ROCKWOOD, TENN.—Oberholser, 1918.
- ROGERSVILLE, TENN.—Howell, 1927.
- ROTHERWOOD, TENN.—Ortman, 1916.
- RUTHERFORD, Co., TENN.—Crook, 1935; Davis, O'Kelly & Bachtel, 1934; Goodrich, 1923.
- SCOTT Co., TENN.—Rogers, 1930.
- SEQUATCHIE Co., TENN.—Burt, 1937, 1938.

- SEVIER Co., TENN.—(See Smoky Mts. Natl. Park). Mackin & Hubricht, 1938; Burt, 1937, 1938; King, 1936, 1939.
- SHELBY Co., TENN. (See Memphis, Tenn.)—Coffey, 1931; Burt, 1937, 1938.
- SHELLMOUND, TENN.—Howell, 1909.
- SMITH Co., TENN.—Burt, 1938.
- SMOKY MOUNTAINS NATIONAL PARK, (TENN.-N.C.)—Barrows, 1935; Stupka, 1937, 1938; Ganier, 1926; Lemoyne, 1886; McCamey, 1936; Moss, 1937; Necker, 1934; Weller, 1930-31; Burrows, 1935; King, 1937, 1939; Powers, 1937; Exline, 1936; Cole, 1938; Musgrave, 1932; Needham, Traver & Hsu, 1935; Clapp, 1920; Pilsbry, 1895, 1897, 1898, 1900, 1924; Bellrose, 1938; Ganier & Clebsch, 1938; Cole, 1938; Archer, 1939; Mackin & Hubrich, 1938; Baker, 1929; Komarek, 1938; Merriam, 1888.
- SNEEDSVILLE, TENN.—Williamson, 1909.
- SODDY, TENN.—Howell, 1910.
- SOMERVILLE, TENN.—Burt, 1931.
- SPARTA, TENN.—Goodrich, 1923.
- SPRING CITY, TENN.—Burt, 1931; Dunn, 1920.
- STEVENSON, ALA.—Clapp, 1920.
- STONE'S RIVER, (TENN.)—Williamson, 1903; Goodrich, 1923; Gilbert, 1887.
- STRAWBERRY PLAINS, TENN.—Bollman, 1888.
- SULLIVAN Co., TENN.—Smith, 1938; Burt, 1938.
- SUMNER Co., TENN.—Burt, 1937, 1938.
- SWAIN Co., N. C.—Clench & Banks, 1932.
- TATE, GA.—Howell, 1909.
- TAZEWELL, TENN.—Hughes, 1910-14; Faxon, 1898.
- TENNESSEE RIVER.—Agassiz, 1854; Fowler, 1922; Gilbert, 1887-1889; Jordan & Brayton, 1877; Conrad, 1834; Goodrich, 1921, 1931, 1934, 1935-37, 1938; Lea, 1830, 1841, 1857, 1861, 1868-72; Ortmann, 1920, 1923-24, 1925; Remington & Clench, 1925; Simpson, 1900; Sterki, 1905; Troost, 1844; Tryon, 1866; Walker, 1916; Wetherby, 1881; Johnson, 1905.
- THREE SPRINGS CAVE, (TENN.)—Ives, 1935, 1938.
- TIPTONVILLE, TENN.—Ganier, 1929, 1930; Mattox, 1936.
- TISHOMINGO Co., MISS.—Allison, 1907.
- TUCKASEEGEE RIVER, (N. C.)—Hildebrand, 1932.
- TULLAHOMA, TENN.—DeLong & Mohr, 1936.
- TUSCUMBIA, ALA. (See Muscle Shoals)—Lea, 1865.
- TYREE SPRINGS, TENN.—Allen, 1864, 1893; Blanchard, 1933.
- UNICOI Co., TENN.—Baker, 1929, 1930.
- UNION Co., TENN.—Pilsbry, 1924; Wing, 1938; Burt, 1937, 1938.
- VALLEY RIVER MTS. (N. C.)—Clench & Banks, 1932.
- WALDEN'S RIDGE (TENN.)—Howell, 1910.
- WARREN Co., TENN.—Goodrich, 1923; Burt, 1938.
- WATAUGA Co., N. C.—Clapp, 1920.
- WAYNESBORO, TENN.—Cochran, 1938.
- WEBSTER Co., MISS.—Yeager, 1937.
- WETUMPKA, ALA.—Clapp, 1904.
- WHEELER DAM (TENN.)—Bamberg, 1937; Cahn & Biyan, 1938.
- WHITE BLUFF, TENN.—Shaver, 1936.
- WHITE Co., TENN.—Goodrich, 1923; Burt, 1937, 1938.
- WILLIAMSON Co., TENN.—Burt, 1937.
- YOUNG HARRIS, GA.—Howell, 1909.

DEPARTMENT OF BIOLOGY,
VANDERBILT UNIVERSITY,
NASHVILLE, TENNESSEE.